

## 第8章 健康・食生活意識調査の結果 (アンケート調査)

問1 食育への関心

性別	回 答	年齢区分	※総数	15-19歳	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	※(再掲) 20歳以上	※(再掲) 20-49	※(再掲) 40-64	※(再掲) 40-74	※(再掲) 65-74
男性	人数		595	27	36	45	92	87	127	181	568	173	242	374	132
	1.関心がある	割合	41.7%	17.2%	37.2%	33.2%	31.3%	45.2%	38.7%	55.3%	43.1%	33.4%	39.1%	40.6%	44.0%
		標準誤差	2.8%	7.5%	10.9%	8.5%	5.9%	6.9%	4.0%	5.1%	3.2%	5.8%	4.5%	3.7%	5.1%
	2.関心がない	割合	22.6%	43.1%	34.1%	34.3%	24.2%	18.9%	18.8%	14.4%	21.5%	29.8%	22.1%	19.3%	13.4%
3.どちらともいえない	割合	35.7%	39.7%	28.7%	32.5%	44.5%	35.9%	42.5%	30.3%	35.4%	36.8%	38.8%	40.1%	42.6%	
女性	人数		666	36	26	56	107	88	134	219	630	189	267	398	131
	1.関心がある	割合	57.1%	37.1%	28.9%	51.5%	56.9%	57.5%	62.1%	68.7%	58.3%	48.1%	56.3%	63.2%	80.3%
		標準誤差	3.2%	13.8%	11.2%	8.0%	5.9%	6.3%	4.8%	4.0%	3.1%	5.2%	3.6%	3.3%	3.5%
	2.関心がない	割合	9.7%	13.3%	28.9%	10.1%	9.1%	8.9%	3.3%	6.9%	9.5%	14.4%	7.6%	6.4%	3.4%
3.どちらともいえない	割合	33.2%	49.6%	42.2%	38.4%	34.1%	33.6%	34.5%	24.4%	32.3%	37.5%	36.0%	30.4%	16.3%	
総数	人数		1261	63	62	101	199	175	261	400	1198	362	509	772	263
	1.関心がある	割合	49.4%	27.2%	33.1%	42.4%	44.1%	51.4%	50.5%	62.0%	50.7%	40.8%	47.8%	51.8%	60.9%
		標準誤差	2.2%	9.4%	5.9%	5.7%	4.6%	5.7%	2.9%	3.9%	2.4%	2.9%	3.3%	2.9%	3.7%
	2.関心がない	割合	16.1%	28.2%	31.5%	22.2%	16.6%	13.9%	11.0%	10.6%	15.5%	22.1%	14.7%	12.9%	8.7%
3.どちらともいえない	割合	34.4%	44.6%	35.4%	35.5%	39.3%	34.7%	38.5%	27.3%	33.9%	37.1%	37.4%	35.3%	30.4%	

注) 値は保健所ごとの標本数の偏りを調整するための重み付けをして算出した値

※値は保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR4人口構成に合わせるための重み付けをした値

問1 あなたは食育に関心がありますか。1つだけ選んで○印をつけてください。

問2 食事をする時に気をつけていること

性別	回答	年齢区分	※総数	15-19歳	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	※(再掲) 20歳以上	※(再掲) 20-49	※(再掲) 40-64	※(再掲) 40-74	※(再掲) 65-74
男性		人数	523	26	32	42	87	75	114	147	497	161	220	336	116
	1.バランス良く食べる	割合	46.9%	43.8%	51.5%	53.3%	47.7%	30.8%	50.6%	49.4%	47.1%	50.4%	40.5%	44.3%	52.2%
		標準誤差	3.8%	9.3%	12.3%	10.0%	6.6%	6.3%	6.0%	6.1%	3.9%	6.2%	3.4%	3.5%	5.7%
	2.野菜を多く食べる	割合	48.9%	29.0%	28.3%	49.2%	41.4%	50.9%	56.0%	58.7%	50.1%	40.7%	46.5%	50.4%	58.4%
		標準誤差	2.7%	13.2%	8.5%	10.0%	5.7%	6.9%	5.6%	4.4%	3.0%	4.5%	3.8%	3.6%	5.6%
	3.塩分を控える	割合	36.1%	7.0%	18.2%	9.0%	25.1%	30.1%	42.9%	64.5%	37.9%	18.4%	31.4%	36.1%	45.9%
		標準誤差	2.6%	4.4%	7.0%	4.3%	6.4%	5.5%	6.7%	5.1%	2.5%	3.4%	3.7%	3.7%	6.2%
	4.油、油脂を控える	割合	23.5%	6.8%	27.6%	10.7%	18.8%	11.9%	28.5%	36.9%	24.6%	18.4%	18.7%	21.2%	26.4%
		標準誤差	2.4%	5.0%	11.0%	4.6%	6.0%	3.8%	4.7%	5.8%	2.6%	4.0%	3.2%	3.3%	6.0%
	5.特に気をつけていない	割合	25.4%	44.6%	32.8%	28.8%	29.2%	27.7%	22.5%	15.9%	24.2%	29.9%	27.5%	25.5%	21.5%
		標準誤差	2.8%	10.2%	12.0%	7.5%	5.6%	5.7%	4.9%	3.9%	3.1%	5.0%	3.4%	2.7%	3.8%
	6.その他	割合	4.9%	3.8%	2.1%	4.1%	9.3%	6.8%	2.5%	3.9%	4.9%	5.9%	7.2%	5.7%	2.7%
		標準誤差	1.1%	3.8%	2.2%	2.8%	4.7%	3.9%	1.4%	1.5%	1.1%	2.1%	2.6%	1.7%	1.5%
	女性		人数	583	33	21	54	100	75	124	176	550	175	242	359
1.バランス良く食べる		割合	57.7%	45.6%	21.8%	60.9%	60.4%	58.1%	69.8%	61.3%	58.4%	51.6%	62.2%	65.7%	74.1%
		標準誤差	2.9%	9.7%	10.7%	8.8%	6.2%	6.7%	5.0%	4.4%	3.2%	5.3%	4.5%	3.3%	3.7%
2.野菜を多く食べる		割合	68.6%	50.0%	40.4%	81.5%	65.1%	61.1%	76.8%	76.7%	69.7%	64.7%	66.2%	70.0%	79.3%
		標準誤差	2.6%	8.3%	15.8%	5.9%	5.2%	7.0%	3.6%	4.0%	2.8%	6.7%	3.2%	2.4%	3.9%
3.塩分を控える		割合	48.7%	12.8%	15.1%	33.2%	42.7%	48.1%	58.4%	71.1%	50.9%	33.1%	47.6%	54.9%	72.9%
		標準誤差	3.6%	7.2%	7.5%	7.4%	6.2%	5.0%	5.7%	4.4%	3.4%	4.3%	3.7%	3.4%	5.5%
4.油、油脂を控える		割合	37.5%	16.7%	26.4%	24.5%	33.5%	45.3%	41.7%	46.5%	38.8%	28.9%	38.9%	41.7%	48.8%
		標準誤差	1.9%	7.5%	10.7%	6.2%	6.2%	7.0%	5.4%	4.3%	2.3%	3.8%	4.1%	2.8%	7.1%
5.特に気をつけていない		割合	11.2%	20.4%	40.5%	7.0%	11.4%	14.8%	4.0%	4.2%	10.7%	16.8%	10.9%	8.5%	2.5%
		標準誤差	1.6%	8.9%	8.8%	3.1%	4.0%	4.1%	2.0%	1.8%	1.9%	4.4%	1.9%	1.4%	1.7%
6.その他		割合	7.6%	6.1%	0.0%	9.9%	4.0%	10.2%	10.8%	8.1%	7.7%	5.0%	7.6%	8.2%	9.7%
		標準誤差	1.4%	4.1%	0.0%	7.1%	2.0%	3.4%	3.2%	2.4%	1.3%	2.5%	1.9%	1.7%	3.1%
総数			人数	1106	59	53	96	187	150	238	323	1047	336	462	695
	1.バランス良く食べる	割合	52.3%	44.7%	37.0%	57.2%	54.0%	44.5%	60.4%	55.3%	52.8%	51.0%	51.5%	54.9%	62.5%
		標準誤差	2.4%	5.4%	7.9%	6.2%	5.2%	4.4%	3.6%	4.4%	2.5%	3.6%	3.3%	2.8%	3.2%
	2.野菜を多く食べる	割合	58.7%	39.3%	34.2%	65.6%	53.0%	56.0%	66.6%	67.6%	59.8%	52.6%	56.5%	60.1%	68.2%
		標準誤差	1.9%	6.3%	10.1%	5.8%	3.4%	4.4%	3.7%	3.4%	1.8%	3.6%	2.4%	2.1%	3.7%
	3.塩分を控える	割合	42.4%	9.9%	16.7%	21.3%	33.7%	39.2%	50.8%	67.8%	44.4%	25.7%	39.6%	45.4%	58.6%
		標準誤差	2.5%	4.8%	5.2%	5.1%	4.9%	3.4%	4.4%	3.7%	2.3%	2.7%	2.5%	2.0%	2.9%
	4.油、油脂を控える	割合	30.5%	11.7%	27.0%	17.7%	26.0%	28.7%	35.2%	41.7%	31.6%	23.6%	28.9%	31.4%	36.9%
		標準誤差	1.8%	4.7%	7.3%	5.1%	4.5%	4.2%	3.6%	4.2%	2.2%	3.0%	2.6%	2.4%	5.5%
	5.特に気をつけていない	割合	18.3%	32.7%	36.5%	17.7%	20.5%	21.2%	13.1%	10.1%	17.5%	23.4%	19.1%	17.1%	12.6%
		標準誤差	1.7%	5.1%	7.9%	4.4%	3.4%	4.1%	2.5%	2.3%	1.8%	3.0%	2.0%	1.5%	2.0%
	6.その他	割合	6.2%	5.0%	1.1%	7.0%	6.7%	8.5%	6.8%	6.0%	6.3%	5.5%	7.4%	7.0%	6.0%
		標準誤差	0.6%	2.8%	1.1%	3.7%	2.6%	2.5%	1.9%	1.5%	0.6%	1.5%	1.4%	1.0%	1.8%

注) 値は保健所ごとの標本数の偏りを調整するための重み付けをして算出した値

※値は保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR4人口構成に合わせるための重み付けをした値

問2 あなたは、食事をする時に気をつけていることがありますか。あてはまるものをすべて選んで○印をつけてください。

問3 外食の利用状況

性別	回答	年齢区分	※総数	15-19歳	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	※(再掲) 20歳以上	※(再掲) 20-49	※(再掲) 40-64	※(再掲) 40-74	※(再掲) 65-74
男性	総数		596	27	36	45	92	86	129	181	569	173	241	375	134
	1.毎日2回以上	割合	1.0%	0.0%	0.0%	0.0%	5.5%	1.4%	0.0%	0.0%	1.1%	2.4%	2.8%	1.9%	0.0%
	2.毎日1回	割合	3.9%	0.0%	5.2%	4.8%	3.0%	10.3%	1.0%	2.5%	4.1%	4.1%	5.4%	4.9%	4.0%
	3.週4～6回	割合	2.3%	0.0%	3.0%	0.0%	4.2%	3.6%	4.9%	0.4%	2.4%	2.6%	4.5%	3.6%	1.8%
	4.週2～3回	割合	8.8%	3.5%	11.9%	23.4%	7.5%	10.1%	7.7%	4.0%	9.1%	13.6%	10.1%	6.9%	0.3%
	5.週1回	割合	19.2%	17.0%	41.9%	32.8%	24.3%	12.7%	12.9%	11.6%	19.3%	31.4%	18.0%	16.4%	13.0%
	6.週1回未満	割合	38.2%	57.0%	25.2%	26.5%	40.2%	44.7%	40.4%	37.6%	37.1%	32.2%	40.7%	41.4%	42.8%
	7.全く利用しない	割合	26.6%	22.6%	12.8%	12.4%	15.3%	17.1%	33.1%	43.8%	26.8%	13.8%	18.4%	24.9%	38.1%
	(再掲)週1回以上	割合	35.2%	20.5%	62.0%	61.0%	44.5%	38.1%	26.5%	18.6%	36.1%	54.1%	40.9%	33.7%	19.1%
	標準誤差	2.3%	8.4%	9.8%	8.5%	6.4%	5.7%	4.7%	4.8%	2.7%	5.1%	3.7%	2.8%	3.7%	
女性	総数		664	36	26	55	107	87	134	219	628	188	266	397	131
	1.毎日2回以上	割合	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	2.毎日1回	割合	0.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.8%	0.5%	0.3%	0.0%	0.3%	0.5%	0.9%
	3.週4～6回	割合	1.7%	2.9%	12.9%	0.0%	0.0%	0.9%	1.1%	0.3%	1.6%	3.3%	0.8%	0.7%	0.6%
	4.週2～3回	割合	3.6%	3.2%	14.6%	2.0%	4.5%	3.3%	3.0%	0.8%	3.6%	6.3%	4.0%	3.0%	0.7%
	5.週1回	割合	15.5%	20.4%	23.5%	25.8%	17.2%	18.5%	11.4%	8.2%	15.2%	21.4%	16.2%	15.1%	12.4%
	6.週1回未満	割合	51.9%	60.1%	49.0%	58.1%	64.6%	56.4%	52.7%	40.0%	51.5%	58.6%	58.0%	58.1%	58.3%
	7.全く利用しない	割合	27.0%	13.4%	0.0%	14.1%	13.7%	20.9%	30.9%	50.2%	27.8%	10.3%	20.7%	22.6%	27.1%
	(再掲)週1回以上	割合	21.0%	26.5%	51.0%	27.8%	21.7%	22.7%	16.4%	9.9%	20.7%	31.0%	21.2%	19.3%	14.7%
	標準誤差	2.0%	6.8%	9.4%	5.7%	4.9%	5.4%	4.3%	2.5%	2.2%	3.8%	3.0%	2.3%	3.7%	
総数	総数		1260	63	62	100	199	173	263	400	1197	361	507	772	265
	1.毎日2回以上	割合	0.5%	0.0%	0.0%	0.0%	2.7%	0.7%	0.0%	0.0%	0.6%	1.2%	1.4%	1.0%	0.0%
	2.毎日1回	割合	2.1%	0.0%	2.6%	2.4%	1.5%	5.2%	0.9%	1.5%	2.2%	2.1%	2.8%	2.7%	2.6%
	3.週4～6回	割合	2.0%	1.4%	7.9%	0.0%	2.1%	2.2%	3.0%	0.4%	2.0%	2.9%	2.6%	2.2%	1.3%
	4.週2～3回	割合	6.2%	3.4%	13.3%	12.8%	6.0%	6.7%	5.4%	2.4%	6.4%	10.0%	7.0%	5.0%	0.5%
	5.週1回	割合	17.4%	18.7%	32.7%	29.3%	20.8%	15.6%	12.2%	9.9%	17.3%	26.4%	17.1%	15.8%	12.7%
	6.週1回未満	割合	45.1%	58.5%	37.1%	42.2%	52.4%	50.6%	46.6%	38.8%	44.3%	45.4%	49.5%	49.7%	50.0%
	7.全く利用しない	割合	26.8%	18.0%	6.4%	13.3%	14.5%	19.0%	32.0%	47.0%	27.3%	12.1%	19.6%	23.7%	33.0%
	(再掲)週1回以上	割合	28.1%	23.5%	56.5%	44.5%	33.1%	30.4%	21.5%	14.2%	28.4%	42.6%	30.9%	26.6%	17.1%
	標準誤差	1.8%	5.2%	7.1%	5.6%	5.1%	4.9%	3.8%	3.1%	2.0%	3.6%	2.9%	2.2%	3.2%	

注) 値は保健所ごとの標本数の偏りを調整するための重み付けをして算出した値

※値は保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR4人口構成に合わせるための重み付けをした値

問3 あなたは、外食(飲食店での食事)をどのくらい利用していますか。1つだけ選んで○印をつけてください。

問4 中食の利用状況

性別	回答	年齢区分	※総数	15-19歳	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	※(再掲) 20歳以上	※(再掲) 20-49	※(再掲) 40-64	※(再掲) 40-74	※(再掲) 65-74
男性	人数		595	27	36	45	92	86	129	180	568	173	241	375	134
	1.毎日2回以上	割合	0.7%	1.9%	0.0%	0.0%	1.3%	2.4%	0.0%	0.0%	0.6%	0.6%	1.5%	1.0%	0.0%
	2.毎日1回	割合	3.3%	0.0%	1.3%	4.5%	4.9%	5.5%	3.9%	1.8%	3.5%	3.9%	4.8%	4.9%	4.9%
	3.週4～6回	割合	5.2%	1.9%	3.5%	7.9%	5.8%	9.9%	6.3%	2.1%	5.4%	5.9%	8.0%	6.5%	3.5%
	4.週2～3回	割合	22.1%	21.9%	46.3%	40.2%	17.2%	29.4%	18.5%	8.9%	22.1%	31.7%	25.4%	19.8%	8.4%
	5.週1回	割合	12.5%	11.7%	13.3%	21.4%	18.0%	9.4%	11.9%	8.3%	12.6%	17.9%	12.6%	13.0%	13.9%
	6.週1回未満	割合	30.4%	44.0%	23.5%	7.2%	33.0%	29.1%	31.9%	37.2%	29.7%	22.5%	30.7%	33.4%	38.8%
	7.全く利用しない	割合	25.8%	18.6%	12.3%	18.8%	19.8%	14.2%	27.5%	41.7%	26.2%	17.6%	17.0%	21.4%	30.5%
	(再掲)週1回以上	割合	43.8%	37.4%	64.3%	74.0%	47.3%	56.6%	40.6%	21.1%	44.2%	59.9%	52.3%	45.2%	30.7%
	標準誤差	3.0%	7.7%	8.4%	6.9%	5.9%	6.3%	5.5%	4.5%	3.0%	4.4%	3.9%	3.3%	3.6%	
女性	人数		664	36	26	56	107	86	134	219	628	189	265	396	131
	1.毎日2回以上	割合	0.2%	0.0%	0.0%	0.0%	1.1%	0.0%	0.0%	0.0%	0.2%	0.5%	0.4%	0.3%	0.0%
	2.毎日1回	割合	2.1%	2.5%	2.9%	0.9%	0.5%	6.9%	1.8%	0.9%	2.1%	1.2%	3.2%	2.6%	1.3%
	3.週4～6回	割合	4.1%	2.5%	17.0%	4.7%	5.2%	4.8%	0.9%	1.0%	4.2%	8.0%	4.1%	3.3%	1.3%
	4.週2～3回	割合	19.4%	24.6%	16.8%	22.9%	19.2%	31.1%	25.8%	9.2%	19.2%	19.7%	26.4%	23.9%	18.0%
	5.週1回	割合	14.2%	9.0%	7.3%	17.5%	28.5%	17.3%	13.0%	7.6%	14.5%	19.7%	20.7%	17.7%	10.2%
	6.週1回未満	割合	34.0%	56.1%	23.0%	38.0%	31.5%	28.3%	38.7%	33.7%	32.7%	31.4%	31.6%	34.5%	41.5%
	7.全く利用しない	割合	26.0%	5.3%	32.9%	16.0%	14.0%	11.6%	19.8%	47.6%	27.2%	19.4%	13.6%	17.7%	27.7%
	(再掲)週1回以上	割合	40.0%	38.6%	44.1%	46.0%	54.5%	60.1%	41.5%	18.7%	40.1%	49.2%	54.8%	47.8%	30.8%
	標準誤差	2.8%	10.1%	9.1%	6.8%	4.7%	5.4%	5.2%	3.4%	2.9%	3.4%	3.0%	3.2%	5.5%	
総数	人数		1259	63	62	101	199	172	263	399	1196	362	506	771	265
	1.毎日2回以上	割合	0.4%	0.9%	0.0%	0.0%	1.2%	1.2%	0.0%	0.0%	0.4%	0.5%	1.0%	0.7%	0.0%
	2.毎日1回	割合	2.7%	1.3%	2.1%	2.7%	2.7%	6.2%	2.8%	1.4%	2.8%	2.5%	4.0%	3.8%	3.3%
	3.週4～6回	割合	4.6%	2.2%	10.2%	6.3%	5.5%	7.4%	3.6%	1.5%	4.8%	6.9%	6.0%	4.9%	2.5%
	4.週2～3回	割合	20.8%	23.2%	31.6%	31.5%	18.2%	30.3%	22.2%	9.1%	20.6%	25.7%	25.9%	21.8%	12.8%
	5.週1回	割合	13.4%	10.4%	10.3%	19.5%	23.3%	13.4%	12.5%	7.9%	13.5%	18.8%	16.7%	15.3%	12.2%
	6.週1回未満	割合	32.2%	50.0%	23.3%	22.6%	32.3%	28.7%	35.3%	35.4%	31.2%	27.0%	31.2%	33.9%	40.0%
	7.全く利用しない	割合	25.9%	12.0%	22.6%	17.4%	16.9%	12.9%	23.6%	44.7%	26.7%	18.5%	15.2%	19.6%	29.2%
	(再掲)週1回以上	割合	41.9%	38.0%	54.2%	60.0%	50.9%	58.4%	41.1%	19.9%	42.1%	54.5%	53.6%	46.5%	30.8%
	標準誤差	2.5%	6.8%	5.6%	5.0%	4.5%	4.3%	4.0%	3.5%	2.6%	3.0%	3.1%	3.0%	3.9%	

注) 値は保健所ごとの標本数の偏りを調整するための重み付けをして算出した値

※値は保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR4人口構成に合わせるための重み付けをした値

問4 あなたは、中食(持ち帰りの弁当や惣菜)をどのくらい利用していますか。1つだけ選んで○印をつけてください。

問5 フードデリバリーサービスの利用状況

性別	回答	年齢区分	※総数	15-19歳	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	※(再掲) 20歳以上	※(再掲) 20-49	※(再掲) 40-64	※(再掲) 40-74	※(再掲) 65-74
男性	総数		596	27	36	45	92	86	129	181	569	173	241	375	134
	1.毎日2回以上	割合	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	2.毎日1回	割合	0.7%	0.0%	0.0%	2.2%	0.0%	1.4%	0.7%	0.5%	0.7%	0.7%	0.8%	0.6%	0.0%
	3.週4～6回	割合	0.4%	0.0%	0.0%	0.0%	0.0%	1.6%	0.0%	0.5%	0.4%	0.0%	0.6%	0.4%	0.0%
	4.週2～3回	割合	0.7%	0.0%	2.6%	0.0%	0.0%	1.4%	1.0%	0.4%	0.7%	0.7%	0.6%	0.6%	0.8%
	5.週1回	割合	0.2%	0.0%	0.0%	0.0%	0.0%	0.6%	0.0%	0.5%	0.3%	0.0%	0.2%	0.2%	0.0%
	6.週1回未満	割合	8.1%	13.0%	6.9%	6.0%	12.5%	14.9%	5.3%	3.9%	7.8%	9.1%	11.9%	8.9%	2.7%
	7.全く利用しない	割合	89.9%	87.0%	90.5%	91.8%	87.5%	80.2%	93.1%	94.2%	90.1%	89.6%	85.8%	89.4%	96.6%
	(再掲)週1回以上	割合	2.0%	0.0%	2.6%	2.2%	0.0%	5.0%	1.6%	1.9%	2.1%	1.3%	2.3%	1.8%	0.8%
標準誤差		0.7%	0.0%	2.6%	2.1%	0.0%	3.1%	0.9%	1.0%	0.7%	0.9%	1.2%	0.8%	0.6%	
女性	総数		665	36	26	56	107	87	134	219	629	189	266	397	131
	1.毎日2回以上	割合	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	0.1%	0.0%	0.0%	0.0%	0.0%
	2.毎日1回	割合	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	3.週4～6回	割合	0.3%	0.0%	0.0%	0.0%	1.2%	0.0%	0.0%	0.6%	0.4%	0.5%	0.5%	0.3%	0.0%
	4.週2～3回	割合	0.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.9%	0.3%	0.0%	0.0%	0.0%	0.0%
	5.週1回	割合	0.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1.2%	0.4%	0.0%	0.0%	0.0%	0.0%
	6.週1回未満	割合	9.1%	15.7%	2.6%	17.0%	13.0%	9.1%	6.6%	6.2%	8.7%	11.6%	11.0%	9.3%	5.3%
	7.全く利用しない	割合	89.8%	84.3%	97.4%	83.0%	85.8%	90.9%	93.4%	90.9%	90.2%	87.9%	88.5%	90.3%	94.7%
	(再掲)週1回以上	割合	1.1%	0.0%	0.0%	0.0%	1.2%	0.0%	0.0%	2.9%	1.1%	0.5%	0.5%	0.3%	0.0%
標準誤差		0.4%	0.0%	0.0%	0.0%	1.2%	0.0%	0.0%	1.2%	0.4%	0.5%	0.5%	0.3%	0.0%	
総数	総数		1261	63	62	101	199	173	263	400	1198	362	507	772	265
	1.毎日2回以上	割合	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
	2.毎日1回	割合	0.3%	0.0%	0.0%	1.1%	0.0%	0.7%	0.3%	0.3%	0.4%	0.3%	0.4%	0.3%	0.0%
	3.週4～6回	割合	0.4%	0.0%	0.0%	0.0%	0.6%	0.8%	0.0%	0.5%	0.4%	0.3%	0.6%	0.4%	0.0%
	4.週2～3回	割合	0.5%	0.0%	1.3%	0.0%	0.0%	0.7%	0.5%	0.7%	0.5%	0.3%	0.3%	0.3%	0.4%
	5.週1回	割合	0.3%	0.0%	0.0%	0.0%	0.0%	0.3%	0.0%	0.9%	0.3%	0.0%	0.1%	0.1%	0.0%
	6.週1回未満	割合	8.6%	14.3%	4.8%	11.5%	12.7%	12.0%	5.9%	5.1%	8.3%	10.3%	11.4%	9.1%	3.9%
	7.全く利用しない	割合	89.9%	85.7%	93.9%	87.4%	86.7%	85.5%	93.3%	92.5%	90.1%	88.7%	87.2%	89.8%	95.7%
	(再掲)週1回以上	割合	1.5%	0.0%	1.3%	1.1%	0.6%	2.5%	0.8%	2.4%	1.6%	0.9%	1.4%	1.1%	0.4%
標準誤差		0.4%	0.0%	1.3%	1.1%	0.6%	1.5%	0.5%	0.9%	0.5%	0.5%	0.7%	0.5%	0.3%	

注) 値は保健所ごとの標本数の偏りを調整するための重み付けをして算出した値

※値は保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR4人口構成に合わせるための重み付けをした値

問5 あなたは、フードデリバリーサービス(料理を注文し、配達を受けるサービス)をどのくらい利用していますか。1つだけ選んで○印をつけてください。

問6 家族や友人など2人以上で食事をする回数  
(朝食)

性別	回 答	年齢区分	※総数	15-19歳	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	※(再掲) 20歳以上	※(再掲) 20-49	※(再掲) 40-64	※(再掲) 40-74	※(再掲) 65-74
男性	人数		594	27	36	45	92	87	127	180	567	173	242	374	132
	1.ほとんど毎日食べる	割合	45.7%	33.5%	23.0%	35.5%	36.0%	43.6%	52.0%	61.5%	46.4%	32.6%	39.3%	46.0%	60.0%
		標準誤差	2.5%	9.1%	7.5%	7.9%	5.6%	5.0%	6.1%	5.6%	2.6%	4.4%	3.0%	2.6%	4.2%
	2.週5～4回	割合	4.9%	1.9%	3.0%	16.1%	11.1%	2.1%	4.4%	0.5%	5.1%	10.6%	6.6%	4.7%	0.9%
	3.週3～1回	割合	12.0%	18.9%	26.5%	10.9%	9.3%	16.7%	5.5%	8.9%	11.6%	14.2%	12.5%	11.3%	8.9%
4.ほとんどない	割合	37.4%	45.7%	47.6%	37.5%	43.6%	37.6%	38.1%	29.1%	36.9%	42.7%	41.6%	37.9%	30.2%	
	標準誤差	2.8%	15.8%	10.3%	8.5%	5.3%	4.6%	5.6%	4.9%	2.5%	4.1%	2.8%	2.8%	5.2%	
女性	人数		660	36	26	56	107	88	132	215	624	189	266	396	130
	1.ほとんど毎日食べる	割合	54.0%	43.8%	56.4%	44.6%	56.6%	56.0%	55.3%	55.6%	54.6%	52.8%	55.7%	57.7%	62.9%
		標準誤差	2.3%	6.0%	13.2%	8.2%	5.8%	5.6%	6.2%	5.0%	2.5%	5.5%	2.9%	2.2%	4.4%
	2.週5～4回	割合	3.1%	4.0%	2.6%	12.3%	5.7%	0.8%	0.8%	0.6%	3.0%	7.0%	2.7%	2.0%	0.3%
	3.週3～1回	割合	10.2%	18.2%	8.1%	13.6%	14.7%	10.8%	11.6%	4.7%	9.7%	12.7%	12.9%	10.9%	6.0%
4.ほとんどない	割合	32.8%	34.0%	33.0%	29.5%	23.0%	32.3%	32.4%	39.2%	32.7%	27.5%	28.8%	29.3%	30.8%	
	標準誤差	2.5%	4.7%	12.0%	7.0%	5.0%	6.1%	5.6%	4.9%	2.6%	4.5%	3.5%	2.7%	4.5%	
総数	人数		1254	63	62	101	199	175	259	395	1191	362	508	770	262
	1.ほとんど毎日食べる	割合	49.9%	38.7%	39.7%	40.0%	46.3%	49.8%	53.6%	58.6%	50.5%	42.7%	47.6%	51.8%	61.3%
		標準誤差	1.9%	5.6%	8.1%	6.2%	3.9%	4.3%	5.2%	4.8%	1.9%	3.0%	2.3%	1.8%	3.3%
	2.週5～4回	割合	4.0%	2.9%	2.8%	14.2%	8.4%	1.5%	2.6%	0.5%	4.0%	8.8%	4.6%	3.4%	0.6%
	3.週3～1回	割合	11.1%	18.5%	17.3%	12.3%	12.0%	13.7%	8.5%	6.8%	10.7%	13.4%	12.7%	11.1%	7.6%
4.ほとんどない	割合	35.1%	39.9%	40.3%	33.5%	33.3%	35.0%	35.2%	34.1%	34.8%	35.1%	35.1%	33.7%	30.5%	
	標準誤差	2.2%	9.2%	10.3%	5.9%	3.6%	3.8%	5.1%	4.4%	2.1%	3.6%	2.2%	2.0%	3.9%	

注) 値は保健所ごとの標本数の偏りを調整するための重み付けをして算出した値

※値は保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR4人口構成に合わせるための重み付けをした値

問6 あなたが家族や友人など、2人以上で食事をする回数は最近の1週間でどのくらいありましたか。食事ごとに1つだけ選んで○印をつけてください。

(昼食)

性別	回 答	年齢区分	※総数	15-19歳	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	※(再掲) 20歳以上	※(再掲) 20-49	※(再掲) 40-64	※(再掲) 40-74	※(再掲) 65-74
男性	人数		593	26	36	45	91	87	128	180	567	172	241	374	133
	1.ほとんど毎日食べる	割合	37.9%	62.0%	23.1%	31.2%	21.3%	29.6%	29.9%	57.2%	36.5%	24.9%	24.4%	32.7%	49.9%
		標準誤差	3.3%	6.9%	7.1%	8.9%	4.4%	5.6%	4.5%	6.3%	3.5%	3.9%	2.8%	3.2%	5.0%
	2.週5～4回	割合	6.5%	15.9%	11.6%	7.2%	4.0%	8.1%	8.2%	2.8%	6.0%	6.9%	7.1%	6.2%	4.4%
	3.週3～1回	割合	23.6%	7.7%	34.6%	26.9%	32.9%	21.2%	27.4%	16.5%	24.4%	31.4%	27.2%	25.0%	20.5%
4.ほとんどない	割合	32.1%	14.3%	30.7%	34.8%	41.8%	41.2%	34.5%	23.5%	33.0%	36.8%	41.3%	36.1%	25.3%	
	標準誤差	2.5%	7.2%	7.5%	9.4%	6.2%	6.5%	5.9%	4.4%	2.7%	4.4%	3.8%	3.1%	5.4%	
女性	人数		663	36	26	56	107	88	133	217	627	189	266	397	131
	1.ほとんど毎日食べる	割合	40.6%	46.8%	43.6%	39.7%	28.9%	34.3%	46.1%	45.8%	40.3%	36.0%	33.6%	39.5%	54.1%
		標準誤差	2.2%	14.7%	6.0%	7.2%	4.3%	6.3%	6.0%	5.8%	2.2%	3.3%	3.3%	3.0%	4.2%
	2.週5～4回	割合	6.6%	17.8%	6.6%	7.7%	7.8%	5.3%	8.8%	3.1%	6.0%	7.5%	7.3%	7.2%	6.9%
	3.週3～1回	割合	23.8%	35.4%	17.4%	29.5%	38.3%	22.3%	19.7%	17.0%	23.2%	30.3%	29.1%	24.9%	14.2%
4.ほとんどない	割合	28.9%	0.0%	32.4%	23.1%	25.0%	38.1%	25.5%	34.1%	30.6%	26.3%	29.9%	28.5%	24.8%	
	標準誤差	2.2%	0.0%	8.6%	7.2%	4.5%	5.9%	5.8%	5.3%	2.4%	4.2%	3.1%	2.5%	4.1%	
総数	人数		1256	62	62	101	198	175	261	397	1194	361	507	771	264
	1.ほとんど毎日食べる	割合	39.2%	54.3%	33.3%	35.4%	25.1%	31.9%	38.0%	51.5%	38.4%	30.4%	29.1%	36.1%	51.8%
		標準誤差	2.3%	9.4%	5.1%	5.0%	3.3%	5.0%	4.3%	5.6%	2.5%	2.7%	2.5%	2.5%	3.6%
	2.週5～4回	割合	6.6%	16.9%	9.1%	7.4%	5.9%	6.7%	8.5%	3.0%	6.0%	7.2%	7.2%	6.7%	5.6%
	3.週3～1回	割合	23.7%	21.8%	26.0%	28.2%	35.6%	21.7%	23.5%	16.7%	23.8%	30.8%	28.2%	24.9%	17.6%
4.ほとんどない	割合	30.5%	7.0%	31.6%	29.0%	33.3%	39.7%	30.0%	28.8%	31.8%	31.5%	35.5%	32.3%	25.0%	
	標準誤差	1.9%	3.6%	5.9%	5.9%	4.5%	4.8%	5.3%	4.1%	2.1%	3.5%	2.7%	2.2%	3.7%	

注) 値は保健所ごとの標本数の偏りを調整するための重み付けをして算出した値

※値は保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR4人口構成に合わせるための重み付けをした値

問6 あなたが家族や友人など、2人以上で食事をする回数は最近の1週間でどのくらいありましたか。食事ごとに1つだけ選んで○印をつけてください。



## (夕食)

性別	回 答	年齢区分	※総数	15-19歳	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	※(再掲) 20歳以上	※(再掲) 20-49	※(再掲) 40-64	※(再掲) 40-74	※(再掲) 65-74
男性	人数		594	26	36	45	91	87	129	180	568	172	241	375	134
	1.ほとんど毎日食べる	割合	59.9%	73.6%	49.2%	59.6%	48.5%	55.3%	65.9%	66.2%	59.2%	52.2%	53.3%	58.8%	70.3%
		標準誤差	2.8%	9.9%	10.6%	9.2%	6.8%	5.7%	5.9%	5.1%	2.9%	5.5%	3.6%	2.9%	4.5%
	2.週5～4回	割合	7.4%	7.5%	10.1%	10.8%	12.6%	10.1%	4.4%	2.8%	7.4%	11.4%	9.5%	8.4%	6.2%
	3.週3～1回	割合	13.2%	5.8%	28.4%	9.4%	19.2%	15.6%	10.9%	8.3%	13.7%	18.5%	17.7%	13.8%	5.7%
	4.ほとんどない	割合	19.4%	13.1%	12.2%	20.1%	19.7%	19.0%	18.8%	22.7%	19.7%	17.9%	19.6%	19.0%	17.8%
標準誤差		1.7%	7.0%	4.3%	8.6%	4.4%	5.1%	3.8%	4.0%	1.8%	3.2%	2.6%	2.2%	4.0%	
女性	人数		663	36	26	56	107	88	134	216	627	189	267	398	131
	1.ほとんど毎日食べる	割合	69.6%	90.4%	73.7%	76.5%	80.0%	72.6%	68.8%	55.5%	68.4%	77.3%	74.3%	72.9%	69.3%
		標準誤差	2.5%	4.9%	9.4%	6.4%	5.3%	4.6%	5.9%	5.3%	2.5%	4.3%	2.9%	2.5%	4.2%
	2.週5～4回	割合	4.0%	4.1%	4.3%	3.8%	8.8%	4.1%	3.1%	1.9%	4.0%	6.1%	5.4%	5.3%	5.0%
	3.週3～1回	割合	10.0%	2.5%	22.1%	11.1%	7.5%	12.2%	11.2%	7.0%	10.4%	12.3%	10.5%	9.4%	6.7%
	4.ほとんどない	割合	16.4%	2.9%	0.0%	8.6%	3.7%	11.2%	17.0%	35.7%	17.2%	4.3%	9.8%	12.4%	18.9%
標準誤差		2.0%	2.9%	0.0%	3.6%	2.3%	2.7%	3.3%	5.2%	2.1%	1.5%	2.0%	1.8%	4.5%	
総数	人数		1257	62	62	101	198	175	263	396	1195	361	508	773	265
	1.ほとんど毎日食べる	割合	64.8%	82.2%	61.4%	68.1%	64.3%	64.0%	67.3%	60.8%	63.8%	64.8%	64.0%	65.8%	69.8%
		標準誤差	2.1%	6.5%	6.4%	5.9%	5.9%	4.4%	5.2%	4.7%	2.2%	3.7%	3.1%	2.5%	3.0%
	2.週5～4回	割合	5.7%	5.8%	7.2%	7.3%	10.7%	7.1%	3.7%	2.3%	5.7%	8.8%	7.4%	6.9%	5.7%
	3.週3～1回	割合	11.6%	4.1%	25.2%	10.3%	13.3%	13.9%	11.0%	7.6%	12.0%	15.4%	14.0%	11.6%	6.2%
	4.ほとんどない	割合	17.9%	7.9%	6.1%	14.4%	11.7%	15.1%	17.9%	29.2%	18.4%	11.1%	14.6%	15.7%	18.3%
標準誤差		1.4%	3.9%	2.2%	4.9%	2.7%	2.6%	3.1%	3.9%	1.3%	1.8%	1.7%	1.6%	2.8%	

注) 値は保健所ごとの標本数の偏りを調整するための重み付けをして算出した値

※値は保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR4人口構成に合わせるための重み付けをした値

問6 あなたが家族や友人など、2人以上で食事をする回数は最近の1週間でどのくらいありましたか。食事ごとに1つだけ選んで○印をつけてください。

問7 郷土料理を作ることのできる人の割合

性別	回 答	年齢区分	※総数	15-19歳	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	※(再掲) 20歳以上	※(再掲) 20-49	※(再掲) 40-64	※(再掲) 40-74	※(再掲) 65-74
男性	人数		594	27	36	45	92	87	129	178	567	173	242	376	134
	1. 1種類以上作ることができる	割合	16.0%	7.9%	18.8%	14.4%	14.3%	10.7%	15.9%	21.0%	16.5%	15.5%	12.8%	15.0%	19.5%
		標準誤差	1.6%	4.9%	9.6%	5.2%	5.2%	3.7%	3.5%	2.9%	1.7%	3.1%	2.9%	2.2%	4.2%
	2. 作ることはいできない	割合	84.0%	92.1%	81.2%	85.6%	85.7%	89.3%	84.1%	79.0%	83.5%	84.5%	87.2%	85.0%	80.5%
		標準誤差	1.6%	4.9%	9.6%	5.2%	5.2%	3.7%	3.5%	2.9%	1.7%	3.1%	2.9%	2.2%	4.2%
	女性	人数		660	36	26	56	106	87	133	216	624	188	264	394
1. 1種類以上作ることができる		割合	50.3%	32.5%	8.0%	35.9%	44.9%	43.0%	69.8%	68.4%	51.3%	32.7%	48.5%	56.3%	75.7%
		標準誤差	2.7%	10.8%	4.7%	6.7%	5.9%	5.3%	5.6%	3.8%	2.9%	4.3%	3.7%	3.0%	3.8%
2. 作ることはいできない		割合	49.7%	67.5%	92.0%	64.1%	55.1%	57.0%	30.2%	31.6%	48.7%	67.3%	51.5%	43.7%	24.3%
		標準誤差	2.7%	10.8%	4.7%	6.7%	5.9%	5.3%	5.6%	3.8%	2.9%	4.3%	3.7%	3.0%	3.8%
総数		人数		1254	63	62	101	198	174	262	394	1191	361	506	770
	1. 1種類以上作ることができる	割合	33.1%	20.2%	13.4%	25.2%	29.5%	26.8%	42.8%	44.7%	33.8%	24.1%	30.9%	35.3%	45.4%
		標準誤差	1.5%	4.7%	4.1%	5.0%	5.0%	3.0%	3.4%	2.6%	1.6%	2.7%	2.8%	2.2%	3.8%
	2. 作ることはいできない	割合	66.9%	79.8%	86.6%	74.8%	70.5%	73.2%	57.2%	55.3%	66.2%	75.9%	69.1%	64.7%	54.6%
		標準誤差	1.5%	4.7%	4.1%	5.0%	5.0%	3.0%	3.4%	2.6%	1.6%	2.7%	2.8%	2.2%	3.8%

注) 値は保健所ごとの標本数の偏りを調整するための重み付けをして算出した値

※値は保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR4人口構成に合わせるための重み付けをした値

問7 あなたは、お住まいの地域の郷土料理を作ることができますか。

問8 健康食品の利用状況

性別	回答	年齢区分	※総数	15-19歳	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	※(再掲) 20歳以上	※(再掲) 20-49	※(再掲) 40-64	※(再掲) 40-74	※(再掲) 65-74
男性	人数		595	27	36	45	92	87	129	179	568	173	242	376	134
	1.はい	割合	33.6%	20.9%	24.3%	40.5%	32.8%	32.3%	37.5%	35.2%	34.3%	33.0%	33.9%	34.3%	34.9%
		標準誤差	2.4%	9.6%	8.7%	9.0%	6.4%	5.0%	3.3%	4.9%	2.5%	4.5%	3.5%	2.7%	4.4%
	2.いいえ	割合	66.4%	79.1%	75.7%	59.5%	67.2%	67.7%	62.5%	64.8%	65.7%	67.0%	66.1%	65.7%	65.1%
		標準誤差	2.4%	9.6%	8.7%	9.0%	6.4%	5.0%	3.3%	4.9%	2.5%	4.5%	3.5%	2.7%	4.4%
	女性	人数		666	36	26	56	107	88	134	219	630	189	267	398
1.はい		割合	40.0%	22.9%	35.8%	43.0%	34.3%	54.5%	46.7%	35.3%	41.0%	37.4%	43.8%	45.3%	48.8%
		標準誤差	3.2%	8.9%	14.8%	7.7%	4.2%	6.9%	4.2%	5.6%	3.0%	5.6%	3.6%	2.7%	4.8%
2.いいえ		割合	60.0%	77.1%	64.2%	57.0%	65.7%	45.5%	53.3%	64.7%	59.0%	62.6%	56.2%	54.7%	51.2%
		標準誤差	3.2%	8.9%	14.8%	7.7%	4.2%	6.9%	4.2%	5.6%	3.0%	5.6%	3.6%	2.7%	4.8%
総数		人数		1261	63	62	101	199	175	263	398	1198	362	509	774
	1.はい	割合	36.8%	21.9%	30.1%	41.8%	33.6%	43.4%	42.1%	35.2%	37.6%	35.2%	39.0%	39.7%	41.4%
		標準誤差	2.2%	4.1%	8.6%	6.8%	4.2%	4.2%	3.0%	4.7%	2.2%	4.1%	2.7%	2.0%	3.5%
	2.いいえ	割合	63.2%	78.1%	69.9%	58.2%	66.4%	56.6%	57.9%	64.8%	62.4%	64.8%	61.0%	60.3%	58.6%
		標準誤差	2.2%	4.1%	8.6%	6.8%	4.2%	4.2%	3.0%	4.7%	2.2%	4.1%	2.7%	2.0%	3.5%

注) 値は保健所ごとの標本数の偏りを調整するための重み付けをして算出した値

※値は保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR4人口構成に合わせるための重み付けをした値

問8 あなたはサプリメントのような健康食品(健康の維持・増進に役立つといわれる成分を含む、錠剤、カプセル、粉末状、液状などに加工された食品)を食べたり、飲んだりしていますか。

問9 外食時や食品購入時における、栄養成分表示(エネルギー、たんぱく質、脂質、食塩等)の活用状況

性別	回答	年齢区分	※総数	15-19歳	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	※(再掲) 20歳以上	※(再掲) 20-49	※(再掲) 40-64	※(再掲) 40-74	※(再掲) 65-74
男性	人数		595	27	36	45	92	87	129	179	568	173	242	376	134
	1.いつも参考にしている	割合	7.9%	0.0%	14.7%	6.0%	9.6%	8.2%	6.6%	7.6%	8.3%	9.8%	9.1%	8.1%	6.0%
	2.時々参考にしている	割合	27.5%	8.1%	28.3%	36.1%	26.6%	37.8%	25.7%	23.5%	28.6%	30.0%	30.5%	27.2%	20.4%
	3.あまり参考にしていない	割合	24.1%	17.6%	14.1%	21.6%	29.4%	11.4%	26.6%	32.1%	24.5%	23.1%	21.8%	25.0%	31.7%
	4.ほとんど参考にしていない	割合	40.4%	74.4%	43.0%	36.2%	34.3%	42.6%	41.1%	36.8%	38.5%	37.1%	38.6%	39.7%	41.8%
	(再掲)いつも参考にしている及び時々参考にしている	割合	35.4%	8.1%	43.0%	42.2%	36.2%	46.0%	32.3%	31.1%	36.9%	39.8%	39.6%	35.3%	26.4%
	標準誤差	2.3%	5.0%	10.9%	9.7%	6.5%	6.9%	4.5%	5.5%	2.7%	6.0%	3.7%	2.6%	4.5%	
女性	人数		665	36	26	56	107	88	134	218	629	189	267	398	131
	1.いつも参考にしている	割合	13.6%	14.0%	5.1%	14.6%	14.6%	16.6%	11.3%	14.8%	13.6%	12.2%	14.1%	15.3%	18.2%
	2.時々参考にしている	割合	41.1%	30.3%	45.4%	41.0%	39.4%	41.6%	50.9%	37.6%	41.7%	41.4%	43.7%	42.9%	40.8%
	3.あまり参考にしていない	割合	23.4%	22.5%	24.7%	25.7%	25.1%	16.7%	21.4%	26.0%	23.5%	25.2%	20.8%	23.2%	29.0%
	4.ほとんど参考にしていない	割合	21.9%	33.2%	24.8%	18.7%	20.9%	25.1%	16.4%	21.6%	21.2%	21.2%	21.4%	18.7%	12.1%
	(再掲)いつも参考にしている及び時々参考にしている	割合	54.7%	44.3%	50.5%	55.6%	54.0%	58.2%	62.1%	52.4%	55.3%	53.6%	57.8%	58.1%	58.9%
	標準誤差	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	
総数	人数		1260	63	62	101	199	175	263	397	1197	362	509	774	265
	1.いつも参考にしている	割合	10.8%	7.0%	9.9%	10.3%	12.1%	12.4%	8.9%	11.2%	11.0%	11.0%	11.6%	11.6%	11.7%
	2.時々参考にしている	割合	34.3%	19.2%	36.8%	38.6%	33.0%	39.7%	38.3%	30.6%	35.2%	35.7%	37.3%	35.0%	29.8%
	3.あまり参考にしていない	割合	23.8%	20.0%	19.4%	23.6%	27.3%	14.1%	24.0%	29.1%	24.0%	24.2%	21.3%	24.1%	30.5%
	4.ほとんど参考にしていない	割合	31.2%	53.8%	33.9%	27.5%	27.6%	33.9%	28.8%	29.2%	29.9%	29.1%	29.8%	29.3%	28.0%
	(再掲)いつも参考にしている及び時々参考にしている	割合	45.1%	26.2%	46.8%	48.9%	45.1%	52.1%	47.2%	41.7%	46.1%	46.7%	48.9%	46.6%	41.5%
	標準誤差	1.7%	4.0%	6.6%	5.4%	4.3%	4.8%	3.5%	3.5%	1.8%	3.5%	2.3%	1.6%	3.3%	

注) 値は保健所ごとの標本数の偏りを調整するための重み付けをして算出した値

※値は保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR4人口構成に合わせるための重み付けをした値

問9 あなたはふだん外食をする時や食品を購入する時に、栄養成分(エネルギー、たんぱく質、脂質、食塩等)の表示を参考にしていますか。1つだけ選んで○印をつけてください。

問10 主食・主菜・副菜がそろった食事を1日2回以上とっている人の割合

性別	回答	年齢区分	※総数	15-19歳	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	※(再掲) 20歳以上	※(再掲) 20-49歳	※(再掲) 40-64歳	※(再掲) 40-74歳	※(再掲) 65-74歳	
男性	人数		596	27	36	45	92	87	129	180	569	173	242	376	134	
	1.ほとんど毎日	割合	46.7%	61.9%	36.7%	32.0%	39.2%	35.8%	52.8%	58.8%	45.8%	36.3%	40.0%	45.2%	56.1%	
		標準誤差	3.8%	13.7%	9.8%	9.0%	6.5%	5.4%	4.8%	6.3%	4.2%	5.3%	3.8%	3.6%	4.2%	
	2.週に4～5日	割合	22.4%	18.1%	33.7%	27.0%	29.1%	16.2%	21.4%	18.5%	22.7%	29.6%	21.9%	22.3%	23.0%	
	3.週に2～3日	割合	19.5%	17.6%	15.3%	28.9%	16.6%	30.5%	14.6%	15.8%	19.6%	20.1%	22.6%	19.5%	13.1%	
	4.ほとんどない	割合	11.4%	2.5%	14.2%	12.1%	15.2%	17.5%	11.2%	6.9%	11.9%	14.0%	15.5%	13.0%	7.8%	
		標準誤差	1.7%	2.6%	5.4%	4.9%	4.0%	3.6%	3.5%	2.1%	1.7%	3.2%	2.3%	1.9%	2.7%	
	女性	人数		665	36	26	56	107	88	134	218	629	189	267	398	131
		1.ほとんど毎日	割合	51.4%	44.7%	33.3%	30.5%	54.2%	40.1%	59.7%	66.1%	51.8%	41.5%	49.1%	54.7%	68.7%
			標準誤差	3.3%	11.0%	9.1%	7.9%	5.5%	5.4%	6.4%	4.8%	3.4%	4.1%	3.9%	4.0%	5.7%
2.週に4～5日		割合	22.1%	35.0%	36.7%	34.3%	16.0%	21.1%	21.1%	15.0%	21.4%	27.0%	19.9%	18.8%	16.3%	
3.週に2～3日		割合	16.9%	10.8%	17.3%	20.4%	14.1%	29.2%	15.4%	12.4%	17.3%	16.9%	20.3%	17.6%	11.1%	
4.ほとんどない		割合	9.6%	9.5%	12.7%	14.7%	15.7%	9.5%	3.9%	6.5%	9.6%	14.6%	10.7%	8.8%	3.9%	
		標準誤差	1.7%	6.8%	7.7%	5.3%	3.7%	4.4%	1.7%	2.5%	1.7%	2.9%	2.6%	2.0%	2.1%	
総数		人数		1261	63	62	101	199	175	263	398	1198	362	509	774	265
		1.ほとんど毎日	割合	49.0%	53.3%	35.0%	31.2%	46.7%	38.0%	56.3%	62.5%	48.8%	38.9%	44.6%	49.9%	61.9%
			標準誤差	3.1%	11.5%	6.2%	5.7%	4.7%	4.4%	4.5%	5.1%	3.4%	3.3%	3.4%	3.3%	3.9%
	2.週に4～5日	割合	22.2%	26.6%	35.2%	30.7%	22.5%	18.7%	21.2%	16.8%	22.0%	28.3%	20.9%	20.6%	19.9%	
	3.週に2～3日	割合	18.2%	14.2%	16.3%	24.7%	15.3%	29.9%	15.0%	14.1%	18.5%	18.5%	21.4%	18.6%	12.2%	
	4.ほとんどない	割合	10.5%	6.0%	13.5%	13.4%	15.4%	13.5%	7.6%	6.7%	10.8%	14.3%	13.1%	10.9%	6.0%	
標準誤差		1.5%	3.8%	5.8%	3.3%	2.7%	3.1%	1.8%	1.9%	1.5%	2.5%	1.9%	1.5%	1.6%		

注) 値は保健所ごとの標本数の偏りを調整するための重み付けをして算出した値

※値は保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR4人口構成に合わせるための重み付けをした値

問10 主食・主菜・副菜を3つそろえて食べることが1日に2回以上あるのは、週に何日ありますか。1つだけ選んで○印をつけてください。

問11 普段から健康のために意識的に体を動かすようにしているか

性別	回 答	年齢区分	※総数	15-19歳	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	※(再掲) 20歳以上	※(再掲) 20-49	※(再掲) 40-64	※(再掲) 40-74	※(再掲) 65-74
男性	総数		596	27	36	45	92	87	129	180	569	173	242	376	134
	1.動かすようにしている	割合	58.7%	72.7%	51.9%	53.4%	53.5%	47.6%	53.4%	71.5%	58.0%	53.0%	51.4%	55.2%	62.8%
		標準誤差	3.0%	11.5%	12.1%	9.5%	5.6%	6.9%	6.7%	3.9%	2.9%	5.7%	3.6%	2.6%	4.4%
	2.特に何もしていない	割合	41.3%	27.3%	48.1%	46.6%	46.5%	52.4%	46.6%	28.5%	42.0%	47.0%	48.6%	44.8%	37.2%
女性	総数		665	36	26	56	107	88	134	218	629	189	267	398	131
	1.動かすようにしている	割合	54.9%	33.8%	40.0%	35.4%	48.1%	41.9%	64.6%	75.8%	56.1%	42.1%	49.5%	55.7%	71.2%
		標準誤差	2.4%	6.5%	6.3%	6.2%	5.5%	7.5%	3.6%	3.4%	2.2%	3.7%	3.6%	3.0%	4.9%
	2.特に何もしていない	割合	45.1%	66.2%	60.0%	64.6%	51.9%	58.1%	35.4%	24.2%	43.9%	57.9%	50.5%	44.3%	28.8%
総数	総数		1261	63	62	101	199	175	263	398	1198	362	509	774	265
	1.動かすようにしている	割合	56.8%	53.3%	45.9%	44.4%	50.8%	44.8%	59.0%	73.6%	57.0%	47.6%	50.4%	55.4%	66.7%
		標準誤差	2.1%	6.7%	7.2%	6.4%	4.8%	4.4%	4.0%	2.9%	2.1%	4.0%	2.7%	2.2%	3.7%
	2.特に何もしていない	割合	43.2%	46.7%	54.1%	55.6%	49.2%	55.2%	41.0%	26.4%	43.0%	52.4%	49.6%	44.6%	33.3%

注) 値は保健所ごとの標本数の偏りを調整するための重み付けをして算出した値

※値は保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR4人口構成に合わせるための重み付けをした値

問11 身体活動についてお聞きします。あなたはふだん、健康のために意識的に体を動かすようにしていますか。

問12 ここ1か月間の睡眠による休養の状況

性別	回 答	年齢区分	※総数	15-19歳	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	※(再掲) 20歳以上	※(再掲) 20-49	※(再掲) 40-64	※(再掲) 40-74	※(再掲) 65-74
男性	人数		594	27	36	45	92	86	129	179	567	173	241	375	134
	1.充分とれている	割合	26.8%	27.5%	35.1%	15.9%	18.3%	19.1%	35.5%	32.4%	26.8%	21.8%	23.2%	25.1%	29.0%
	2.まあまあとれている	割合	54.0%	52.7%	41.6%	52.1%	56.0%	56.1%	46.1%	60.6%	54.1%	51.1%	53.6%	54.7%	57.1%
	3.あまりとれていない	割合	17.2%	16.0%	21.9%	26.5%	24.5%	20.6%	18.0%	6.5%	17.2%	24.5%	21.0%	18.3%	12.7%
	4.まったくとれていない	割合	2.0%	3.7%	1.3%	5.6%	1.3%	4.2%	0.4%	0.5%	1.9%	2.6%	2.3%	1.9%	1.1%
	(再掲)充分とれている・まあまあとれている	割合 標準誤差	80.9% 2.2%	80.3% 8.7%	76.7% 8.4%	68.0% 9.3%	74.2% 6.0%	75.2% 6.4%	81.6% 5.9%	92.9% 1.8%	80.9% 2.2%	72.9% 4.3%	76.7% 3.7%	79.8% 2.9%	86.1% 4.4%
女性	人数		665	36	26	56	107	87	134	219	629	189	266	397	131
	1.充分とれている	割合	28.4%	29.3%	27.2%	20.7%	27.5%	18.8%	24.6%	38.5%	28.3%	25.3%	24.6%	25.3%	27.1%
	2.まあまあとれている	割合	50.2%	45.4%	60.4%	54.3%	48.9%	42.0%	53.7%	49.6%	50.5%	53.5%	45.6%	47.9%	53.7%
	3.あまりとれていない	割合	19.5%	22.4%	7.8%	23.0%	18.8%	38.1%	21.7%	11.2%	19.4%	17.3%	27.5%	24.8%	18.3%
	4.まったくとれていない	割合	1.9%	2.9%	4.5%	1.9%	4.8%	1.1%	0.0%	0.7%	1.8%	3.8%	2.3%	1.9%	0.9%
	(再掲)充分とれている・まあまあとれている	割合 標準誤差	78.6% 2.0%	74.7% 7.9%	87.7% 6.4%	75.1% 6.0%	76.5% 4.4%	60.8% 6.2%	78.3% 4.5%	88.1% 2.9%	78.8% 2.2%	78.9% 3.5%	70.1% 3.8%	73.2% 2.9%	80.8% 4.1%
総数	人数		1259	63	62	101	199	173	263	398	1196	362	507	772	265
	1.充分とれている	割合	27.6%	28.4%	31.2%	18.3%	22.9%	18.9%	30.0%	35.5%	27.6%	23.6%	23.9%	25.2%	28.2%
	2.まあまあとれている	割合	52.1%	49.1%	51.0%	53.2%	52.5%	49.1%	49.9%	55.1%	52.3%	52.3%	49.5%	51.4%	55.5%
	3.あまりとれていない	割合	18.3%	19.2%	14.9%	24.7%	21.6%	29.3%	19.9%	8.9%	18.3%	20.9%	24.3%	21.5%	15.3%
	4.まったくとれていない	割合	1.9%	3.3%	2.9%	3.7%	3.0%	2.7%	0.2%	0.6%	1.8%	3.2%	2.3%	1.9%	1.0%
	(再掲)充分とれている・まあまあとれている	割合 標準誤差	79.7% 1.5%	77.5% 5.4%	82.2% 6.1%	71.5% 5.2%	75.3% 4.1%	68.0% 4.5%	79.9% 4.3%	90.5% 1.7%	79.9% 1.6%	75.9% 2.8%	73.4% 2.5%	76.6% 1.7%	83.7% 3.2%

注) 値は保健所ごとの標本数の偏りを調整するための重み付けをして算出した値

※値は保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR4人口構成に合わせるための重み付けをした値

問12 休養についてお聞きます。ここ1ヶ月あなたは睡眠で休養が充分にとれていますか。1つだけ選んで○印をつけてください。

問13 ストレスの状況

性別	回 答	年齢区分	※総数	15-19歳	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	※(再掲) 20歳以上	※(再掲) 20-49	※(再掲) 40-64	※(再掲) 40-74	※(再掲) 65-74
男性	人数		595	27	36	45	92	87	129	179	568	173	242	376	134
	1.非常にストレスを感じる	割合	9.0%	6.8%	16.2%	11.1%	15.1%	13.4%	4.6%	3.1%	9.1%	14.2%	13.0%	9.9%	3.3%
		標準誤差	1.3%	4.9%	9.5%	4.4%	5.3%	4.6%	1.9%	1.2%	1.5%	3.3%	2.8%	2.0%	1.3%
	2.多少ストレスを感じる	割合	57.3%	42.2%	48.5%	74.5%	64.3%	67.1%	49.4%	51.3%	58.1%	63.5%	61.2%	59.1%	55.0%
	3.あまりストレスを感じていない	割合	24.9%	32.1%	27.8%	13.2%	19.2%	10.2%	31.1%	34.7%	24.5%	19.5%	17.9%	22.6%	32.5%
	4.ストレスをほとんど感じない	割合	8.9%	19.0%	7.5%	1.2%	1.3%	9.3%	14.9%	11.0%	8.3%	2.8%	7.9%	8.4%	9.3%
	(再掲)非常にストレスを感じる及び多少ストレスを感じる	割合	66.2%	48.9%	64.7%	85.6%	79.4%	80.5%	53.9%	54.4%	67.2%	77.6%	74.2%	69.0%	58.3%
標準誤差		1.9%	16.1%	9.9%	5.5%	4.3%	3.2%	5.6%	3.9%	2.1%	3.8%	2.4%	2.2%	4.1%	
女性	人数		664	36	26	56	107	87	134	218	628	189	266	396	130
	1.非常にストレスを感じる	割合	16.5%	23.8%	19.8%	20.2%	27.0%	21.1%	10.5%	7.9%	16.0%	23.0%	21.4%	18.5%	11.5%
		標準誤差	1.4%	7.5%	8.5%	7.5%	6.2%	6.1%	2.9%	2.6%	1.5%	2.9%	3.3%	2.4%	3.9%
	2.多少ストレスを感じる	割合	56.3%	50.1%	41.1%	67.6%	52.6%	64.2%	58.1%	54.8%	56.7%	54.4%	58.6%	59.6%	62.2%
	3.あまりストレスを感じていない	割合	19.2%	11.1%	19.2%	10.3%	19.1%	12.9%	23.7%	24.9%	19.6%	16.4%	17.7%	18.3%	19.7%
	4.ストレスをほとんど感じない	割合	8.0%	15.0%	19.9%	1.9%	1.3%	1.7%	7.7%	12.4%	7.7%	6.2%	2.3%	3.6%	6.6%
	(再掲)非常にストレスを感じる及び多少ストレスを感じる	割合	72.8%	73.9%	60.9%	87.8%	79.6%	85.4%	68.6%	62.6%	72.7%	77.4%	79.9%	78.1%	73.7%
標準誤差		3.6%	12.5%	16.7%	4.8%	4.3%	3.9%	4.8%	4.7%	3.2%	6.3%	2.5%	2.5%	4.9%	
総数	人数		1259	63	62	101	199	174	263	397	1196	362	508	772	264
	1.非常にストレスを感じる	割合	12.7%	15.3%	18.0%	15.7%	21.1%	17.2%	7.5%	5.5%	12.6%	18.6%	17.3%	14.1%	7.1%
		標準誤差	1.1%	4.0%	4.4%	4.3%	4.4%	4.7%	1.7%	1.5%	1.2%	2.4%	2.8%	2.0%	2.0%
	2.多少ストレスを感じる	割合	56.8%	46.1%	44.8%	71.0%	58.5%	65.7%	53.7%	53.1%	57.4%	58.9%	59.8%	59.4%	58.3%
	3.あまりストレスを感じていない	割合	22.0%	21.6%	23.5%	11.8%	19.1%	11.5%	27.4%	29.8%	22.1%	17.9%	17.8%	20.5%	26.6%
	4.ストレスをほとんど感じない	割合	8.5%	17.0%	13.7%	1.5%	1.3%	5.5%	11.3%	11.7%	8.0%	4.5%	5.1%	6.0%	8.0%
	(再掲)非常にストレスを感じる及び多少ストレスを感じる	割合	69.5%	61.4%	62.8%	86.7%	79.5%	82.9%	61.3%	58.5%	70.0%	77.5%	77.1%	73.5%	65.4%
標準誤差		2.1%	13.4%	8.3%	3.5%	2.8%	2.6%	3.8%	2.9%	1.7%	3.1%	1.9%	1.9%	3.3%	

注) 値は保健所ごとの標本数の偏りを調整するための重み付けをして算出した値

※値は保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR4人口構成に合わせるための重み付けをした値

問13 あなたはストレスがどのくらいあると感じていますか。1つだけ選んで○印をつけてください。



問14 ストレスを解消する対処法の有無

性別	回 答	年齢区分	※総数	15-19歳	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	※(再掲) 20歳以上	※(再掲) 20-49	※(再掲) 40-64	※(再掲) 40-74	※(再掲) 65-74
男性	人数		592	27	36	45	92	87	129	176	565	173	242	376	134
	1.ある	割合	50.0%	59.8%	79.1%	55.5%	48.5%	48.6%	45.2%	41.2%	49.4%	58.4%	48.3%	47.4%	45.4%
		標準誤差	2.8%	7.5%	7.7%	9.1%	6.2%	5.2%	3.9%	4.8%	3.0%	5.6%	4.0%	3.6%	5.1%
	2.ない	割合	14.5%	6.1%	7.7%	10.5%	8.3%	14.4%	14.8%	22.8%	15.0%	8.8%	11.1%	14.7%	22.3%
3.どちらともいえない	割合	35.5%	34.1%	13.2%	34.0%	43.2%	37.1%	40.0%	36.1%	35.6%	32.8%	40.7%	37.9%	32.3%	
女性	人数		664	36	26	56	107	88	134	217	628	189	267	398	131
	1.ある	割合	50.1%	44.8%	64.4%	60.9%	53.2%	42.6%	54.7%	42.8%	50.4%	58.4%	47.8%	49.7%	54.4%
		標準誤差	2.3%	7.4%	11.8%	6.4%	5.9%	6.3%	4.7%	3.3%	2.4%	5.1%	3.9%	2.8%	5.1%
	2.ない	割合	13.4%	8.1%	7.4%	9.5%	10.0%	10.4%	7.4%	24.0%	13.7%	9.2%	9.4%	12.7%	20.8%
3.どちらともいえない	割合	36.5%	47.0%	28.1%	29.6%	36.8%	47.0%	37.9%	33.2%	35.9%	32.4%	42.8%	37.6%	24.8%	
総数	人数		1256	63	62	101	199	175	263	393	1193	362	509	774	265
	1.ある	割合	50.0%	52.3%	71.8%	58.2%	50.9%	45.6%	49.9%	42.0%	49.9%	58.4%	48.1%	48.5%	49.6%
		標準誤差	2.0%	6.0%	7.7%	4.1%	5.2%	4.1%	2.9%	3.1%	2.2%	4.4%	3.1%	2.4%	3.2%
	2.ない	割合	14.0%	7.1%	7.6%	10.0%	9.1%	12.4%	11.1%	23.4%	14.3%	9.0%	10.2%	13.7%	21.6%
3.どちらともいえない	割合	36.0%	40.6%	20.7%	31.8%	40.0%	42.0%	38.9%	34.6%	35.8%	32.6%	41.7%	37.8%	28.8%	

注) 値は保健所ごとの標本数の偏りを調整するための重み付けをして算出した値

※値は保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR4人口構成に合わせるための重み付けをした値

問14 あなたはストレスを解消する対処法がありますか。1つだけ選んで○印をつけてください。

問15 日頃よく噛むことを意識しているかどうか

性別	回答	年齢区分	※総数	15-19歳	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	※(再掲) 20歳以上	※(再掲) 20-49	※(再掲) 40-64	※(再掲) 40-74	※(再掲) 65-74
男性		人数	595	27	36	45	92	87	129	179	568	173	242	376	134
	1.はい	割合	49.8%	37.4%	54.6%	27.0%	49.9%	38.3%	50.5%	64.8%	50.5%	43.9%	46.1%	47.2%	49.5%
		標準誤差	2.3%	13.5%	9.6%	8.3%	6.7%	5.6%	5.4%	3.8%	2.6%	4.6%	4.0%	3.2%	4.9%
	2.いいえ	割合	50.2%	62.6%	45.4%	73.0%	50.1%	61.7%	49.5%	35.2%	49.5%	56.1%	53.9%	52.8%	50.5%
女性		人数	665	36	26	56	107	87	134	219	629	189	266	397	131
	1.はい	割合	65.4%	75.7%	51.5%	56.4%	53.6%	55.8%	73.1%	78.1%	64.8%	53.9%	58.2%	64.2%	79.1%
		標準誤差	2.1%	9.5%	6.7%	8.5%	5.9%	6.2%	4.2%	2.5%	2.4%	4.2%	4.0%	3.0%	3.3%
	2.いいえ	割合	34.6%	24.3%	48.5%	43.6%	46.4%	44.2%	26.9%	21.9%	35.2%	46.1%	41.8%	35.8%	20.9%
総数		人数	1260	63	62	101	199	174	263	398	1197	362	508	773	265
	1.はい	割合	57.6%	56.6%	53.0%	41.7%	51.8%	47.0%	61.8%	71.5%	57.6%	48.9%	52.2%	55.6%	63.2%
		標準誤差	1.5%	5.1%	6.2%	6.4%	3.5%	4.6%	3.2%	2.8%	1.5%	3.0%	2.3%	1.7%	3.0%
	2.いいえ	割合	42.4%	43.4%	47.0%	58.3%	48.2%	53.0%	38.2%	28.5%	42.4%	51.1%	47.8%	44.4%	36.8%

注) 値は保健所ごとの標本数の偏りを調整するための重み付けをして算出した値

※値は保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR4人口構成に合わせるための重み付けをした値

問15 歯や口の状態についてお聞きます。あなたは、日頃よく噛むことを意識していますか。

問16 かねて食するときの状態

性別	回答	年齢区分	※総数	15-19歳	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	※(再掲) 20歳以上	※(再掲) 20-49	※(再掲) 40-64	※(再掲) 40-74	※(再掲) 65-74	※(再掲) 50歳以上
男性		人数	594	27	36	45	92	86	129	179	567	173	241	375	134	394
	1.何でもかねて食 べることができる	割合	82.4%	92.2%	88.1%	91.4%	90.8%	88.1%	82.1%	68.6%	81.9%	90.3%	88.5%	83.9%	74.6%	76.9%
		標準誤差	2.4%	4.9%	4.9%	5.2%	2.9%	3.9%	3.3%	4.3%	2.4%	2.3%	2.8%	2.6%	5.3%	3.1%
	2.一部かめない食べ物がある	割合	16.0%	3.6%	11.9%	8.6%	9.2%	10.3%	17.5%	27.9%	16.7%	9.7%	10.9%	15.3%	24.3%	20.9%
	3.かめない食べ物が多い	割合	1.3%	0.0%	0.0%	0.0%	0.0%	1.6%	0.4%	3.5%	1.4%	0.0%	0.6%	0.8%	1.2%	2.2%
4.かねて食することはできない	割合	0.2%	4.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
女性		人数	665	36	26	56	107	87	134	219	629	189	266	397	131	440
	1.何でもかねて食 べることができる	割合	83.2%	100.0%	100.0%	88.8%	96.2%	84.1%	83.3%	66.1%	82.3%	94.9%	89.7%	85.6%	75.6%	74.9%
		標準誤差	2.1%	0.0%	0.0%	6.9%	1.8%	4.9%	3.2%	4.4%	2.1%	2.3%	2.3%	2.1%	3.8%	2.5%
	2.一部かめない食べ物がある	割合	15.7%	0.0%	0.0%	11.2%	2.9%	15.9%	16.7%	30.8%	16.6%	4.8%	9.9%	13.9%	23.5%	23.6%
	3.かめない食べ物が多い	割合	1.1%	0.0%	0.0%	0.0%	0.9%	0.0%	0.0%	3.1%	1.1%	0.4%	0.4%	0.5%	0.9%	1.6%
4.かねて食することはできない	割合	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
総数		人数	1259	63	62	101	199	173	263	398	1196	362	507	772	265	834
	1.何でもかねて食 べることができる	割合	82.8%	96.1%	94.0%	90.1%	93.5%	86.1%	82.7%	67.4%	82.1%	92.6%	89.1%	84.7%	75.0%	75.9%
		標準誤差	1.8%	2.4%	2.4%	4.0%	1.7%	3.1%	2.6%	3.4%	1.7%	1.6%	1.8%	1.9%	3.8%	2.2%
	2.一部かめない食べ物がある	割合	15.9%	1.8%	6.0%	9.9%	6.1%	13.1%	17.1%	29.3%	16.7%	7.2%	10.4%	14.6%	23.9%	22.2%
	3.かめない食べ物が多い	割合	1.2%	0.0%	0.0%	0.0%	0.4%	0.8%	0.2%	3.3%	1.3%	0.2%	0.5%	0.7%	1.1%	1.9%
4.かねて食することはできない	割合	0.1%	2.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	

注) 値は保健所ごとの標本数の偏りを調整するための重み付けをして算出した値

※値は保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR4人口構成に合わせるための重み付けをした値

問16 あなたがかねて食するときの状態について、1つだけ選んで○印をつけてください。

問18 家族構成

性別	回 答	年齢区分	※総数	15-19歳	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	※(再掲) 20歳以上	※(再掲) 20-49	※(再掲) 40-64	※(再掲) 40-74	※(再掲) 65-74
男性		人数	596	27	36	45	92	87	129	180	569	173	242	376	134
	1.3世代以上	割合	15.2%	18.2%	14.1%	25.4%	14.7%	9.6%	13.6%	15.1%	15.0%	17.9%	11.7%	13.3%	16.6%
		標準誤差	2.0%	8.2%	6.4%	8.8%	4.9%	4.2%	3.3%	2.8%	2.0%	3.8%	3.0%	2.4%	4.3%
	2.核家族	割合	48.1%	81.8%	75.2%	69.8%	74.4%	49.4%	35.8%	17.8%	46.2%	73.2%	56.7%	46.3%	24.7%
		標準誤差	2.8%	8.2%	7.7%	8.5%	5.9%	6.0%	4.7%	3.4%	2.4%	3.9%	4.1%	3.0%	4.0%
	3.夫婦のみ	割合	27.9%	0.0%	0.0%	4.9%	5.0%	29.0%	40.8%	54.7%	29.5%	3.7%	21.6%	29.1%	44.6%
		標準誤差	2.9%	0.0%	0.0%	2.8%	2.0%	5.5%	5.3%	5.0%	2.8%	1.2%	2.8%	2.8%	5.8%
	4.ひとり暮らし	割合	8.8%	0.0%	10.7%	0.0%	5.9%	11.9%	9.8%	12.3%	9.3%	5.3%	10.0%	11.4%	14.2%
		標準誤差	1.4%	0.0%	5.7%	0.0%	3.2%	3.8%	2.8%	3.4%	1.5%	2.0%	2.2%	1.9%	3.7%
	女性		人数	666	36	26	56	107	88	134	219	630	189	267	398
1.3世代以上		割合	15.4%	9.6%	7.6%	22.2%	28.2%	5.8%	11.4%	16.7%	15.7%	21.1%	15.2%	15.9%	17.8%
		標準誤差	2.3%	5.2%	5.0%	7.0%	4.5%	2.9%	2.8%	3.2%	2.3%	3.7%	2.5%	2.0%	4.8%
2.核家族		割合	51.7%	90.4%	85.7%	73.7%	62.7%	61.3%	38.0%	22.8%	49.5%	71.9%	56.9%	48.9%	29.3%
		標準誤差	4.0%	5.2%	7.3%	7.2%	4.3%	6.9%	5.6%	3.8%	3.6%	4.2%	4.3%	3.5%	4.2%
3.夫婦のみ		割合	24.0%	0.0%	0.0%	0.9%	8.2%	27.5%	45.7%	39.6%	25.4%	3.8%	24.4%	29.9%	43.5%
		標準誤差	2.9%	0.0%	0.0%	0.9%	2.6%	5.4%	5.0%	6.1%	2.8%	1.2%	3.5%	2.9%	5.7%
4.ひとり暮らし		割合	8.9%	0.0%	6.7%	3.2%	0.9%	5.4%	4.9%	21.0%	9.4%	3.1%	3.5%	5.2%	9.4%
		標準誤差	1.3%	0.0%	4.9%	2.3%	0.9%	2.3%	1.9%	3.9%	1.4%	1.7%	1.2%	1.3%	3.4%
総数			人数	1262	63	62	101	199	175	263	399	1199	362	509	774
	1.3世代以上	割合	15.3%	13.9%	10.8%	23.8%	21.4%	7.7%	12.5%	15.9%	15.4%	19.5%	13.5%	14.6%	17.1%
		標準誤差	1.9%	6.1%	4.3%	6.5%	3.6%	3.0%	2.6%	2.6%	1.8%	2.9%	2.5%	2.0%	4.2%
	2.核家族	割合	49.9%	86.1%	80.5%	71.7%	68.5%	55.4%	36.9%	20.3%	47.9%	72.5%	56.8%	47.6%	26.8%
		標準誤差	3.3%	6.1%	6.0%	6.5%	4.2%	6.0%	4.8%	3.3%	2.9%	3.2%	3.9%	3.0%	3.5%
	3.夫婦のみ	割合	26.0%	0.0%	0.0%	2.9%	6.6%	28.2%	43.3%	47.1%	27.4%	3.8%	23.0%	29.5%	44.1%
		標準誤差	2.9%	0.0%	0.0%	1.4%	1.8%	5.1%	4.5%	5.5%	2.8%	1.0%	3.0%	2.8%	4.6%
	4.ひとり暮らし	割合	8.8%	0.0%	8.7%	1.6%	3.4%	8.7%	7.4%	16.7%	9.3%	4.2%	6.7%	8.3%	12.0%
		標準誤差	1.1%	0.0%	3.9%	1.1%	1.6%	2.5%	1.7%	3.3%	1.2%	1.4%	1.5%	1.3%	2.5%

注) 値は保健所ごとの標本数の偏りを調整するための重み付けをして算出した値

※値は保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR4人口構成に合わせるための重み付けをした値

問18 あなたの家族構成についてお聞きます。1つだけ選んで○印をつけてください。

問19 この1か月間における体重及び生活習慣の新型コロナウイルス感染症拡大の影響

ア 体重

性別	回答	年齢区分	※総数	15-19歳	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	※(再掲) 20歳以上	※(再掲) 20-49	※(再掲) 40-64	※(再掲) 40-74	※(再掲) 65-74	
男性		人数	574	27	35	45	92	80	124	171	547	172	233	361	128	
	1. 増えた	割合	10.8%	8.7%	17.3%	6.3%	19.4%	13.9%	7.7%	6.5%	11.0%	14.8%	15.7%	13.1%	7.9%	
		標準誤差	1.7%	5.3%	6.5%	3.2%	4.3%	3.8%	2.1%	2.1%	1.7%	3.5%	2.6%	2.0%	2.9%	
	2. 変わらない	割合	78.9%	84.1%	51.5%	80.3%	72.7%	84.4%	86.8%	82.5%	78.6%	69.8%	79.5%	80.6%	82.8%	
		標準誤差	2.4%	7.7%	9.4%	6.2%	5.6%	3.9%	2.5%	3.9%	2.6%	4.5%	3.2%	2.2%	4.4%	
	3. 減った	割合	10.2%	7.3%	31.2%	13.4%	7.9%	1.7%	5.5%	11.0%	10.4%	15.4%	4.8%	6.3%	9.3%	
		標準誤差	2.2%	5.5%	11.3%	5.8%	4.8%	1.7%	1.8%	2.9%	2.4%	4.7%	2.2%	1.8%	3.7%	
	女性		人数	640	33	24	55	107	84	132	205	607	186	261	390	129
		1. 増えた	割合	17.0%	18.8%	7.0%	33.4%	19.1%	16.1%	21.2%	10.5%	16.9%	20.6%	18.8%	18.0%	16.0%
標準誤差			1.5%	9.4%	5.1%	7.9%	3.7%	4.4%	4.4%	2.3%	1.6%	3.0%	2.7%	2.5%	4.2%	
2. 変わらない		割合	71.4%	63.9%	71.0%	56.9%	70.5%	71.8%	69.7%	79.5%	71.8%	66.3%	71.2%	71.3%	71.7%	
		標準誤差	1.8%	6.4%	9.3%	8.1%	6.1%	6.0%	6.1%	2.9%	1.9%	3.8%	3.8%	3.3%	4.8%	
3. 減った		割合	11.6%	17.3%	22.1%	9.7%	10.4%	12.1%	9.1%	10.0%	11.3%	13.0%	10.0%	10.7%	12.3%	
		標準誤差	1.7%	7.1%	9.7%	4.7%	3.5%	4.5%	3.4%	2.6%	1.5%	4.0%	2.3%	1.9%	4.0%	
総数			人数	1214	60	59	100	199	164	256	376	1154	358	494	751	257
		1. 増えた	割合	13.9%	13.6%	12.2%	19.8%	19.3%	15.0%	14.5%	8.5%	13.9%	17.7%	17.3%	15.6%	11.7%
	標準誤差		1.1%	6.3%	4.3%	4.3%	2.7%	2.7%	2.0%	1.6%	1.1%	2.1%	1.5%	1.5%	2.5%	
	2. 変わらない	割合	75.2%	74.3%	61.1%	68.6%	71.6%	78.0%	78.1%	81.0%	75.2%	68.1%	75.2%	76.0%	77.6%	
		標準誤差	1.6%	5.8%	8.0%	4.9%	4.9%	3.8%	2.7%	2.9%	1.7%	3.2%	2.6%	2.2%	3.6%	
	3. 減った	割合	10.9%	12.1%	26.7%	11.6%	9.1%	7.0%	7.3%	10.5%	10.9%	14.2%	7.5%	8.5%	10.7%	
		標準誤差	1.7%	3.7%	9.1%	3.7%	3.7%	2.9%	1.8%	2.5%	1.8%	3.8%	1.9%	1.6%	3.4%	

注) 値は保健所ごとの標本数の偏りを調整するための重み付けをして算出した値

※値は保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR4人口構成に合わせるための重み付けをした値

問19 あなたのこの1か月間における体重及び生活習慣は、新型コロナウイルス感染症の感染拡大の影響により変化がありましたか。

問19 この1か月間における体重及び生活習慣の新型コロナウイルス感染症拡大の影響

イ 外食(飲食店での食事)の利用

性別	回答	年齢区分	※総数	15-19歳	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	※(再掲) 20歳以上	※(再掲) 20-49	※(再掲) 40-64	※(再掲) 40-74	※(再掲) 65-74
男性		人数	593	27	36	45	92	86	129	178	566	173	241	374	133
	1. 増えた	割合	2.7%	7.7%	4.7%	0.0%	7.7%	2.7%	0.6%	0.5%	2.4%	4.6%	4.5%	3.0%	0.0%
		標準誤差	0.8%	5.5%	3.0%	0.0%	4.6%	1.6%	0.6%	0.5%	0.8%	2.1%	2.1%	1.4%	0.0%
	2. 変わらない	割合	47.7%	50.0%	72.7%	63.9%	37.2%	54.9%	47.1%	35.9%	47.6%	54.5%	47.3%	43.4%	35.5%
		標準誤差	2.7%	7.2%	6.8%	8.6%	5.9%	6.0%	4.2%	5.2%	2.7%	4.0%	3.9%	2.7%	5.2%
	3. 減った	割合	24.4%	24.5%	6.8%	26.0%	37.7%	30.2%	17.4%	22.7%	24.4%	26.3%	31.3%	28.5%	22.7%
		標準誤差	2.5%	11.4%	4.3%	7.1%	6.1%	5.2%	3.8%	3.2%	2.3%	4.2%	3.6%	2.6%	4.5%
	4. もともとない	割合	25.2%	17.8%	15.8%	10.0%	17.3%	12.2%	35.0%	40.9%	25.6%	14.7%	16.9%	25.0%	41.8%
		標準誤差	2.3%	9.7%	4.4%	5.0%	6.0%	3.6%	4.8%	4.7%	2.4%	3.5%	3.0%	2.4%	4.9%
	女性		人数	660	36	24	56	107	87	134	216	624	187	266	397
1. 増えた		割合	2.7%	4.5%	0.0%	6.2%	4.2%	3.2%	0.8%	1.6%	2.6%	3.8%	2.9%	2.3%	0.7%
		標準誤差	0.9%	3.7%	0.0%	3.3%	3.4%	1.9%	0.8%	0.9%	0.9%	1.8%	1.5%	1.1%	0.7%
2. 変わらない		割合	38.2%	60.6%	63.4%	33.1%	49.7%	36.5%	35.6%	25.2%	37.0%	47.8%	42.4%	37.9%	26.7%
		標準誤差	1.9%	5.5%	11.9%	5.8%	4.7%	5.4%	4.9%	3.9%	1.8%	5.3%	2.0%	1.9%	4.0%
3. 減った		割合	31.9%	15.8%	27.7%	48.3%	33.1%	44.0%	37.1%	20.7%	32.9%	36.6%	37.9%	37.4%	36.1%
		標準誤差	2.5%	7.1%	9.3%	7.9%	6.0%	6.2%	5.3%	3.0%	2.3%	5.4%	3.6%	2.3%	5.3%
4. もともとない		割合	27.2%	19.0%	8.9%	12.5%	13.0%	16.2%	26.5%	52.5%	27.6%	11.8%	16.7%	22.5%	36.5%
		標準誤差	2.4%	6.8%	5.4%	4.0%	3.9%	4.8%	4.4%	4.1%	2.4%	2.4%	3.6%	2.8%	5.4%
総数			人数	1253	63	60	101	199	173	263	394	1190	360	507	771
	1. 増えた	割合	2.7%	6.1%	2.4%	3.1%	6.0%	3.0%	0.7%	1.1%	2.5%	4.2%	3.7%	2.7%	0.3%
		標準誤差	0.7%	3.2%	1.6%	1.7%	3.8%	1.5%	0.5%	0.6%	0.7%	1.8%	1.7%	1.1%	0.3%
	2. 変わらない	割合	43.0%	55.3%	68.1%	48.5%	43.5%	45.7%	41.3%	30.5%	42.3%	51.2%	44.8%	40.7%	31.4%
		標準誤差	1.8%	5.0%	7.6%	5.1%	4.0%	5.0%	3.5%	3.7%	1.8%	3.8%	2.4%	1.8%	3.7%
	3. 減った	割合	28.2%	20.2%	17.0%	37.2%	35.4%	37.1%	27.2%	21.7%	28.6%	31.4%	34.7%	32.9%	28.9%
		標準誤差	2.0%	7.8%	5.1%	5.2%	4.2%	4.8%	3.5%	2.3%	1.7%	3.4%	2.4%	1.8%	2.8%
	4. もともとない	割合	26.2%	18.4%	12.4%	11.2%	15.2%	14.2%	30.8%	46.7%	26.6%	13.3%	16.8%	23.8%	39.3%
		標準誤差	1.9%	7.5%	4.2%	3.4%	3.6%	3.4%	3.8%	3.7%	1.9%	2.2%	2.4%	2.1%	4.2%

注) 値は保健所ごとの標本数の偏りを調整するための重み付けをして算出した値

※値は保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR4人口構成に合わせるための重み付けをした値

問19 あなたのこの1か月間における体重及び生活習慣は、新型コロナウイルス感染症の感染拡大の影響により変化がありましたか。

問19 この1か月間における体重及び生活習慣の新型コロナウイルス感染症拡大の影響  
ウ 持ち帰りの弁当や惣菜の利用

性別	回答	年齢区分	※総数	15-19歳	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	※(再掲) 20歳以上	※(再掲) 20-49	※(再掲) 40-64	※(再掲) 40-74	※(再掲) 65-74
男性		人数	595	27	36	45	92	86	129	180	568	173	241	375	134
	1. 増えた	割合	7.3%	14.7%	5.9%	7.6%	8.0%	15.0%	8.6%	1.4%	6.9%	7.3%	10.5%	9.3%	6.9%
		標準誤差	1.2%	7.2%	4.1%	4.8%	3.0%	4.3%	3.0%	0.8%	1.2%	2.5%	2.1%	1.5%	2.5%
	2. 変わらない	割合	53.6%	56.5%	73.5%	62.3%	60.7%	64.3%	51.5%	35.8%	53.4%	64.4%	61.9%	54.4%	39.2%
		標準誤差	2.3%	6.3%	8.3%	8.9%	5.8%	5.4%	5.0%	5.0%	2.4%	4.9%	3.6%	2.7%	5.2%
	3. 減った	割合	6.2%	3.7%	3.8%	6.7%	4.1%	3.9%	3.4%	10.8%	6.3%	4.8%	4.4%	6.4%	10.4%
		標準誤差	1.2%	3.8%	2.8%	3.8%	2.5%	2.0%	1.3%	3.1%	1.2%	1.8%	1.4%	1.6%	4.2%
	4. もともとない	割合	32.9%	25.1%	16.8%	23.4%	27.2%	16.8%	36.5%	52.0%	33.4%	23.4%	23.2%	29.9%	43.5%
		標準誤差	2.2%	9.1%	6.8%	6.9%	5.2%	3.3%	5.7%	3.9%	2.2%	4.0%	2.8%	2.9%	6.3%
	女性		人数	661	36	25	56	107	87	134	216	625	188	266	396
1. 増えた		割合	9.5%	0.0%	8.8%	24.7%	11.1%	14.5%	8.1%	3.1%	10.0%	14.8%	10.9%	10.5%	9.4%
		標準誤差	1.5%	0.0%	5.0%	7.6%	3.6%	4.0%	3.0%	1.2%	1.6%	2.6%	2.3%	1.8%	2.9%
2. 変わらない		割合	54.1%	85.8%	49.7%	59.0%	67.4%	64.0%	54.6%	35.7%	52.3%	60.4%	64.6%	58.9%	44.7%
		標準誤差	1.8%	6.7%	5.8%	7.5%	5.9%	4.3%	6.2%	3.2%	1.8%	3.6%	2.5%	2.5%	5.7%
3. 減った		割合	7.8%	2.9%	8.8%	5.5%	10.0%	9.4%	10.6%	5.9%	8.1%	8.3%	9.6%	10.2%	11.7%
		標準誤差	1.1%	2.7%	5.7%	2.9%	3.2%	2.9%	3.4%	2.1%	1.2%	2.1%	1.8%	1.5%	3.7%
4. もともとない		割合	28.7%	11.4%	32.7%	10.8%	11.5%	12.1%	26.8%	55.4%	29.6%	16.6%	14.8%	20.4%	34.1%
		標準誤差	1.8%	5.1%	8.4%	4.2%	3.6%	3.7%	4.3%	3.4%	1.9%	3.3%	2.0%	2.8%	5.7%
総数			人数	1256	63	61	101	199	173	263	396	1193	361	507	771
	1. 増えた	割合	8.4%	7.4%	7.3%	16.2%	9.6%	14.8%	8.4%	2.3%	8.5%	11.1%	10.7%	9.9%	8.1%
		標準誤差	1.1%	3.7%	2.8%	5.0%	2.5%	3.1%	2.8%	0.8%	1.1%	1.9%	1.7%	1.3%	2.5%
	2. 変わらない	割合	53.8%	71.1%	61.8%	60.6%	64.0%	64.1%	53.0%	35.7%	52.8%	62.4%	63.3%	56.6%	41.8%
		標準誤差	1.6%	4.8%	5.3%	5.7%	4.1%	3.5%	3.8%	3.6%	1.6%	2.8%	2.3%	2.1%	4.1%
	3. 減った	割合	7.0%	3.3%	6.3%	6.1%	7.1%	6.6%	7.0%	8.3%	7.2%	6.6%	7.1%	8.3%	11.0%
		標準誤差	0.9%	2.4%	3.3%	2.4%	2.0%	1.6%	1.7%	2.3%	1.0%	1.4%	1.1%	1.3%	3.8%
	4. もともとない	割合	30.8%	18.2%	24.7%	17.1%	19.3%	14.5%	31.6%	53.7%	31.5%	20.0%	18.9%	25.2%	39.2%
		標準誤差	1.8%	4.1%	5.8%	4.0%	3.8%	2.5%	3.8%	3.0%	1.9%	2.5%	2.3%	2.2%	4.5%

注) 値は保健所ごとの標本数の偏りを調整するための重み付けをして算出した値

※値は保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR4人口構成に合わせるための重み付けをした値

問19 あなたのこの1か月間における体重及び生活習慣は、新型コロナウイルス感染症の感染拡大の影響により変化がありましたか。

問19 この1か月間における体重及び生活習慣の新型コロナウイルス感染症拡大の影響  
エ フードデリバリーサービスの利用

性別	回答	年齢区分	※総数	15-19歳	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	※(再掲) 20歳以上	※(再掲) 20-49	※(再掲) 40-64	※(再掲) 40-74	※(再掲) 65-74
男性		人数	593	27	36	45	92	86	129	178	566	173	241	374	133
	1. 増えた	割合	1.0%	2.7%	2.6%	0.0%	2.0%	0.0%	0.0%	1.0%	0.9%	1.5%	0.8%	0.6%	0.0%
		標準誤差	0.5%	2.8%	2.4%	0.0%	1.4%	0.0%	0.0%	0.7%	0.5%	1.2%	0.6%	0.4%	0.0%
	2. 変わらない	割合	16.9%	15.8%	21.9%	23.0%	16.2%	27.8%	13.3%	9.8%	16.9%	19.7%	21.3%	15.5%	3.7%
		標準誤差	2.5%	7.3%	9.8%	8.4%	5.0%	5.6%	3.2%	5.1%	2.6%	3.7%	3.9%	2.9%	1.3%
	3. 減った	割合	1.5%	8.4%	0.0%	2.2%	2.4%	1.2%	1.3%	0.4%	1.2%	1.7%	1.7%	1.3%	0.5%
		標準誤差	0.5%	5.9%	0.0%	2.2%	1.5%	1.2%	0.9%	0.4%	0.4%	0.9%	0.8%	0.5%	0.5%
	4. もともとない	割合	80.6%	73.0%	75.5%	74.8%	79.4%	71.0%	85.4%	88.8%	81.0%	77.0%	76.1%	82.6%	95.8%
		標準誤差	2.5%	9.9%	9.5%	8.5%	5.6%	6.0%	3.4%	5.0%	2.7%	3.8%	4.3%	3.2%	1.4%
	女性		人数	660	36	25	56	107	86	134	216	624	188	265	396
1. 増えた		割合	0.5%	0.0%	0.0%	0.0%	0.7%	0.0%	0.6%	0.9%	0.5%	0.3%	0.5%	0.6%	0.9%
		標準誤差	0.2%	0.0%	0.0%	0.0%	0.7%	0.0%	0.6%	0.6%	0.2%	0.3%	0.4%	0.4%	0.9%
2. 変わらない		割合	12.8%	21.2%	18.5%	17.8%	19.8%	11.7%	6.7%	7.6%	12.3%	18.9%	13.9%	11.3%	4.8%
		標準誤差	1.8%	4.6%	10.0%	5.7%	5.2%	3.7%	2.1%	1.9%	1.7%	3.2%	2.9%	2.1%	1.7%
3. 減った		割合	1.2%	0.0%	4.1%	4.7%	0.9%	0.0%	0.0%	0.7%	1.3%	2.9%	0.4%	0.2%	0.0%
		標準誤差	0.5%	0.0%	3.9%	2.6%	0.9%	0.0%	0.0%	0.5%	0.5%	1.3%	0.4%	0.2%	0.0%
4. もともとない		割合	85.5%	78.8%	77.4%	77.5%	78.6%	88.3%	92.7%	90.8%	85.9%	77.9%	85.2%	87.9%	94.3%
		標準誤差	1.7%	4.6%	9.2%	5.4%	5.3%	3.7%	2.5%	2.2%	1.7%	2.9%	3.0%	2.2%	2.2%
総数			人数	1253	63	61	101	199	172	263	394	1190	361	506	770
	1. 増えた	割合	0.7%	1.4%	1.3%	0.0%	1.3%	0.0%	0.3%	1.0%	0.7%	0.9%	0.7%	0.6%	0.4%
		標準誤差	0.3%	1.4%	1.3%	0.0%	0.9%	0.0%	0.3%	0.6%	0.3%	0.6%	0.4%	0.3%	0.4%
	2. 変わらない	割合	14.8%	18.5%	20.2%	20.4%	18.0%	19.8%	10.0%	8.7%	14.6%	19.3%	17.6%	13.4%	4.2%
		標準誤差	1.8%	3.2%	9.0%	4.6%	4.1%	3.9%	2.0%	3.2%	1.9%	2.7%	2.9%	2.2%	1.3%
	3. 減った	割合	1.4%	4.2%	2.0%	3.5%	1.6%	0.6%	0.6%	0.5%	1.2%	2.3%	1.0%	0.8%	0.3%
		標準誤差	0.4%	3.1%	1.9%	2.2%	0.8%	0.6%	0.4%	0.4%	0.4%	0.9%	0.4%	0.3%	0.3%
	4. もともとない	割合	83.1%	75.9%	76.5%	76.2%	79.0%	79.6%	89.1%	89.8%	83.5%	77.5%	80.7%	85.2%	95.1%
		標準誤差	1.8%	4.1%	8.2%	4.4%	4.5%	4.0%	2.4%	3.2%	1.8%	2.6%	3.2%	2.4%	1.6%

注) 値は保健所ごとの標本数の偏りを調整するための重み付けをして算出した値

※値は保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR4人口構成に合わせるための重み付けをした値

問19 あなたのこの1か月間における体重及び生活習慣は、新型コロナウイルス感染症の感染拡大の影響により変化がありましたか。

問19 この1か月間における体重及び生活習慣の新型コロナウイルス感染症拡大の影響  
オ 1日当たりの睡眠時間

性別	回答	年齢区分	※総数	15-19歳	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	※(再掲) 20歳以上	※(再掲) 20-49	※(再掲) 40-64	※(再掲) 40-74	※(再掲) 65-74	
男性		人数	577	27	36	43	92	83	128	168	550	171	238	367	129	
	1. 増えた	割合	3.4%	0.0%	3.3%	1.8%	4.8%	4.1%	2.2%	4.1%	3.6%	3.5%	4.2%	4.4%	4.7%	
		標準誤差	0.9%	0.0%	3.4%	1.8%	4.1%	2.2%	1.7%	2.2%	1.0%	2.0%	2.0%	1.7%	3.4%	
	2. 変わらない	割合	89.4%	89.3%	90.9%	91.9%	84.8%	86.1%	95.9%	88.8%	89.4%	88.5%	87.2%	88.2%	90.2%	
		標準誤差	1.6%	6.4%	4.9%	4.2%	5.0%	3.6%	2.2%	2.9%	1.7%	2.8%	2.8%	2.2%	3.8%	
	3. 減った	割合	7.3%	10.7%	5.8%	6.3%	10.4%	9.8%	1.9%	7.2%	7.1%	8.0%	8.5%	7.4%	5.1%	
		標準誤差	1.4%	6.4%	3.5%	3.8%	3.6%	3.6%	1.4%	2.0%	1.4%	2.2%	2.2%	1.6%	1.9%	
	女性		人数	644	35	25	56	105	84	134	205	609	186	261	387	126
		1. 増えた	割合	4.4%	1.3%	15.8%	9.1%	5.7%	0.0%	3.7%	1.6%	4.6%	9.4%	3.7%	2.7%	0.4%
標準誤差			0.8%	1.3%	7.2%	3.9%	3.7%	0.0%	2.8%	0.8%	0.8%	2.2%	1.8%	1.2%	0.4%	
2. 変わらない		割合	86.1%	88.6%	71.3%	74.5%	84.9%	89.9%	87.7%	92.5%	85.9%	78.1%	85.6%	88.8%	96.6%	
		標準誤差	1.6%	6.5%	10.1%	5.2%	4.4%	3.6%	4.0%	2.5%	1.8%	3.1%	2.7%	2.0%	1.4%	
3. 減った		割合	9.5%	10.1%	12.9%	16.4%	9.3%	10.1%	8.6%	5.9%	9.5%	12.5%	10.7%	8.5%	3.0%	
		標準誤差	1.7%	6.1%	6.4%	4.3%	3.1%	3.6%	3.4%	2.3%	1.8%	3.0%	2.0%	1.5%	1.3%	
総数			人数	1221	62	61	99	197	167	262	373	1159	357	499	754	255
		1. 増えた	割合	3.9%	0.6%	9.5%	5.5%	5.2%	2.0%	3.0%	2.8%	4.1%	6.4%	4.0%	3.6%	2.7%
	標準誤差		0.6%	0.6%	3.4%	2.2%	3.8%	1.1%	1.6%	1.2%	0.7%	1.7%	1.7%	1.2%	1.8%	
	2. 変わらない	割合	87.7%	88.9%	81.2%	83.0%	84.9%	88.0%	91.8%	90.6%	87.7%	83.3%	86.4%	88.5%	93.2%	
		標準誤差	1.2%	5.7%	5.6%	4.0%	4.1%	3.1%	2.0%	2.0%	1.4%	2.2%	2.4%	1.7%	2.1%	
	3. 減った	割合	8.4%	10.4%	9.3%	11.5%	9.9%	10.0%	5.2%	6.5%	8.3%	10.2%	9.6%	7.9%	4.1%	
		標準誤差	1.3%	5.6%	3.4%	3.4%	2.5%	3.1%	1.7%	1.6%	1.4%	2.0%	1.6%	1.3%	1.2%	

注) 値は保健所ごとの標本数の偏りを調整するための重み付けをして算出した値

※値は保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR4人口構成に合わせるための重み付けをした値

問19 あなたのこの1か月間における体重及び生活習慣は、新型コロナウイルス感染症の感染拡大の影響により変化がありましたか。



問19 この1か月間における体重及び生活習慣の新型コロナウイルス感染症拡大の影響  
カ 1週間当たりの喫煙の頻度

性別	回答	年齢区分	※総数	15-19歳	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	※(再掲) 20歳以上	※(再掲) 20-49	※(再掲) 40-64	※(再掲) 40-74	※(再掲) 65-74	
男性		人数			36	45	92	86	129	178	566	173	241	374	133	
	1. 増えた	割合			0.0%	2.4%	2.5%	3.3%	0.0%	0.0%	1.2%	1.8%	2.4%	1.6%	0.0%	
		標準誤差				0.0%	2.4%	1.8%	1.8%	0.0%	0.0%	0.5%	1.1%	1.0%	0.7%	0.0%
	2. 変わらない	割合				10.3%	31.7%	26.3%	32.9%	30.9%	6.8%	21.1%	23.9%	30.5%	27.2%	20.4%
		標準誤差				4.4%	8.2%	5.1%	5.3%	6.2%	2.3%	2.4%	3.6%	3.4%	2.8%	4.0%
	3. 減った	割合				9.7%	0.0%	1.9%	0.0%	4.2%	0.8%	2.1%	3.3%	1.6%	1.9%	2.5%
		標準誤差				9.2%	0.0%	1.3%	0.0%	1.8%	0.6%	0.9%	2.3%	0.7%	0.6%	1.5%
	4. もともとない	割合				80.0%	65.9%	69.2%	63.8%	64.9%	92.4%	75.6%	70.9%	65.5%	69.3%	77.1%
		標準誤差				9.2%	8.4%	5.4%	5.2%	6.3%	2.4%	2.5%	3.4%	3.4%	2.9%	4.1%
	女性		人数			25	56	107	87	133	216	624	188	265	396	131
1. 増えた		割合				3.7%	2.9%	1.2%	0.0%	0.8%	0.0%	1.0%	2.3%	0.5%	0.5%	0.7%
		標準誤差				3.8%	2.1%	1.2%	0.0%	0.8%	0.0%	0.5%	1.2%	0.5%	0.4%	0.7%
2. 変わらない		割合				2.6%	6.0%	6.7%	4.7%	5.4%	1.2%	4.0%	5.4%	5.9%	4.8%	2.0%
		標準誤差				2.7%	3.1%	2.3%	2.2%	1.9%	0.7%	1.0%	1.6%	1.6%	1.2%	1.2%
3. 減った		割合				0.0%	0.0%	0.4%	0.0%	0.6%	0.0%	0.2%	0.2%	0.2%	0.3%	0.5%
		標準誤差				0.0%	0.0%	0.4%	0.0%	0.6%	0.0%	0.1%	0.2%	0.2%	0.2%	0.5%
4. もともとない		割合				93.7%	91.2%	91.7%	95.3%	93.2%	98.8%	94.9%	92.0%	93.5%	94.4%	96.7%
		標準誤差				4.8%	4.4%	2.8%	2.2%	1.9%	0.7%	1.2%	2.4%	1.7%	1.3%	1.4%
総数			人数			61	101	199	173	262	394	1190	361	506	770	264
	1. 増えた	割合				1.8%	2.6%	1.9%	1.6%	0.4%	0.0%	1.1%	2.1%	1.4%	1.1%	0.3%
		標準誤差				1.8%	1.5%	1.1%	0.9%	0.4%	0.0%	0.3%	0.8%	0.5%	0.4%	0.3%
	2. 変わらない	割合				6.5%	18.8%	16.5%	18.8%	18.2%	4.0%	12.5%	14.7%	18.0%	16.1%	11.8%
		標準誤差				2.8%	4.1%	3.0%	3.6%	3.6%	1.3%	1.5%	2.4%	2.3%	1.9%	2.6%
	3. 減った	割合				4.9%	0.0%	1.2%	0.0%	2.4%	0.4%	1.1%	1.7%	0.9%	1.1%	1.6%
		標準誤差				4.2%	0.0%	0.7%	0.0%	0.9%	0.3%	0.5%	1.1%	0.4%	0.3%	0.8%
	4. もともとない	割合				86.8%	78.5%	80.5%	79.6%	79.0%	95.6%	85.2%	81.5%	79.7%	81.7%	86.2%
		標準誤差				3.8%	4.4%	3.3%	3.6%	3.6%	1.4%	1.6%	2.4%	2.3%	1.9%	2.7%

注) 値は保健所ごとの標本数の偏りを調整するための重み付けをして算出した値

※値は保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR4人口構成に合わせるための重み付けをした値

問19 あなたのこの1か月間における体重及び生活習慣は、新型コロナウイルス感染症の感染拡大の影響により変化がありましたか。

問19 この1か月間における体重及び生活習慣の新型コロナウイルス感染症拡大の影響  
キ 1日に吸うたばこの本数

性別	回答	年齢区分	※総数	15-19歳	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	※(再掲) 20歳以上	※(再掲) 20-49	※(再掲) 40-64	※(再掲) 40-74	※(再掲) 65-74	
男性		人数			36	45	92	86	129	179	567	173	241	375	134	
	1. 増えた	割合			0.0%	0.0%	1.4%	2.2%	0.0%	0.0%	0.6%	0.6%	1.4%	1.0%	0.0%	
		標準誤差				0.0%	0.0%	1.3%	1.6%	0.0%	0.3%	0.6%	0.8%	0.6%	0.0%	
	2. 変わらない	割合				10.3%	32.0%	26.7%	32.6%	29.2%	6.3%	20.7%	24.2%	30.6%	26.8%	19.3%
		標準誤差				4.4%	8.5%	5.1%	5.0%	5.8%	2.1%	2.2%	3.7%	3.3%	2.6%	3.7%
	3. 減った	割合				9.7%	2.1%	2.7%	0.0%	5.2%	0.8%	2.6%	4.3%	2.0%	2.4%	3.3%
		標準誤差				9.2%	2.1%	1.4%	0.0%	1.9%	0.6%	0.9%	2.4%	0.7%	0.6%	1.6%
	4. もともとない	割合				80.0%	65.9%	69.2%	65.3%	65.7%	92.9%	76.1%	70.9%	66.1%	69.8%	77.4%
		標準誤差				9.2%	8.4%	5.4%	5.1%	6.4%	2.2%	2.4%	3.4%	3.4%	2.8%	4.1%
	女性		人数			25	56	107	87	133	218	626	188	265	396	131
1. 増えた		割合				3.7%	2.9%	1.2%	0.0%	0.8%	0.0%	1.0%	2.3%	0.5%	0.5%	0.7%
		標準誤差				3.8%	2.1%	1.2%	0.0%	0.8%	0.0%	0.5%	1.2%	0.5%	0.4%	0.7%
2. 変わらない		割合				2.6%	6.0%	6.2%	4.7%	4.7%	0.6%	3.6%	5.2%	5.4%	4.4%	2.0%
		標準誤差				2.7%	3.1%	2.3%	2.2%	1.8%	0.5%	1.0%	1.6%	1.6%	1.2%	1.2%
3. 減った		割合				0.0%	0.0%	0.4%	0.0%	0.6%	0.0%	0.2%	0.2%	0.2%	0.3%	0.5%
		標準誤差				0.0%	0.0%	0.4%	0.0%	0.6%	0.0%	0.1%	0.2%	0.2%	0.2%	0.5%
4. もともとない		割合				93.7%	91.2%	92.2%	95.3%	93.9%	99.4%	95.2%	92.3%	94.0%	94.8%	96.7%
		標準誤差				4.8%	4.4%	2.7%	2.2%	1.9%	0.5%	1.2%	2.4%	1.7%	1.2%	1.4%
総数			人数			61	101	199	173	262	397	1193	361	506	771	265
	1. 増えた	割合				1.8%	1.4%	1.3%	1.1%	0.4%	0.8%	1.5%	0.9%	0.8%	0.3%	
		標準誤差				1.8%	1.1%	0.9%	0.8%	0.4%	0.3%	0.7%	0.5%	0.3%	0.3%	
	2. 変わらない	割合				6.5%	19.0%	16.5%	18.6%	17.0%	3.5%	12.1%	14.7%	17.8%	15.8%	11.3%
		標準誤差				2.8%	4.4%	3.0%	3.6%	3.3%	1.1%	1.5%	2.5%	2.2%	1.8%	2.4%
	3. 減った	割合				4.9%	1.1%	1.6%	0.0%	2.9%	0.4%	1.4%	2.2%	1.0%	1.4%	2.0%
		標準誤差				4.2%	1.0%	0.7%	0.0%	1.0%	0.3%	0.5%	1.1%	0.4%	0.3%	0.9%
	4. もともとない	割合				86.8%	78.5%	80.7%	80.3%	79.7%	96.1%	85.7%	81.6%	80.2%	82.1%	86.3%
		標準誤差				3.8%	4.4%	3.3%	3.6%	3.6%	1.2%	1.5%	2.4%	2.3%	1.9%	2.7%

注) 値は保健所ごとの標本数の偏りを調整するための重み付けをして算出した値

※値は保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR4人口構成に合わせるための重み付けをした値

問19 あなたのこの1か月間における体重及び生活習慣は、新型コロナウイルス感染症の感染拡大の影響により変化がありましたか。

問19 この1か月間における体重及び生活習慣の新型コロナウイルス感染症拡大の影響  
ク 1週間当たりの飲酒の日数

性別	回答	年齢区分	※総数	15-19歳	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	※(再掲) 20歳以上	※(再掲) 20-49	※(再掲) 40-64	※(再掲) 40-74	※(再掲) 65-74	
男性		人数			36	45	92	86	129	179	567	173	241	375	134	
	1. 増えた	割合			1.3%	6.6%	4.8%	9.2%	2.0%	1.6%	3.9%	4.5%	6.0%	4.7%	2.2%	
		標準誤差				1.4%	3.6%	2.2%	3.3%	1.4%	0.9%	1.5%	1.5%	1.1%	1.3%	
	2. 変わらない	割合				37.0%	38.0%	57.0%	50.5%	64.8%	44.6%	49.2%	46.0%	57.9%	55.7%	51.2%
		標準誤差				9.3%	9.0%	6.2%	4.7%	4.2%	3.8%	2.2%	4.4%	3.4%	2.8%	4.8%
	3. 減った	割合				27.2%	11.5%	7.4%	4.7%	5.2%	12.0%	10.4%	13.7%	5.3%	6.8%	9.7%
		標準誤差				9.5%	4.7%	2.4%	2.6%	1.9%	3.0%	1.3%	2.7%	1.5%	1.6%	3.5%
	4. もともとない	割合				34.4%	43.8%	30.8%	35.6%	27.9%	41.7%	36.4%	35.8%	30.8%	32.8%	36.9%
		標準誤差				9.6%	9.4%	5.4%	5.5%	3.8%	4.5%	2.6%	4.9%	3.1%	2.7%	4.6%
	女性		人数			25	56	107	87	133	218	626	188	265	396	131
1. 増えた		割合				0.0%	8.4%	7.7%	2.7%	0.0%	0.4%	2.8%	6.0%	4.1%	3.2%	0.8%
		標準誤差				0.0%	3.9%	2.8%	1.6%	0.0%	0.4%	0.9%	2.0%	1.4%	1.1%	0.8%
2. 変わらない		割合				22.7%	25.2%	34.2%	28.7%	33.0%	16.5%	25.4%	28.5%	32.8%	29.7%	22.2%
		標準誤差				10.6%	8.2%	5.3%	5.9%	5.5%	2.2%	2.2%	4.7%	3.4%	2.6%	4.3%
3. 減った		割合				4.2%	5.6%	5.8%	5.9%	3.2%	6.9%	5.6%	5.3%	5.6%	6.8%	9.6%
		標準誤差				4.0%	2.8%	3.2%	3.1%	1.4%	2.5%	1.2%	1.9%	1.8%	1.7%	4.0%
4. もともとない		割合				73.1%	60.8%	52.3%	62.7%	63.9%	76.2%	66.2%	60.1%	57.4%	60.3%	67.4%
		標準誤差				9.7%	8.4%	4.4%	6.8%	5.5%	3.4%	2.4%	4.0%	3.7%	3.2%	5.1%
総数			人数			61	101	199	173	262	397	1193	361	506	771	265
	1. 増えた	割合				0.7%	7.5%	6.3%	6.0%	1.0%	1.0%	3.4%	5.2%	5.0%	4.0%	1.6%
		標準誤差				0.7%	2.9%	1.6%	1.8%	0.7%	0.5%	0.7%	1.2%	1.1%	0.8%	0.8%
	2. 変わらない	割合				29.9%	31.6%	45.6%	39.6%	49.0%	30.5%	37.3%	37.3%	45.2%	42.9%	37.8%
		標準誤差				5.3%	6.8%	4.5%	4.3%	4.0%	2.4%	1.8%	3.5%	2.4%	2.1%	4.1%
	3. 減った	割合				15.9%	8.6%	6.6%	5.3%	4.2%	9.4%	8.0%	9.5%	5.5%	6.8%	9.7%
		標準誤差				4.2%	2.6%	2.2%	2.0%	1.1%	2.3%	0.9%	1.7%	1.2%	1.3%	3.4%
	4. もともとない	割合				53.6%	52.3%	41.6%	49.2%	45.8%	59.0%	51.3%	47.9%	44.3%	46.4%	51.0%
		標準誤差				6.2%	7.6%	3.8%	5.4%	3.9%	3.5%	1.9%	3.4%	2.5%	2.3%	4.3%

注) 値は保健所ごとの標本数の偏りを調整するための重み付けをして算出した値

※値は保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR4人口構成に合わせるための重み付けをした値

問19 あなたのこの1か月間における体重及び生活習慣は、新型コロナウイルス感染症の感染拡大の影響により変化がありましたか。

問19 この1か月間における体重及び生活習慣の新型コロナウイルス感染症拡大の影響  
ケ 1日当たりの飲酒の量

性別	回答	年齢区分	※総数	15-19歳	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	※(再掲) 20歳以上	※(再掲) 20-49	※(再掲) 40-64	※(再掲) 40-74	※(再掲) 65-74	
男性		人数			36	45	92	85	129	180	567	173	240	374	134	
	1. 増えた	割合			1.3%	11.2%	5.1%	3.5%	2.0%	1.6%	3.6%	6.0%	3.5%	3.2%	2.7%	
		標準誤差				1.4%	4.8%	2.3%	1.9%	1.1%	0.9%	1.9%	1.1%	0.9%	1.4%	
	2. 変わらない	割合				32.3%	38.3%	49.8%	55.6%	63.4%	45.5%	48.5%	41.8%	56.7%	55.1%	51.9%
		標準誤差				8.9%	8.8%	6.5%	5.0%	4.2%	3.8%	2.1%	4.2%	3.3%	2.7%	5.4%
	3. 減った	割合				27.4%	8.8%	12.7%	2.4%	6.6%	12.2%	10.9%	15.2%	7.2%	7.7%	8.6%
		標準誤差				9.3%	3.9%	4.7%	1.5%	2.0%	2.5%	1.5%	4.0%	2.2%	1.7%	3.5%
	4. もともとない	割合				39.0%	41.7%	32.4%	38.5%	27.9%	40.7%	37.0%	36.9%	32.5%	33.9%	36.8%
		標準誤差				10.3%	9.6%	5.4%	5.3%	3.8%	4.4%	2.5%	5.0%	2.9%	2.6%	4.8%
	女性		人数			25	56	107	87	133	216	624	188	265	395	130
1. 増えた		割合				0.0%	7.9%	4.4%	1.8%	0.0%	0.0%	1.9%	4.4%	2.5%	1.8%	0.0%
		標準誤差				0.0%	4.5%	2.0%	1.4%	0.0%	0.0%	0.8%	1.9%	1.1%	0.8%	0.0%
2. 変わらない		割合				22.7%	22.8%	34.4%	29.6%	31.8%	15.7%	24.9%	27.8%	33.4%	29.9%	21.3%
		標準誤差				10.6%	7.1%	5.2%	5.8%	4.8%	2.3%	2.0%	4.3%	3.4%	2.6%	4.1%
3. 減った		割合				4.2%	8.5%	7.5%	5.6%	3.7%	7.5%	6.4%	7.0%	6.2%	7.0%	9.2%
		標準誤差				4.0%	3.6%	3.5%	3.0%	1.4%	2.5%	1.2%	2.1%	1.9%	1.8%	4.0%
4. もともとない		割合				73.1%	60.8%	53.7%	63.0%	64.5%	76.8%	66.7%	60.7%	57.9%	61.3%	69.6%
		標準誤差				9.7%	8.4%	4.2%	6.7%	5.2%	3.5%	2.3%	4.0%	3.6%	3.0%	4.8%
総数			人数			61	101	199	172	262	396	1191	361	505	769	264
	1. 増えた	割合				0.7%	9.6%	4.8%	2.6%	1.0%	0.8%	2.8%	5.2%	3.0%	2.5%	1.5%
		標準誤差				0.7%	3.4%	1.4%	1.3%	0.6%	0.5%	0.7%	1.3%	0.9%	0.6%	0.7%
	2. 変わらない	割合				27.5%	30.5%	42.1%	42.5%	47.7%	30.6%	36.7%	34.8%	44.8%	42.6%	37.8%
		標準誤差				5.5%	6.6%	4.3%	4.6%	3.5%	2.3%	1.8%	3.2%	2.7%	2.1%	4.3%
	3. 減った	割合				15.9%	8.7%	10.1%	4.0%	5.2%	9.9%	8.7%	11.1%	6.7%	7.4%	8.9%
		標準誤差				4.0%	3.1%	2.5%	1.7%	1.3%	2.2%	0.9%	1.9%	1.4%	1.3%	3.4%
	4. もともとない	割合				55.9%	51.2%	43.0%	50.8%	46.1%	58.7%	51.8%	48.8%	45.5%	47.5%	51.9%
		標準誤差				6.6%	7.7%	3.8%	5.3%	3.7%	3.5%	1.9%	3.5%	2.4%	2.2%	4.3%

注) 値は保健所ごとの標本数の偏りを調整するための重み付けをして算出した値

※値は保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR4人口構成に合わせるための重み付けをした値

問19 あなたのこの1か月間における体重及び生活習慣は、新型コロナウイルス感染症の感染拡大の影響により変化がありましたか。

問19 この1か月間における体重及び生活習慣の新型コロナウイルス感染症拡大の影響

コ 1週間当たりの運動※日数

性別	回答	年齢区分	※総数	15-19歳	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	※(再掲) 20歳以上	※(再掲) 20-49	※(再掲) 40-64	※(再掲) 40-74	※(再掲) 65-74
男性		人数	594	27	36	45	92	86	129	179	567	173	241	375	134
	1. 増えた	割合	7.5%	16.1%	19.5%	13.3%	8.2%	8.0%	5.1%	0.6%	7.0%	12.7%	8.3%	5.8%	0.8%
		標準誤差	1.7%	7.4%	9.4%	5.9%	2.3%	4.9%	2.6%	0.5%	1.7%	3.4%	2.2%	1.6%	0.8%
	2. 変わらない	割合	50.9%	67.9%	39.5%	41.6%	57.8%	49.9%	50.3%	52.1%	50.0%	48.1%	53.2%	52.9%	52.4%
		標準誤差	2.9%	12.1%	10.0%	8.7%	5.9%	5.0%	4.5%	5.3%	2.8%	4.3%	3.9%	2.9%	3.9%
	3. 減った	割合	11.0%	8.3%	13.1%	10.1%	9.9%	10.8%	7.8%	13.4%	11.2%	10.8%	10.8%	10.3%	9.4%
		標準誤差	1.3%	5.2%	4.9%	5.3%	4.3%	3.2%	2.3%	2.3%	1.2%	2.6%	2.5%	1.8%	3.5%
	4. もともとない	割合	30.6%	7.7%	27.9%	35.0%	24.1%	31.3%	36.8%	33.9%	31.9%	28.4%	27.7%	30.9%	37.4%
		標準誤差	2.6%	5.5%	10.1%	9.3%	5.1%	4.6%	4.3%	5.8%	2.6%	4.8%	3.2%	2.6%	3.3%
	女性		人数	662	36	25	56	107	87	134	217	626	188	266	397
1. 増えた		割合	7.1%	10.5%	17.8%	9.0%	7.2%	8.3%	4.4%	3.1%	6.9%	10.4%	7.2%	5.8%	2.2%
		標準誤差	1.3%	6.9%	9.5%	3.7%	2.7%	2.6%	1.9%	1.2%	1.1%	2.8%	1.8%	1.3%	1.6%
2. 変わらない		割合	46.8%	62.7%	42.4%	34.3%	48.9%	46.8%	41.8%	51.4%	45.9%	42.7%	46.3%	46.0%	45.4%
		標準誤差	2.0%	6.0%	5.4%	6.0%	6.6%	6.7%	4.4%	2.5%	2.1%	4.2%	3.6%	2.7%	4.9%
3. 減った		割合	10.9%	15.2%	2.7%	7.9%	5.7%	8.9%	11.8%	17.0%	10.7%	5.6%	7.8%	11.3%	20.1%
		標準誤差	1.2%	6.9%	2.8%	3.6%	2.2%	4.8%	3.2%	2.5%	1.2%	1.6%	2.0%	2.0%	5.0%
4. もともとない		割合	35.2%	11.6%	37.1%	48.8%	38.2%	36.0%	42.0%	28.5%	36.5%	41.3%	38.8%	36.9%	32.2%
		標準誤差	2.5%	4.8%	11.9%	7.4%	6.2%	6.0%	5.3%	3.0%	2.4%	5.8%	3.3%	2.7%	4.3%
総数			人数	1256	63	61	101	199	173	263	396	1193	361	507	772
	1. 増えた	割合	7.3%	13.3%	18.7%	11.2%	7.7%	8.2%	4.7%	1.9%	6.9%	11.5%	7.7%	5.8%	1.5%
		標準誤差	1.0%	3.3%	6.2%	3.8%	1.9%	2.6%	1.6%	0.6%	0.9%	2.1%	1.4%	1.1%	0.8%
	2. 変わらない	割合	48.9%	65.3%	40.9%	38.0%	53.4%	48.3%	46.0%	51.7%	48.0%	45.4%	49.7%	49.5%	49.2%
		標準誤差	2.1%	7.9%	6.6%	6.0%	3.9%	4.3%	3.4%	3.3%	2.0%	3.6%	2.9%	2.2%	3.4%
	3. 減った	割合	11.0%	11.8%	8.0%	9.0%	7.8%	9.8%	9.8%	15.2%	10.9%	8.2%	9.2%	10.8%	14.3%
		標準誤差	0.9%	4.4%	3.5%	3.1%	2.1%	2.7%	2.2%	1.9%	0.9%	1.5%	1.3%	1.4%	3.6%
	4. もともとない	割合	32.9%	9.6%	32.5%	41.9%	31.1%	33.7%	39.4%	31.2%	34.2%	34.8%	33.3%	33.9%	35.0%
		標準誤差	2.2%	4.4%	9.0%	7.2%	4.3%	4.1%	4.0%	3.7%	2.1%	4.6%	2.5%	2.0%	2.9%

注) 値は保健所ごとの標本数の偏りを調整するための重み付けをして算出した値

※値は保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR4人口構成に合わせるための重み付けをした値

問19 あなたのこの1か月間における体重及び生活習慣は、新型コロナウイルス感染症の感染拡大の影響により変化がありましたか。

問19 この1か月間における体重及び生活習慣の新型コロナウイルス感染症拡大の影響  
 サ 運動※を行う日の平均運動時間

性別	回答	年齢区分	※総数	15-19歳	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	※(再掲) 20歳以上	※(再掲) 20-49	※(再掲) 40-64	※(再掲) 40-74	※(再掲) 65-74
男性		人数	591	27	36	45	92	86	128	177	564	173	241	373	132
	1. 増えた	割合	5.5%	1.9%	19.5%	4.1%	3.9%	9.8%	5.2%	1.1%	5.7%	7.9%	7.1%	5.3%	1.8%
		標準誤差	1.3%	1.9%	9.4%	2.8%	1.8%	4.7%	2.2%	0.6%	1.4%	2.9%	2.0%	1.5%	1.0%
	2. 変わらない	割合	51.9%	73.2%	44.6%	52.4%	58.9%	45.6%	51.8%	49.7%	50.7%	53.2%	52.6%	51.9%	50.4%
		標準誤差	2.8%	11.1%	10.4%	9.2%	6.0%	4.9%	4.2%	5.4%	2.7%	4.5%	3.8%	3.0%	4.4%
	3. 減った	割合	10.4%	13.0%	10.2%	8.5%	9.9%	9.9%	6.6%	13.0%	10.2%	9.5%	9.9%	9.1%	7.4%
		標準誤差	1.2%	6.8%	4.5%	5.2%	4.3%	3.4%	1.9%	2.3%	1.2%	2.7%	2.4%	1.7%	3.5%
	4. もともとない	割合	32.3%	11.9%	25.7%	35.0%	27.3%	34.7%	36.4%	36.2%	33.4%	29.3%	30.4%	33.7%	40.4%
		標準誤差	2.8%	9.0%	9.8%	9.3%	5.4%	4.9%	4.3%	6.0%	2.7%	4.7%	3.3%	2.8%	3.7%
	女性		人数	660	36	25	56	106	87	134	216	624	187	265	396
1. 増えた		割合	6.1%	10.5%	17.8%	7.7%	4.5%	7.8%	5.1%	1.8%	5.9%	8.8%	6.2%	5.0%	2.1%
		標準誤差	1.4%	6.9%	9.5%	3.5%	2.1%	3.1%	2.0%	0.9%	1.2%	2.9%	1.8%	1.4%	1.5%
2. 変わらない		割合	46.0%	60.8%	42.4%	33.7%	46.6%	42.9%	42.2%	52.0%	45.2%	41.5%	44.0%	43.9%	43.9%
		標準誤差	2.0%	6.5%	5.4%	6.1%	7.4%	6.3%	4.6%	3.7%	2.0%	4.7%	3.6%	2.6%	4.9%
3. 減った		割合	9.6%	15.2%	0.0%	7.9%	8.8%	7.4%	9.8%	13.5%	9.3%	6.3%	7.9%	11.1%	19.0%
		標準誤差	1.3%	6.9%	0.0%	3.6%	2.9%	4.5%	2.7%	2.7%	1.3%	1.8%	2.0%	1.9%	4.9%
4. もともとない		割合	38.3%	13.5%	39.8%	50.8%	40.1%	41.9%	42.9%	32.7%	39.7%	43.4%	41.9%	39.9%	35.0%
		標準誤差	2.8%	5.9%	12.4%	7.4%	6.6%	6.4%	5.4%	3.8%	2.6%	6.2%	3.5%	2.7%	4.2%
総数			人数	1251	63	61	101	198	173	262	393	1188	360	506	769
	1. 増えた	割合	5.8%	6.2%	18.7%	5.9%	4.2%	8.8%	5.2%	1.4%	5.8%	8.4%	6.6%	5.2%	1.9%
		標準誤差	0.9%	3.4%	6.2%	2.2%	1.3%	2.9%	1.7%	0.6%	0.8%	1.9%	1.3%	1.0%	0.9%
	2. 変わらない	割合	48.9%	67.0%	43.5%	43.1%	52.7%	44.3%	47.0%	50.9%	47.9%	47.4%	48.2%	47.9%	47.4%
		標準誤差	2.1%	7.7%	6.5%	6.2%	3.9%	3.8%	3.7%	4.1%	2.0%	3.7%	2.7%	2.2%	3.6%
	3. 減った	割合	10.0%	14.1%	5.1%	8.2%	9.3%	8.7%	8.2%	13.2%	9.7%	7.9%	8.9%	10.1%	12.8%
		標準誤差	1.0%	5.6%	2.5%	3.1%	2.2%	2.7%	1.8%	2.1%	1.0%	1.5%	1.3%	1.4%	3.5%
	4. もともとない	割合	35.3%	12.7%	32.7%	42.9%	33.7%	38.3%	39.7%	34.5%	36.6%	36.3%	36.3%	36.8%	37.9%
		標準誤差	2.4%	6.2%	8.7%	7.2%	4.4%	4.3%	4.1%	4.2%	2.2%	4.7%	2.4%	2.1%	3.1%

注) 値は保健所ごとの標本数の偏りを調整するための重み付けをして算出した値

※値は保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR4人口構成に合わせるための重み付けをした値

問19 あなたのこの1か月間における体重及び生活習慣は、新型コロナウイルス感染症の感染拡大の影響により変化がありましたか。

問20 自分の血圧値に対する認識

性別	回 答	年齢区分	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	※(再掲) 20歳以上	※(再掲) 20-49	※(再掲) 40-64	※(再掲) 40-74	※(再掲) 65-74
男性	人数		35	45	92	87	129	180	568	172	242	376	134
	1.知っている	割合	43.4%	65.6%	69.4%	87.9%	90.2%	95.1%	81.0%	61.8%	80.4%	84.7%	93.6%
		標準誤差	10.2%	8.3%	6.4%	3.0%	2.7%	1.7%	2.3%	5.5%	2.6%	1.9%	2.0%
	2.知らない	割合	56.6%	34.4%	30.6%	12.1%	9.8%	4.9%	19.0%	38.2%	19.6%	15.3%	6.4%
女性	人数		25	56	107	88	134	218	628	188	267	398	131
	1.知っている	割合	53.8%	77.6%	72.4%	82.3%	84.8%	92.5%	81.2%	69.5%	79.6%	82.9%	91.0%
		標準誤差	7.2%	6.0%	5.4%	4.7%	3.6%	3.3%	2.1%	4.5%	2.7%	2.1%	2.5%
	2.知らない	割合	46.2%	22.4%	27.6%	17.7%	15.2%	7.5%	18.8%	30.5%	20.4%	17.1%	9.0%
総数	人数		60	101	199	175	263	398	1196	360	509	774	265
	1.知っている	割合	48.5%	71.6%	70.9%	85.1%	87.5%	93.8%	81.1%	65.7%	80.0%	83.8%	92.4%
		標準誤差	6.8%	5.4%	5.1%	3.2%	2.2%	1.9%	1.7%	3.7%	2.0%	1.6%	1.8%
	2.知らない	割合	51.5%	28.4%	29.1%	14.9%	12.5%	6.2%	18.9%	34.3%	20.0%	16.2%	7.6%

注) 値は保健所ごとの標本数の偏りを調整するための重み付けをして算出した値

※値は保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR4人口構成に合わせるための重み付けをした値

問20 血圧についてお聞きします。あなたは自分の血圧がどのくらいか知っていますか。

問20-1 自分の血圧値を知っていると回答した人の自分の血圧の状態に対する認識

性別	回 答	年齢区分	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	※(再掲) 20歳以上	※(再掲) 20-49	※(再掲) 40-64	※(再掲) 40-74	※(再掲) 65-74	
男性	人数		15	28	64	76	110	169	462	107	191	314	123	
	1.正常範囲	割合	74.6%	94.9%	67.1%	66.4%	49.0%	47.0%	59.5%	77.6%	60.9%	56.9%	49.8%	
		標準誤差	10.4%	3.7%	6.6%	4.3%	5.1%	4.1%	2.9%	4.9%	4.1%	3.0%	5.1%	
	2.高血圧	割合	25.4%	5.1%	24.5%	29.4%	50.0%	50.5%	37.5%	18.2%	33.8%	39.0%	48.1%	
		標準誤差	10.4%	3.7%	5.3%	4.8%	5.1%	4.2%	2.9%	4.4%	3.7%	3.0%	5.0%	
	3.低血圧	割合	0.0%	0.0%	7.3%	2.9%	0.9%	1.8%	2.4%	3.6%	4.3%	3.5%	2.1%	
		標準誤差	0.0%	0.0%	3.5%	1.7%	0.9%	0.9%	0.7%	1.8%	1.5%	1.0%	1.2%	
	4.わからない	割合	0.0%	0.0%	1.2%	1.2%	0.0%	0.7%	0.6%	0.6%	1.0%	0.6%	0.0%	
	女性	人数		13	40	79	70	116	202	520	132	214	332	118
		1.正常範囲	割合	57.3%	66.7%	72.3%	72.0%	59.4%	54.3%	62.2%	67.5%	71.1%	62.6%	44.3%
標準誤差			17.0%	7.4%	8.7%	6.3%	5.7%	3.7%	3.2%	5.9%	4.7%	5.1%	6.6%	
2.高血圧		割合	0.0%	3.2%	14.4%	23.2%	34.9%	37.0%	25.2%	7.8%	21.9%	28.2%	41.8%	
		標準誤差	0.0%	3.3%	5.0%	5.6%	6.0%	4.0%	2.2%	2.5%	3.4%	3.6%	5.5%	
3.低血圧		割合	42.7%	30.0%	13.4%	4.8%	4.6%	5.2%	11.1%	24.7%	7.0%	7.6%	9.0%	
		標準誤差	17.0%	7.1%	4.9%	2.4%	2.2%	1.9%	1.8%	4.5%	2.3%	2.3%	3.2%	
4.わからない		割合	0.0%	0.0%	0.0%	0.0%	1.1%	3.5%	1.4%	0.0%	0.0%	1.5%	4.9%	
総数		人数		28	68	143	146	226	371	982	239	405	646	241
		1.正常範囲	割合	65.1%	79.8%	69.7%	69.1%	54.1%	50.6%	60.8%	72.3%	66.1%	59.7%	47.3%
	標準誤差		11.8%	5.1%	5.0%	4.0%	4.4%	3.3%	2.5%	3.9%	3.4%	3.4%	4.6%	
	2.高血圧	割合	11.4%	4.1%	19.3%	26.4%	42.6%	43.8%	31.4%	12.7%	27.8%	33.7%	45.2%	
		標準誤差	5.1%	2.4%	3.4%	3.7%	4.5%	3.6%	2.2%	2.3%	2.8%	2.8%	3.9%	
	3.低血圧	割合	23.5%	16.1%	10.4%	3.8%	2.7%	3.5%	6.8%	14.7%	5.7%	5.5%	5.2%	
標準誤差		9.7%	4.7%	2.9%	1.6%	1.2%	1.0%	1.0%	2.7%	1.3%	1.2%	1.6%		
4.わからない	割合	0.0%	0.0%	0.6%	0.6%	0.5%	2.0%	1.0%	0.3%	0.5%	1.1%	2.2%		

注) 値は保健所ごとの標本数の偏りを調整するための重み付けをして算出した値

※値は保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR4人口構成に合わせるための重み付けをした値

問20-1 あなたは自分の血圧はどのような状態だと思っていますか。1つだけ選んで○印をつけてください。  
(問20で「(1)知っている」と答えた人のみ回答)



問20-2 自分の血圧値を知っていると回答した人の普段の血圧値の認識(ア 収縮期)

性別	回答	年齢区分	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	※(再掲) 20歳以上	※(再掲) 20-49	※(再掲) 40-64	※(再掲) 40-74	※(再掲) 65-74
男性		人数	15	28	62	75	112	166	458	105	189	313	124
	1. 120 mmHg未満	割合	24.0%	31.1%	40.3%	20.3%	17.2%	14.1%	21.5%	34.4%	26.2%	23.4%	18.7%
		標準誤差	12.6%	9.7%	7.8%	4.5%	4.0%	3.1%	2.1%	4.1%	3.6%	2.6%	3.7%
	2. 120～129 mmHg	割合	56.2%	57.0%	33.7%	47.2%	31.8%	24.5%	35.8%	45.5%	38.4%	33.9%	26.2%
		標準誤差	15.9%	11.2%	5.7%	6.8%	4.4%	5.0%	3.3%	4.9%	4.5%	2.9%	3.2%
	3. 130～139 mmHg	割合	15.7%	6.8%	16.3%	19.4%	31.9%	40.5%	27.4%	13.0%	20.5%	28.0%	41.0%
		標準誤差	8.2%	4.9%	4.3%	4.7%	4.9%	3.7%	2.0%	3.3%	3.4%	2.5%	4.5%
	4. 140～149 mmHg	割合	0.0%	5.1%	7.0%	7.2%	14.7%	15.0%	10.8%	5.1%	10.1%	10.4%	11.1%
		標準誤差	0.0%	3.7%	3.0%	2.8%	4.6%	3.6%	2.1%	2.2%	2.3%	2.0%	3.2%
	5. 150～159 mmHg	割合	4.1%	0.0%	2.6%	4.1%	3.0%	2.5%	2.7%	2.0%	3.5%	2.8%	1.6%
		標準誤差	4.2%	0.0%	1.8%	2.3%	1.8%	1.2%	0.9%	1.1%	1.4%	0.9%	1.2%
	6. 160～169 mmHg	割合	0.0%	0.0%	0.0%	1.7%	0.9%	1.5%	1.0%	0.0%	1.2%	1.0%	0.7%
		標準誤差	0.0%	0.0%	0.0%	1.7%	0.9%	1.2%	0.5%	0.0%	0.9%	0.6%	0.7%
	7. 170～179 mmHg	割合	0.0%	0.0%	0.0%	0.0%	0.6%	0.7%	0.4%	0.0%	0.3%	0.2%	0.0%
		標準誤差	0.0%	0.0%	0.0%	0.0%	0.6%	0.5%	0.2%	0.0%	0.3%	0.2%	0.0%
	8. 180 mmHg以上	割合	0.0%	0.0%	0.0%	0.0%	0.0%	1.2%	0.4%	0.0%	0.0%	0.2%	0.7%
		標準誤差	0.0%	0.0%	0.0%	0.0%	0.0%	0.8%	0.3%	0.0%	0.0%	0.3%	0.7%
女性		人数	13	40	79	70	115	197	514	132	213	329	116
	1. 120 mmHg未満	割合	100.0%	84.9%	58.3%	55.3%	35.2%	17.7%	45.2%	75.4%	52.9%	43.4%	22.2%
		標準誤差	0.0%	6.8%	5.1%	5.2%	5.8%	3.6%	2.4%	3.4%	3.4%	2.9%	3.9%
	2. 120～129 mmHg	割合	0.0%	11.9%	25.6%	26.6%	32.3%	38.2%	28.3%	16.0%	26.4%	30.7%	40.1%
		標準誤差	0.0%	6.1%	5.6%	5.6%	4.9%	4.9%	2.2%	3.6%	4.2%	3.0%	4.9%
	3. 130～139 mmHg	割合	0.0%	3.2%	9.0%	7.2%	27.9%	29.7%	17.8%	5.3%	11.9%	18.0%	31.5%
		標準誤差	0.0%	3.3%	4.6%	3.3%	5.1%	5.2%	2.3%	2.3%	2.7%	2.7%	4.8%
	4. 140～149 mmHg	割合	0.0%	0.0%	3.9%	7.8%	3.9%	10.0%	6.1%	1.8%	6.2%	6.2%	6.2%
		標準誤差	0.0%	0.0%	2.7%	3.2%	2.3%	2.3%	1.0%	1.2%	1.8%	1.5%	2.3%
	5. 150～159 mmHg	割合	0.0%	0.0%	3.1%	1.6%	0.6%	2.8%	1.8%	1.5%	2.1%	1.4%	0.0%
		標準誤差	0.0%	0.0%	2.1%	1.6%	0.6%	1.1%	0.5%	1.0%	1.0%	0.7%	0.0%
	6. 160～169 mmHg	割合	0.0%	0.0%	0.0%	1.4%	0.0%	1.6%	0.8%	0.0%	0.6%	0.4%	0.0%
		標準誤差	0.0%	0.0%	0.0%	1.4%	0.0%	1.0%	0.4%	0.0%	0.6%	0.4%	0.0%
	7. 170～179 mmHg	割合	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
		標準誤差	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	8. 180 mmHg以上	割合	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
		標準誤差	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%

総数	人数	28	68	141	145	227	363	972	237	402	642	240
1. 120 mmHg未満	割合	65.8%	59.9%	49.6%	37.4%	25.8%	15.9%	33.4%	56.1%	39.8%	33.2%	20.3%
	標準誤差	5.4%	6.2%	4.2%	3.9%	3.8%	2.5%	1.7%	2.6%	2.6%	2.1%	2.4%
2. 120～129 mmHg	割合	25.3%	32.8%	29.5%	37.2%	32.0%	31.2%	32.0%	29.9%	32.3%	32.3%	32.5%
	標準誤差	6.3%	6.9%	3.9%	4.6%	3.8%	4.6%	2.4%	3.3%	3.2%	2.2%	2.9%
3. 130～139 mmHg	割合	7.1%	4.9%	12.6%	13.4%	30.0%	35.1%	22.6%	8.9%	16.1%	23.1%	36.7%
	標準誤差	4.0%	2.7%	2.7%	3.3%	3.8%	3.1%	1.5%	1.7%	2.3%	2.2%	3.6%
4. 140～149 mmHg	割合	0.0%	2.4%	5.4%	7.5%	9.5%	12.5%	8.4%	3.4%	8.1%	8.4%	8.9%
	標準誤差	0.0%	1.7%	1.9%	2.2%	2.5%	2.5%	1.2%	1.2%	1.4%	1.3%	2.4%
5. 150～159 mmHg	割合	1.8%	0.0%	2.9%	2.9%	1.8%	2.7%	2.3%	1.7%	2.7%	2.1%	0.9%
	標準誤差	1.9%	0.0%	1.3%	1.3%	1.0%	0.9%	0.5%	0.7%	0.8%	0.5%	0.6%
6. 160～169 mmHg	割合	0.0%	0.0%	0.0%	1.6%	0.5%	1.6%	0.9%	0.0%	0.9%	0.7%	0.4%
	標準誤差	0.0%	0.0%	0.0%	1.1%	0.5%	1.0%	0.4%	0.0%	0.5%	0.4%	0.4%
7. 170～179 mmHg	割合	0.0%	0.0%	0.0%	0.0%	0.3%	0.4%	0.2%	0.0%	0.1%	0.1%	0.0%
	標準誤差	0.0%	0.0%	0.0%	0.0%	0.3%	0.3%	0.1%	0.0%	0.1%	0.1%	0.0%
8. 180 mmHg以上	割合	0.0%	0.0%	0.0%	0.0%	0.0%	0.6%	0.2%	0.0%	0.0%	0.1%	0.4%
	標準誤差	0.0%	0.0%	0.0%	0.0%	0.0%	0.4%	0.2%	0.0%	0.0%	0.1%	0.4%

注) 値は保健所ごとの標本数の偏りを調整するための重み付けをして算出した値

※値は保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR4人口構成に合わせるための重み付けをした値

問20-2 あなたの普段の血圧はどのくらいですか。1つずつ選んで○をつけて下さい。

(問20で「(1)知っている」と答えた人のみ回答)

問20-2 自分の血圧値を知っていると回答した人の普段の血圧値の認識(イ 拡張期)

性別	回答	年齢区分	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	※(再掲) 20歳以上	※(再掲) 20-49	※(再掲) 40-64	※(再掲) 40-74	※(再掲) 65-74
男性	人数		15	28	62	74	111	164	454	105	188	310	122
	1. 80 mmHg未満	割合	41.2%	55.1%	49.7%	28.7%	30.0%	41.2%	39.5%	50.0%	35.2%	33.4%	30.4%
		標準誤差	14.0%	12.1%	7.2%	6.3%	6.7%	4.3%	2.4%	6.1%	3.6%	2.8%	5.0%
	2. 80～89 mmHg	割合	50.2%	42.1%	33.9%	48.6%	46.6%	46.0%	44.7%	39.5%	43.4%	46.0%	50.6%
		標準誤差	15.0%	12.1%	6.7%	6.1%	4.7%	4.0%	1.8%	6.2%	3.8%	2.7%	6.3%
	3. 90～99 mmHg	割合	4.5%	2.8%	12.0%	15.4%	21.3%	11.1%	12.6%	7.6%	15.6%	16.6%	18.3%
		標準誤差	4.6%	2.9%	3.9%	5.5%	4.9%	3.6%	1.8%	2.4%	3.0%	1.8%	3.5%
	4.100～109 mmHg	割合	4.1%	0.0%	4.5%	4.6%	2.2%	0.4%	2.2%	2.9%	4.6%	3.2%	0.7%
		標準誤差	4.2%	0.0%	2.2%	2.3%	1.3%	0.4%	0.6%	1.6%	1.3%	0.8%	0.7%
	5. 110 mmHg以上	割合	0.0%	0.0%	0.0%	2.8%	0.0%	1.3%	1.0%	0.0%	1.2%	0.8%	0.0%
		標準誤差	0.0%	0.0%	0.0%	2.0%	0.0%	0.9%	0.5%	0.0%	0.9%	0.6%	0.0%
女性	人数		13	40	78	70	115	191	507	131	212	328	116
	1. 80mmHg未満	割合	91.4%	76.8%	55.6%	52.4%	51.5%	64.9%	62.1%	69.8%	53.8%	53.3%	52.3%
		標準誤差	8.6%	9.5%	4.4%	8.6%	6.4%	4.2%	2.0%	4.6%	4.9%	4.0%	4.9%
	2. 80～89 mmHg	割合	0.0%	17.7%	31.3%	38.0%	39.8%	29.6%	29.8%	20.5%	35.4%	37.4%	42.0%
		標準誤差	0.0%	9.3%	4.6%	9.7%	6.1%	3.2%	2.6%	4.7%	5.9%	4.6%	4.2%
	3. 90～99 mmHg	割合	8.6%	5.6%	8.4%	6.5%	8.8%	4.4%	6.5%	7.5%	7.9%	7.0%	4.9%
		標準誤差	8.6%	3.9%	3.9%	2.9%	2.8%	1.6%	1.3%	3.3%	1.9%	1.5%	1.9%
	4.100～109 mmHg	割合	0.0%	0.0%	3.1%	1.3%	0.0%	1.1%	1.1%	1.4%	1.6%	1.4%	0.8%
		標準誤差	0.0%	0.0%	2.0%	1.3%	0.0%	0.7%	0.4%	1.0%	0.9%	0.7%	0.9%
	5. 110 mmHg以上	割合	0.0%	0.0%	1.6%	1.8%	0.0%	0.0%	0.5%	0.8%	1.3%	0.9%	0.0%
		標準誤差	0.0%	0.0%	1.7%	1.7%	0.0%	0.0%	0.4%	0.8%	0.9%	0.6%	0.0%
総数	人数		28	68	140	144	226	355	961	236	400	638	238
	1. 80 mmHg未満	割合	68.8%	66.7%	52.7%	40.4%	40.4%	52.8%	50.8%	60.5%	44.7%	43.2%	40.3%
		標準誤差	7.0%	6.0%	3.8%	6.1%	4.6%	3.3%	1.6%	2.3%	3.1%	2.1%	2.8%
	2. 80～89 mmHg	割合	22.6%	29.0%	32.6%	43.4%	43.3%	38.0%	37.3%	29.5%	39.3%	41.8%	46.7%
		標準誤差	6.7%	6.2%	3.8%	6.5%	3.1%	2.9%	1.5%	2.9%	3.6%	2.1%	2.8%
	3. 90～99 mmHg	割合	6.8%	4.3%	10.1%	11.0%	15.2%	7.8%	9.5%	7.5%	11.7%	11.9%	12.2%
		標準誤差	5.4%	2.5%	2.8%	3.7%	2.5%	1.9%	1.1%	2.2%	1.8%	1.1%	2.0%
	4.100～109 mmHg	割合	1.8%	0.0%	3.8%	3.0%	1.1%	0.8%	1.6%	2.1%	3.1%	2.3%	0.8%
		標準誤差	1.9%	0.0%	1.8%	1.3%	0.6%	0.4%	0.4%	1.0%	0.8%	0.6%	0.6%
	5. 110 mmHg以上	割合	0.0%	0.0%	0.8%	2.3%	0.0%	0.7%	0.8%	0.4%	1.3%	0.8%	0.0%
		標準誤差	0.0%	0.0%	0.9%	1.7%	0.0%	0.5%	0.4%	0.4%	0.8%	0.6%	0.0%

注) 値は保健所ごとの標本数の偏りを調整するための重み付けをして算出した値

※値は保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR4人口構成に合わせるための重み付けをした値

問20-2 あなたの普段の血圧はどのくらいですか。1つずつ選んで○をつけて下さい。

(問20で「(1)知っている」と答えた人のみ回答)

問21 飲酒習慣の状況(飲酒の頻度)

性別	回答	年齢区分	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	※(再掲) 20歳以上	※(再掲) 20-49	※(再掲) 40-64	※(再掲) 40-74	※(再掲) 65-74
男性		人数	36	45	92	86	129	180	568	173	241	375	134
	1.毎日	割合	7.8%	8.4%	27.8%	26.4%	33.1%	28.2%	24.4%	16.7%	28.2%	28.7%	29.7%
		標準誤差	3.9%	3.6%	4.8%	4.7%	4.3%	3.7%	1.7%	2.7%	2.9%	2.2%	5.6%
	2.週5～6日	割合	2.7%	16.8%	10.8%	17.1%	15.4%	12.7%	13.0%	10.6%	14.4%	15.7%	18.5%
	3.週3～4日	割合	0.0%	12.2%	5.9%	5.9%	13.5%	5.7%	7.2%	6.4%	8.4%	8.5%	8.7%
	4.週1～2日	割合	6.3%	7.3%	10.4%	10.4%	7.5%	7.0%	8.2%	8.4%	10.0%	8.5%	5.4%
	5.月1～3日	割合	33.2%	3.8%	4.6%	4.1%	0.8%	4.6%	6.5%	11.6%	3.9%	2.9%	0.8%
	6.ほとんど飲まない	割合	27.8%	34.2%	19.9%	19.3%	12.1%	18.7%	20.6%	26.3%	17.8%	16.7%	14.5%
	7.やめた	割合	0.0%	0.0%	1.7%	0.9%	9.6%	10.1%	5.1%	0.8%	2.0%	5.1%	11.4%
8.飲まない(飲めない)	割合	22.2%	17.3%	18.9%	15.9%	8.0%	13.1%	15.0%	19.2%	15.4%	13.9%	10.9%	
女性		人数	25	56	107	87	133	217	625	188	265	396	131
	1.毎日	割合	0.0%	1.0%	9.7%	9.6%	8.5%	5.2%	6.2%	4.5%	10.2%	8.2%	3.2%
		標準誤差	0.0%	1.0%	3.1%	3.3%	2.2%	2.1%	1.2%	1.4%	1.9%	1.4%	1.3%
	2.週5～6日	割合	2.6%	4.4%	6.4%	1.2%	5.5%	3.0%	3.8%	4.8%	4.6%	5.1%	6.1%
	3.週3～4日	割合	0.0%	4.4%	9.9%	3.5%	8.7%	5.6%	5.8%	5.7%	7.7%	7.7%	7.6%
	4.週1～2日	割合	3.3%	10.0%	13.9%	6.3%	4.1%	4.5%	6.8%	10.0%	8.8%	8.1%	6.6%
	5.月1～3日	割合	26.9%	9.8%	10.4%	12.0%	8.1%	6.5%	10.5%	14.3%	10.2%	9.4%	7.6%
	6.ほとんど飲まない	割合	24.2%	29.3%	19.4%	26.6%	30.7%	21.9%	24.7%	23.7%	26.5%	24.7%	20.3%
	7.やめた	割合	0.0%	1.0%	1.4%	2.3%	2.6%	0.5%	1.3%	0.9%	1.7%	1.8%	2.2%
8.飲まない(飲めない)	割合	42.9%	40.1%	28.8%	38.4%	31.9%	52.8%	41.0%	35.9%	30.3%	35.0%	46.3%	
総数		人数	61	101	199	173	263	397	1194	361	507	772	265
	1.毎日	割合	3.9%	4.7%	18.8%	18.0%	20.8%	16.7%	15.3%	10.6%	19.0%	18.6%	17.5%
		標準誤差	2.0%	2.0%	3.2%	3.2%	2.5%	2.2%	1.1%	1.8%	2.0%	1.4%	3.4%
	2.週5～6日	割合	2.6%	10.6%	8.6%	9.1%	10.4%	7.9%	8.4%	7.7%	9.4%	10.5%	12.8%
	3.週3～4日	割合	0.0%	8.3%	7.9%	4.7%	11.1%	5.6%	6.5%	6.0%	8.0%	8.1%	8.2%
	4.週1～2日	割合	4.8%	8.6%	12.2%	8.3%	5.8%	5.7%	7.5%	9.2%	9.4%	8.3%	6.0%
	5.月1～3日	割合	30.1%	6.8%	7.5%	8.1%	4.5%	5.5%	8.5%	13.0%	7.1%	6.1%	3.9%
	6.ほとんど飲まない	割合	26.1%	31.8%	19.6%	23.0%	21.4%	20.3%	22.7%	25.0%	22.2%	20.7%	17.2%
	7.やめた	割合	0.0%	0.5%	1.6%	1.6%	6.1%	5.3%	3.2%	0.8%	1.8%	3.5%	7.2%
8.飲まない(飲めない)	割合	32.5%	28.7%	23.8%	27.2%	20.0%	32.9%	28.0%	27.5%	23.0%	24.3%	27.3%	

注) 値は保健所ごとの標本数の偏りを調整するための重み付けをして算出した値

※値は保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR4人口構成に合わせるための重み付けをした値

問21 お酒についてお聞きします。あなたは週に何日くらいお酒(日本酒、焼酎、ビール、洋酒など)を飲みますか。1つだけ選んで○印をつけてください。

問21-1 飲酒習慣の状況(飲酒日1日あたりの飲酒量)

性別	回答	年齢区分	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	※(再掲) 20歳以上	※(再掲) 20-49	※(再掲) 40-64	※(再掲) 40-74	※(再掲) 65-74
男性		人数	19	22	58	54	92	97	342	99	161	242	81
	1.1合未満(180ml)	割合	35.4%	31.8%	17.9%	31.2%	36.0%	46.2%	34.9%	25.9%	27.8%	29.6%	33.2%
		標準誤差	13.0%	14.6%	5.8%	8.4%	7.3%	5.2%	3.7%	4.9%	5.3%	5.1%	7.0%
	2.1合以上2合(360ml)未満	割合	29.6%	31.8%	36.0%	26.6%	26.7%	44.6%	34.4%	33.3%	29.6%	34.6%	44.9%
		標準誤差	12.0%	11.2%	6.7%	5.8%	5.1%	5.5%	2.8%	5.8%	4.3%	3.7%	6.0%
	3.2合以上3合(540ml)未満	割合	27.0%	18.2%	31.1%	24.8%	26.2%	8.8%	20.7%	26.5%	26.6%	24.0%	18.4%
		標準誤差	16.3%	9.7%	7.5%	5.4%	5.2%	2.6%	2.4%	5.3%	4.3%	3.5%	4.1%
	4.3合以上4合(720ml)未満	割合	0.0%	18.2%	9.3%	10.3%	9.9%	0.4%	7.0%	9.6%	10.7%	8.2%	3.0%
		標準誤差	0.0%	9.1%	3.5%	3.6%	3.3%	0.4%	1.7%	3.0%	2.4%	1.9%	1.7%
	5.4合以上5合(900ml)未満	割合	2.7%	0.0%	3.7%	7.1%	0.5%	0.0%	2.1%	2.4%	4.5%	3.0%	0.0%
		標準誤差	2.7%	0.0%	2.6%	3.5%	0.5%	0.0%	0.8%	1.4%	1.7%	1.2%	0.0%
	6.5合(900ml)以上	割合	5.3%	0.0%	2.0%	0.0%	0.5%	0.0%	0.8%	2.2%	0.7%	0.7%	0.5%
		標準誤差	4.7%	0.0%	2.0%	0.0%	0.5%	0.0%	0.5%	1.5%	0.7%	0.5%	0.5%
	女性		人数	7	17	58	29	52	47	210	82	120	160
1.1合未満(180ml)		割合	74.1%	40.8%	35.9%	68.1%	59.8%	69.1%	56.7%	45.0%	49.7%	53.3%	65.1%
		標準誤差	15.2%	11.1%	7.2%	8.9%	5.8%	8.4%	4.0%	6.0%	5.5%	5.1%	9.4%
2.1合以上2合(360ml)未満		割合	25.9%	52.5%	47.5%	23.4%	30.7%	30.9%	35.6%	44.2%	36.7%	36.2%	34.9%
		標準誤差	15.2%	11.9%	8.5%	8.4%	6.4%	8.4%	4.1%	6.1%	5.6%	5.3%	9.4%
3.2合以上3合(540ml)未満		割合	0.0%	6.7%	12.3%	6.6%	4.5%	0.0%	5.5%	8.5%	9.4%	7.2%	0.0%
		標準誤差	0.0%	6.7%	5.4%	4.5%	3.1%	0.0%	2.3%	3.9%	3.5%	2.7%	0.0%
4.3合以上4合(720ml)未満		割合	0.0%	0.0%	0.0%	1.9%	5.0%	0.0%	1.1%	0.0%	2.2%	1.6%	0.0%
		標準誤差	0.0%	0.0%	0.0%	1.9%	3.5%	0.0%	0.7%	0.0%	1.3%	1.0%	0.0%
5.4合以上5合(900ml)未満		割合	0.0%	0.0%	2.3%	0.0%	0.0%	0.0%	0.6%	1.3%	1.1%	0.9%	0.0%
		標準誤差	0.0%	0.0%	2.3%	0.0%	0.0%	0.0%	0.6%	1.3%	1.1%	0.8%	0.0%
6.5合(900ml)以上		割合	0.0%	0.0%	1.9%	0.0%	0.0%	0.0%	0.5%	1.1%	0.9%	0.7%	0.0%
		標準誤差	0.0%	0.0%	1.9%	0.0%	0.0%	0.0%	0.5%	1.1%	0.9%	0.7%	0.0%
総数			人数	26	39	116	83	144	144	552	181	281	402
	1.1合未満(180ml)	割合	50.5%	35.2%	26.2%	43.7%	43.8%	53.0%	42.7%	34.0%	36.5%	38.3%	42.8%
		標準誤差	7.0%	10.0%	4.4%	8.1%	5.8%	5.6%	3.2%	4.2%	4.5%	4.4%	7.1%
	2.1合以上2合(360ml)未満	割合	28.2%	39.6%	41.2%	25.5%	28.0%	40.5%	34.8%	37.9%	32.4%	35.2%	41.9%
		標準誤差	10.5%	8.9%	4.8%	5.0%	4.5%	5.9%	2.6%	4.2%	3.5%	3.3%	5.9%
	3.2合以上3合(540ml)未満	割合	16.4%	13.8%	22.5%	18.7%	19.1%	6.2%	15.3%	18.9%	19.8%	17.8%	12.9%
		標準誤差	8.3%	6.6%	4.4%	4.1%	3.9%	1.8%	1.9%	3.3%	3.4%	2.7%	2.8%
	4.3合以上4合(720ml)未満	割合	0.0%	11.3%	5.0%	7.5%	8.3%	0.3%	4.9%	5.6%	7.3%	5.8%	2.1%
		標準誤差	0.0%	5.5%	1.9%	2.6%	2.7%	0.3%	1.2%	1.8%	1.7%	1.4%	1.2%
	5.4合以上5合(900ml)未満	割合	1.6%	0.0%	3.1%	4.7%	0.4%	0.0%	1.6%	2.0%	3.1%	2.2%	0.0%
		標準誤差	1.7%	0.0%	1.7%	2.4%	0.4%	0.0%	0.6%	1.0%	1.3%	0.9%	0.0%
	6.5合(900ml)以上	割合	3.2%	0.0%	1.9%	0.0%	0.4%	0.0%	0.7%	1.7%	0.8%	0.7%	0.3%
		標準誤差	3.1%	0.0%	1.4%	0.0%	0.4%	0.0%	0.5%	1.3%	0.6%	0.4%	0.3%

注) 値は保健所ごとの標本数の偏りを調整するための重み付けをして算出した値

※値は保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際R4人口構成に合わせるための重み付けをした値

問21-1 お酒を飲む日は1日あたり、どのくらいの量を飲みますか。下の表を参考に日本酒に換算し、1つだけ選んで○印をつけてください。

(問21で(1)、(2)、(3)、(4)、(5)のうちどれかに○印をつけた人のみ回答)

(再掲)飲酒習慣の状況

性別	回 答	年齢区分	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	※(再掲) 20歳以上	※(再掲) 20-49	※(再掲) 40-64	※(再掲) 40-74	※(再掲) 65-74
男性	人数		36	45	92	86	129	180	568	173	241	375	134
	飲酒習慣あり	割合	7.8%	24.2%	36.8%	36.3%	42.4%	27.3%	30.4%	25.6%	37.9%	38.9%	40.8%
		標準誤差	3.9%	7.3%	6.0%	5.6%	5.1%	3.6%	2.0%	3.7%	3.9%	3.4%	4.8%
	飲酒習慣なし	割合	92.2%	75.8%	63.2%	63.7%	57.6%	72.7%	69.6%	74.4%	62.1%	61.1%	59.2%
女性	人数		25	56	107	87	133	217	625	188	265	396	131
	飲酒習慣あり	割合	2.6%	9.8%	21.4%	8.7%	12.2%	6.6%	10.2%	13.1%	15.6%	13.4%	8.0%
		標準誤差	2.7%	3.9%	5.5%	2.7%	2.6%	2.4%	1.5%	3.0%	2.9%	2.5%	3.0%
	飲酒習慣なし	割合	97.4%	90.2%	78.6%	91.3%	87.8%	93.4%	89.8%	86.9%	84.4%	86.6%	92.0%
総数	人数		61	101	199	173	262	397	1193	361	506	771	265
	飲酒習慣あり	割合	5.2%	17.0%	29.1%	22.5%	27.3%	17.0%	20.3%	19.4%	26.5%	26.3%	25.6%
		標準誤差	2.4%	4.7%	4.6%	3.5%	3.2%	2.4%	1.5%	2.9%	2.8%	2.5%	3.6%
	飲酒習慣なし	割合	94.8%	83.0%	70.9%	77.5%	72.7%	83.0%	79.7%	80.6%	73.5%	73.7%	74.4%

注)値は保健所ごとの標本数の偏りを調整するための重み付けをして算出した値

※値は保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR4人口構成に合わせるための重み付けをした値

問21において週3回以上の日数を回答し、かつお酒を飲む日の1日あたりの飲酒量が日本酒換算で1合以上の人の割合を集計

(再掲)生活習慣病のリスクを高める量を飲酒している者の割合

性別	回 答	年齢区分	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	※(再掲) 20歳以上	※(再掲) 20-49	※(再掲) 40-64	※(再掲) 40-74	※(再掲) 65-74
男性	人数		36	45	92	86	129	180	568	173	241	375	134
	生活習慣病のリスクを高める 量を飲酒している者	割合	2.7%	10.5%	21.9%	19.3%	24.2%	5.4%	13.5%	13.5%	21.6%	18.9%	13.5%
		標準誤差	2.6%	4.3%	5.2%	4.8%	4.2%	1.6%	1.7%	2.8%	3.0%	2.3%	2.9%
	生活習慣病のリスクを高める量を飲酒していない者	割合	97.3%	89.5%	78.1%	80.7%	75.8%	94.6%	86.5%	86.5%	78.4%	81.1%	86.5%
女性	人数		25	56	107	87	133	217	625	188	265	396	131
	生活習慣病のリスクを高める 量を飲酒している者	割合	2.6%	9.8%	21.4%	8.7%	12.2%	6.6%	10.2%	13.1%	15.6%	13.4%	8.0%
		標準誤差	2.7%	3.9%	5.5%	2.7%	2.6%	2.4%	1.5%	3.0%	2.9%	2.5%	3.0%
	生活習慣病のリスクを高める量を飲酒していない者	割合	97.4%	90.2%	78.6%	91.3%	87.8%	93.4%	89.8%	86.9%	84.4%	86.6%	92.0%
総数	人数		61	101	199	173	262	397	1193	361	506	771	265
	生活習慣病のリスクを高める 量を飲酒している者	割合	2.6%	10.2%	21.6%	14.0%	18.2%	6.0%	11.9%	13.3%	18.5%	16.2%	11.0%
		標準誤差	1.9%	3.4%	4.4%	3.2%	2.5%	1.3%	1.4%	2.5%	2.6%	2.2%	2.5%
	生活習慣病のリスクを高める量を飲酒していない者	割合	97.4%	89.8%	78.4%	86.0%	81.8%	94.0%	88.1%	86.7%	81.5%	83.8%	89.0%

注)値は保健所ごとの標本数の偏りを調整するための重み付けをして算出した値

※値は保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR4人口構成に合わせるための重み付けをした値

飲酒頻度(問21)と1日当たりの飲酒量(問21-1)の回答内容から生活習慣病のリスクを高める量を飲酒している者の割合を算出

生活習慣病のリスクを高める量を飲酒している者とは、1日当たりの純アルコール摂取量が男性40g以上、女性20g以上の者とし以下の方法で集計

男性:「毎日×2合以上」+「週5～6日×2合以上」+「週3～4日×3合以上」+「週1～2日×5合以上」+「月1～3日×5合以上」

女性:「毎日×1合以上」+「週5～6日×1合以上」+「週3～4日×1合以上」+「週1～2日×3合以上」+「月1～3日×5合以上」

(再掲) 多量飲酒をする者の割合

性別	回 答	年齢区分	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	※(再掲) 20歳以上	※(再掲) 20-49	※(再掲) 40-64	※(再掲) 40-74	※(再掲) 65-74
男性		人数	36	45	92	86	129	180	568	173	241	375	134
	多量飲酒者	割合	2.7%	3.5%	5.6%	9.6%	4.2%	0.0%	3.7%	4.2%	7.7%	5.3%	0.3%
		標準誤差	2.6%	2.6%	2.2%	3.8%	1.5%	0.0%	1.0%	1.7%	2.0%	1.4%	0.3%
	多量飲酒者でない	割合	97.3%	96.5%	94.4%	90.4%	95.8%	100.0%	96.3%	95.8%	92.3%	94.7%	99.7%
女性		人数	25	56	107	87	133	217	625	188	265	396	131
	多量飲酒者	割合	0.0%	0.0%	2.1%	0.6%	0.9%	0.0%	0.6%	0.9%	1.4%	1.0%	0.0%
		標準誤差	0.0%	0.0%	1.5%	0.6%	0.9%	0.0%	0.3%	0.7%	0.7%	0.5%	0.0%
	多量飲酒者でない	割合	100.0%	100.0%	97.9%	99.4%	99.1%	100.0%	99.4%	99.1%	98.6%	99.0%	100.0%
総数		人数	61	101	199	173	262	397	1193	361	506	771	265
	多量飲酒者	割合	1.3%	1.8%	3.9%	5.1%	2.6%	0.0%	2.2%	2.6%	4.5%	3.2%	0.2%
		標準誤差	1.4%	1.3%	1.4%	1.9%	0.9%	0.0%	0.6%	1.0%	1.2%	0.9%	0.2%
	多量飲酒者でない	割合	98.7%	98.2%	96.1%	94.9%	97.4%	100.0%	97.8%	97.4%	95.5%	96.8%	99.8%

注) 値は保健所ごとの標本数の偏りを調整するための重み付けをして算出した値

※値は保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR4人口構成に合わせるための重み付けをした値

飲酒頻度(問21)と1日当たりの飲酒量(問21-1)の回答内容から多量に飲酒する者の割合を算出

多量に飲酒する者とは「1日に純アルコールで約60gを超えて多量に飲酒する者」(以下に該当する者)とする

- ① 飲酒日1日当たりの飲酒量が5合以上
- ② 飲酒日1日当たりの飲酒量が4合以上5合未満で、飲酒の頻度が週5日以上
- ③ 飲酒日1日当たりの飲酒量が3合以上4合未満で、飲酒の頻度が毎日

問22 喫煙の状況

性別	回 答	年齢区分	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	※(再掲) 20歳以上	※(再掲) 20-49	※(再掲) 40-64	※(再掲) 40-74	※(再掲) 65-74
男性	人数		36	45	90	87	128	180	566	171	240	373	133
	1.毎日吸う	割合	9.1%	24.5%	26.7%	32.6%	32.4%	6.5%	20.3%	21.5%	31.3%	27.7%	20.4%
		標準誤差	4.2%	8.0%	5.1%	5.1%	6.5%	1.8%	2.3%	3.6%	3.4%	2.8%	3.8%
	2.時々吸う日がある	割合	0.0%	6.3%	1.2%	0.0%	0.5%	0.6%	1.2%	2.5%	0.7%	0.8%	1.0%
	3.以前は吸っていたが、1ヶ月以上吸っていない	割合	0.0%	2.9%	12.7%	11.9%	13.8%	10.0%	9.6%	6.3%	12.1%	13.3%	15.7%
	4.吸わない	割合	90.9%	66.3%	59.5%	51.1%	53.3%	82.8%	68.2%	69.7%	54.1%	57.0%	62.9%
	(再掲)毎日吸う、または、時々吸う日がある	割合	9.1%	30.8%	27.9%	32.6%	32.9%	7.2%	21.5%	24.0%	31.9%	28.5%	21.4%
標準誤差		4.2%	8.5%	5.3%	5.1%	6.5%	2.2%	2.5%	3.8%	3.5%	2.9%	4.1%	
女性	人数		26	56	107	88	134	218	629	189	267	398	131
	1.毎日吸う	割合	6.2%	8.8%	7.2%	4.5%	6.0%	0.0%	4.4%	7.4%	5.7%	4.9%	2.9%
		標準誤差	4.7%	4.4%	2.7%	2.1%	1.8%	0.0%	1.1%	2.4%	1.7%	1.2%	1.4%
	2.時々吸う日がある	割合	0.0%	0.0%	0.6%	0.0%	0.0%	0.0%	0.1%	0.3%	0.2%	0.2%	0.0%
	3.以前は吸っていたが、1ヶ月以上吸っていない	割合	0.0%	1.0%	5.6%	1.4%	1.7%	1.1%	1.9%	2.8%	3.4%	2.5%	0.4%
	4.吸わない	割合	93.8%	90.2%	86.6%	89.8%	92.3%	98.9%	92.9%	89.5%	89.0%	91.2%	96.7%
	(再掲)毎日吸う、または、時々吸う日がある	割合	6.2%	8.8%	7.8%	4.5%	6.0%	0.0%	4.5%	7.7%	5.9%	5.1%	2.9%
標準誤差		4.7%	4.4%	2.7%	2.1%	1.8%	0.0%	1.1%	2.4%	1.7%	1.2%	1.4%	
総数	人数		62	101	197	175	262	398	1195	360	507	771	264
	1.毎日吸う	割合	7.6%	16.7%	16.8%	18.6%	19.1%	3.3%	12.3%	14.4%	18.2%	16.4%	12.3%
		標準誤差	3.0%	4.3%	3.1%	3.6%	3.7%	0.9%	1.5%	2.4%	2.3%	1.9%	2.5%
	2.時々吸う日がある	割合	0.0%	3.1%	0.9%	0.0%	0.3%	0.3%	0.6%	1.4%	0.5%	0.5%	0.6%
	3.以前は吸っていたが、1ヶ月以上吸っていない	割合	0.0%	1.9%	9.1%	6.7%	7.7%	5.6%	5.7%	4.5%	7.6%	7.9%	8.6%
	4.吸わない	割合	92.4%	78.3%	73.2%	70.4%	72.9%	90.9%	80.6%	79.6%	71.9%	74.0%	78.6%
	(再掲)毎日吸う、または、時々吸う日がある	割合	7.6%	19.8%	17.7%	18.6%	19.4%	3.6%	13.0%	15.8%	18.6%	16.9%	12.8%
標準誤差		3.0%	4.5%	3.3%	3.6%	3.7%	1.1%	1.6%	2.7%	2.4%	1.9%	2.6%	

注) 値は保健所ごとの標本数の偏りを調整するための重み付けをして算出した値

※値は保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR4人口構成に合わせるための重み付けをした値

問22 あなたはたばこを吸いますか。1つだけ選んで○印をつけてください。



問22-1 現在、吸っているたばこ製品

性別	回 答	年齢区分	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	※(再掲) 20歳以上	※(再掲) 20-49	※(再掲) 40-64	※(再掲) 40-74	※(再掲) 65-74
男性	人数		4	14	32	29	39	17	135	50	84	113	29
	1.紙巻きたばこ	割合	51.8%	41.2%	68.2%	57.4%	83.6%	91.2%	66.4%	55.7%	65.8%	71.7%	90.0%
		標準誤差	26.4%	12.6%	9.4%	9.9%	5.8%	7.7%	6.0%	9.1%	6.8%	5.6%	5.5%
	2.加熱式たばこ	割合	48.2%	72.5%	34.8%	50.4%	15.6%	14.3%	38.9%	51.3%	38.6%	32.1%	12.0%
		標準誤差	26.4%	12.0%	10.3%	9.9%	5.9%	7.7%	5.9%	8.9%	7.3%	6.1%	5.7%
	3.その他	割合	0.0%	0.0%	0.0%	0.0%	3.1%	0.0%	0.7%	0.0%	0.0%	0.9%	3.8%
	女性	人数		2	5	11	5	9	0	32	18	20	25
1.紙巻きたばこ		割合	41.6%	22.5%	44.7%	74.3%	100.0%		55.5%	36.1%	63.7%	69.7%	100.0%
		標準誤差	34.8%	14.7%	17.1%	22.0%	0.0%		10.8%	12.0%	10.5%	9.5%	0.0%
2.加熱式たばこ		割合	58.4%	77.5%	40.2%	44.0%	0.0%		43.4%	57.2%	34.2%	28.5%	0.0%
		標準誤差	34.8%	14.7%	17.6%	24.1%	0.0%		10.6%	13.0%	9.5%	8.7%	0.0%
3.その他		割合	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%
総数		人数		6	19	43	34	48	17	167	68	104	138
	1.紙巻きたばこ	割合	47.7%	37.0%	63.0%	59.4%	86.1%	91.2%	64.5%	50.9%	65.5%	71.4%	91.0%
		標準誤差	21.4%	8.7%	9.5%	9.4%	5.0%	7.7%	5.1%	6.9%	6.4%	5.4%	5.1%
	2.加熱式たばこ	割合	52.3%	73.6%	36.0%	49.6%	13.2%	14.3%	39.6%	52.8%	37.9%	31.5%	10.7%
		標準誤差	21.4%	9.4%	9.8%	8.7%	5.1%	7.7%	5.2%	6.9%	6.7%	5.8%	5.3%
	3.その他	割合	0.0%	0.0%	0.0%	0.0%	2.6%	0.0%	0.6%	0.0%	0.0%	0.8%	3.4%

注) 値は保健所ごとの標本数の偏りを調整するための重み付けをして算出した値

※値は保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR4人口構成に合わせるための重み付けをした値

問22-1 問22で(1)、(2)と答えた方にお聞きます。現在、あなたが吸っているたばこ製品についてあてはまるものすべて選んで○印をつけてください。

問22-2 現在喫煙している人の禁煙の意思

性別	回 答	年齢区分	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	※(再掲) 20歳以上	※(再掲) 20-49	※(再掲) 40-64	※(再掲) 40-74	※(再掲) 65-74
男性	人数		4	14	32	28	39	17	134	50	83	112	29
	1.やめたい	割合	0.0%	8.9%	14.2%	23.7%	30.4%	3.8%	17.9%	10.7%	24.3%	21.1%	11.1%
		標準誤差	0.0%	8.7%	6.5%	8.0%	8.6%	3.9%	3.8%	6.0%	5.2%	4.3%	4.7%
	2.本数を減らしたい	割合	70.8%	49.1%	31.9%	30.7%	27.4%	28.4%	34.5%	42.6%	30.5%	29.9%	28.2%
	3.やめたくない	割合	29.2%	27.1%	33.4%	19.0%	20.1%	50.1%	27.1%	30.5%	23.3%	26.4%	35.9%
	4.わからない	割合	0.0%	14.9%	20.4%	13.9%	22.1%	17.7%	17.1%	16.2%	16.3%	18.3%	24.8%
女性	人数		1	5	10	6	9	0	31	16	20	25	5
	1.やめたい	割合	0.0%	0.0%	25.0%	12.5%	44.8%		18.3%	11.4%	24.1%	25.0%	30.7%
		標準誤差	-	0.0%	15.8%	10.4%	16.9%		6.3%	8.5%	9.9%	9.0%	18.5%
	2.本数を減らしたい	割合	100.0%	32.6%	39.1%	0.0%	19.9%		24.9%	42.5%	14.0%	17.4%	38.0%
	3.やめたくない	割合	0.0%	22.5%	20.1%	22.6%	9.5%		18.3%	19.1%	21.3%	18.3%	0.0%
	4.わからない	割合	0.0%	44.9%	15.9%	16.3%	25.8%		23.4%	27.0%	16.7%	18.7%	31.3%
総数	人数		5	19	42	34	48	17	165	66	103	137	34
	1.やめたい	割合	0.0%	6.9%	16.3%	21.4%	32.7%	3.8%	18.0%	10.9%	24.2%	21.8%	13.1%
		標準誤差	0.0%	6.8%	6.3%	7.6%	8.3%	3.9%	3.5%	5.2%	4.9%	4.1%	4.5%
	2.本数を減らしたい	割合	77.2%	45.5%	33.3%	24.5%	26.3%	28.4%	32.8%	42.6%	27.4%	27.8%	29.3%
	3.やめたくない	割合	22.8%	26.1%	30.8%	19.7%	18.4%	50.1%	25.5%	28.1%	22.9%	25.0%	32.1%
	4.わからない	割合	0.0%	21.6%	19.5%	14.4%	22.6%	17.7%	18.2%	18.4%	16.3%	18.4%	25.5%

注) 値は保健所ごとの標本数の偏りを調整するための重み付けをして算出した値

※値は保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR4人口構成に合わせるための重み付けをした値

問22-2 問22で(1)、(2)と答えた方にお聞きします。たばこをやめたいと思いますか。1つだけ選んで○印をつけてください。

問23 受動喫煙の状況（「行かなかった人を除いた総数」に対する「受動喫煙の機会を有する人」の割合）

設問	回答		総数			男性			女性		
			喫煙者	非喫煙者	総数	喫煙者	非喫煙者	総数	喫煙者	非喫煙者	総数
ア 家庭	1.ほぼ毎日	割合	11.7%	2.5%	3.7%	8.3%	0.6%	2.3%	28.6%	4.1%	5.2%
		標準誤差	3.0%	0.7%	0.9%	2.6%	0.4%	0.7%	8.6%	1.3%	1.4%
	2.週に数回程度	割合	1.3%	1.7%	1.7%	1.5%	1.3%	1.3%	0.0%	2.1%	2.0%
	3.週に1回程度	割合	0.5%	1.1%	1.0%	0.6%	1.1%	1.0%	0.0%	1.1%	1.0%
	4.月に1回程度	割合	0.8%	2.2%	2.0%	0.9%	2.1%	1.9%	0.0%	2.3%	2.2%
	5.全くなかった	割合	85.8%	92.4%	91.5%	88.7%	94.8%	93.5%	71.4%	90.4%	89.6%
		標準誤差	3.0%	1.3%	1.2%	2.5%	1.6%	1.3%	8.6%	1.6%	1.7%
	(再掲)月に一回以上	割合	14.2%	7.6%	8.5%	11.3%	5.2%	6.5%	28.6%	9.6%	10.4%
標準誤差		3.0%	1.3%	1.2%	2.5%	1.6%	1.3%	8.6%	1.6%	1.7%	
人数			163	1000	1164	132	419	552	31	581	612
イ 職場	1.ほぼ毎日	割合	23.7%	2.5%	5.6%	24.4%	3.8%	8.7%	19.1%	1.2%	2.0%
		標準誤差	3.0%	0.7%	0.9%	3.7%	1.4%	1.5%	7.5%	0.6%	0.7%
	2.週に数回程度	割合	8.0%	3.7%	4.3%	9.3%	4.1%	5.3%	0.0%	3.3%	3.2%
	3.週に1回程度	割合	2.6%	2.0%	2.1%	3.0%	2.9%	2.9%	0.0%	1.2%	1.1%
	4.月に1回程度	割合	2.1%	3.6%	3.4%	2.5%	4.4%	3.9%	0.0%	2.9%	2.8%
	5.全くなかった	割合	63.6%	88.3%	84.6%	60.7%	84.8%	79.1%	80.9%	91.3%	90.9%
		標準誤差	4.0%	1.1%	1.3%	4.6%	2.6%	2.8%	7.5%	1.8%	1.7%
	(再掲)月に一回以上	割合	36.4%	11.7%	15.4%	39.3%	15.2%	20.9%	19.1%	8.7%	9.1%
標準誤差		4.0%	1.1%	1.3%	4.6%	2.6%	2.8%	7.5%	1.8%	1.7%	
人数			138	728	866	115	322	437	23	406	429
ウ 飲食店	1.ほぼ毎日	割合	3.4%	0.1%	0.5%	4.0%	0.1%	1.0%	0.0%	0.0%	0.0%
		標準誤差	1.6%	0.1%	0.3%	2.0%	0.1%	0.5%	0.0%	0.0%	0.0%
	2.週に数回程度	割合	0.7%	0.4%	0.5%	0.8%	0.9%	0.9%	0.0%	0.0%	0.0%
	3.週に1回程度	割合	2.2%	0.5%	0.7%	1.8%	0.4%	0.7%	4.1%	0.6%	0.7%
	4.月に1回程度	割合	12.4%	8.0%	8.6%	11.2%	8.1%	8.8%	19.0%	7.9%	8.4%
	5.全くなかった	割合	81.3%	91.0%	89.7%	82.1%	90.5%	88.6%	76.9%	91.5%	90.8%
		標準誤差	3.8%	1.6%	1.6%	4.0%	2.1%	1.8%	11.0%	2.0%	1.9%
	(再掲)月に一回以上	割合	18.7%	9.0%	10.3%	17.9%	9.5%	11.4%	23.1%	8.5%	9.2%
標準誤差		3.8%	1.6%	1.6%	4.0%	2.1%	1.8%	11.0%	2.0%	1.9%	
人数			120	670	791	96	293	390	24	377	401

注) 値は保健所ごとの標本数の偏りを調整するための重み付けをして算出した値

※値は保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR4人口構成に合わせるための重み付けをした値

問23 あなたは、この1か月間に、望まずに自分以外の人が吸っていたたばこの煙を吸う機会(受動喫煙)がありましたか  
次のアからウの場所について、それぞれあてはまるものを1つだけ選んで○印をつけてください。

問24 フレイルの認知度

性別	回 答	年齢区分	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	※(再掲) 20歳以上	※(再掲) 20-49	※(再掲) 40-64	※(再掲) 40-74	※(再掲) 65-74
			人数	割合	割合	割合	割合	割合	割合	割合	割合	割合	割合
男性		人数	35	45	89	87	129	178	563	169	239	373	134
	1. 言葉も意味もよく知っている	割合	14.8%	3.9%	4.4%	0.0%	8.3%	10.2%	7.0%	6.8%	2.8%	6.1%	12.9%
	2. 言葉も知っているし、意味も大体知っている	割合	0.0%	4.5%	0.9%	16.1%	14.0%	12.7%	9.5%	1.8%	9.4%	10.4%	12.3%
	3. 言葉は知っているが、意味はあまり知らない	割合	7.6%	7.6%	7.0%	6.3%	7.9%	5.9%	6.8%	7.3%	6.9%	6.5%	5.7%
	4. 言葉は聞いたことがあるが、意味は知らない	割合	7.6%	22.2%	6.8%	13.4%	19.7%	12.1%	13.4%	11.9%	12.4%	12.0%	11.2%
	5. 言葉も意味も知らない	割合	70.0%	61.9%	80.9%	64.2%	50.0%	59.0%	63.3%	72.1%	68.4%	65.0%	57.9%
	(再掲)1~4.言葉または意味を知っている(聞いたことがある)	割合	30.0%	38.1%	19.1%	35.8%	50.0%	41.0%	36.7%	27.9%	31.6%	35.0%	42.1%
	標準誤差	9.7%	8.8%	4.4%	6.2%	5.6%	5.1%	2.5%	3.8%	2.9%	2.6%	5.3%	
女性		人数	25	56	107	88	133	218	627	188	267	397	130
	1. 言葉も意味もよく知っている	割合	10.7%	14.7%	13.5%	12.9%	14.5%	9.9%	12.3%	13.2%	12.7%	13.2%	14.5%
	2. 言葉も知っているし、意味も大体知っている	割合	13.5%	1.8%	17.1%	28.0%	20.1%	24.5%	19.6%	11.4%	20.7%	20.9%	21.3%
	3. 言葉は知っているが、意味はあまり知らない	割合	4.6%	16.8%	4.0%	6.7%	14.4%	14.3%	10.8%	8.2%	8.1%	10.2%	15.2%
	4. 言葉は聞いたことがあるが、意味は知らない	割合	13.9%	11.1%	9.4%	17.9%	11.5%	11.9%	12.5%	11.0%	13.3%	13.1%	12.4%
	5. 言葉も意味も知らない	割合	57.2%	55.6%	56.0%	34.5%	39.5%	39.4%	44.8%	56.2%	45.1%	42.7%	36.6%
	(再掲)1~4.言葉または意味を知っている(聞いたことがある)	割合	42.8%	44.4%	44.0%	65.5%	60.5%	60.6%	55.2%	43.8%	54.9%	57.3%	63.4%
	標準誤差	6.2%	8.8%	5.8%	5.8%	5.2%	4.2%	2.7%	4.4%	3.4%	2.8%	4.1%	
総数		人数	60	101	196	175	262	396	1190	357	506	770	264
	1. 言葉も意味もよく知っている	割合	12.7%	9.3%	9.0%	6.4%	11.4%	10.1%	9.7%	10.0%	7.8%	9.6%	13.6%
	2. 言葉も知っているし、意味も大体知っている	割合	6.7%	3.1%	9.1%	22.1%	17.1%	18.6%	14.6%	6.6%	15.2%	15.6%	16.5%
	3. 言葉は知っていたが、意味はあまり知らなかった	割合	6.2%	12.2%	5.5%	6.5%	11.2%	10.1%	8.8%	7.8%	7.5%	8.3%	10.1%
	4. 言葉は聞いたことがあるが、意味は知らない	割合	10.7%	16.6%	8.1%	15.7%	15.6%	12.0%	13.0%	11.5%	12.9%	12.6%	11.8%
	5. 言葉も意味も知らない	割合	63.6%	58.7%	68.2%	49.3%	44.8%	49.2%	54.0%	64.1%	56.5%	53.9%	48.1%
	(再掲)1~4.言葉または意味を知っている(聞いたことがある)	割合	36.4%	41.3%	31.8%	50.7%	55.2%	50.8%	46.0%	35.9%	43.5%	46.1%	51.9%
	標準誤差	6.5%	5.5%	3.6%	5.3%	3.5%	3.4%	2.3%	2.6%	2.4%	2.3%	3.9%	

注) 値は保健所ごとの標本数の偏りを調整するための重み付けをして算出した値

※値は保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR4人口構成に合わせるための重み付けをした値

問24 あなたは、「フレイル」という言葉やその意味を知っていますか。1つだけ選んで○印をつけてください。

問25 食べ方や食事の様子  
(ア)ゆっくりよくかんで食事をする

性別	回答	年齢区分	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	※(再掲) 20歳以上	※(再掲) 20-49	※(再掲) 40-64	※(再掲) 40-74	※(再掲) 65-74
男性	人数		36	45	92	85	128	179	565	173	239	373	134
	1.はい	割合	37.6%	35.2%	51.5%	39.8%	47.3%	52.9%	46.2%	42.9%	45.7%	46.9%	49.4%
		標準誤差	9.9%	8.0%	6.0%	4.5%	5.7%	3.2%	2.0%	3.5%	2.9%	2.9%	5.8%
	2.いいえ	割合	62.4%	64.8%	48.5%	60.2%	52.7%	47.1%	53.8%	57.1%	54.3%	53.1%	50.6%
女性	人数		26	56	107	87	134	216	626	189	266	397	131
	1.はい	割合	67.6%	50.1%	52.0%	49.8%	60.0%	75.1%	61.4%	55.4%	51.7%	56.9%	69.8%
		標準誤差	10.9%	7.7%	5.9%	6.5%	4.8%	3.7%	2.8%	4.9%	4.2%	3.1%	3.4%
	2.いいえ	割合	32.4%	49.9%	48.0%	50.2%	40.0%	24.9%	38.6%	44.6%	48.3%	43.1%	30.2%
総数	人数		62	101	199	172	262	395	1191	362	505	770	265
	1.はい	割合	52.6%	42.6%	51.7%	44.9%	53.7%	64.0%	53.8%	49.1%	48.7%	51.9%	58.8%
		標準誤差	10.5%	6.6%	4.6%	4.5%	3.3%	2.7%	2.2%	3.7%	2.9%	2.5%	3.7%
	2.いいえ	割合	47.4%	57.4%	48.3%	55.2%	46.3%	36.0%	46.2%	50.9%	51.3%	48.1%	41.2%

(イ)半年前比べて固いものが食べにくくなった

性別	回答	年齢区分	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	※(再掲) 20歳以上	※(再掲) 20-49	※(再掲) 40-64	※(再掲) 40-74	※(再掲) 65-74
男性	人数		35	45	92	85	128	179	564	172	239	373	134
	1.はい	割合	7.4%	4.0%	4.4%	8.3%	20.5%	32.1%	16.5%	5.0%	8.5%	14.2%	25.7%
		標準誤差	4.2%	2.8%	2.4%	2.7%	4.4%	4.2%	1.9%	1.7%	2.0%	2.0%	4.7%
	2.いいえ	割合	92.6%	96.0%	95.6%	91.7%	79.5%	67.9%	83.5%	95.0%	91.5%	85.8%	74.3%
女性	人数		26	56	107	87	133	216	625	189	266	396	130
	1.はい	割合	0.0%	2.8%	3.4%	13.0%	19.7%	29.3%	15.2%	2.3%	9.8%	13.1%	21.2%
		標準誤差	0.0%	2.0%	1.8%	3.2%	4.0%	4.2%	1.7%	0.9%	1.9%	1.6%	3.9%
	2.いいえ	割合	100.0%	97.2%	96.6%	87.0%	80.3%	70.7%	84.8%	97.7%	90.2%	86.9%	78.8%
総数	人数		61	101	199	172	261	395	1189	361	505	769	264
	1.はい	割合	3.7%	3.4%	3.9%	10.7%	20.1%	30.7%	15.8%	3.7%	9.2%	13.7%	23.6%
		標準誤差	2.0%	1.7%	1.5%	2.2%	3.6%	3.1%	1.4%	1.1%	1.4%	1.6%	3.2%
	2.いいえ	割合	96.3%	96.6%	96.1%	89.3%	79.9%	69.3%	84.2%	96.3%	90.8%	86.3%	76.4%

注) 値は保健所ごとの標本数の偏りを調整するための重み付けをして算出した値

※値は保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR4人口構成に合わせるための重み付けをした値

問25 あなたの食べ方や食事の様子についておたずねします。次のア～オの質問についてあてはまるものを1つずつ選んで○印をつけてください。

(ウ)お茶や汁物等でむせることがある

性別	回答	年齢区分	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	※(再掲) 20歳以上	※(再掲) 20-49	※(再掲) 40-64	※(再掲) 40-74	※(再掲) 65-74
男性	人数		35	45	92	85	128	178	563	172	239	373	134
	1.はい	割合	2.7%	8.0%	10.8%	22.1%	26.9%	24.4%	18.3%	7.9%	18.3%	20.0%	23.4%
		標準誤差	2.6%	3.9%	3.9%	4.3%	4.5%	3.3%	2.1%	2.7%	2.9%	2.8%	4.7%
	2.いいえ	割合	97.3%	92.0%	89.2%	77.9%	73.1%	75.6%	81.7%	92.1%	81.7%	80.0%	76.6%
女性	人数		26	56	107	87	133	215	624	189	266	396	130
	1.はい	割合	8.5%	5.4%	16.4%	21.1%	23.2%	21.8%	17.9%	11.0%	17.5%	19.7%	25.2%
		標準誤差	5.6%	3.0%	6.4%	5.4%	4.7%	3.0%	1.7%	2.9%	3.3%	2.7%	5.2%
	2.いいえ	割合	91.5%	94.6%	83.6%	78.9%	76.8%	78.2%	82.1%	89.0%	82.5%	80.3%	74.8%
総数	人数		61	101	199	172	261	393	1187	361	505	769	264
	1.はい	割合	5.6%	6.7%	13.6%	21.6%	25.1%	23.1%	18.1%	9.4%	17.9%	19.8%	24.2%
		標準誤差	2.9%	2.4%	3.7%	3.2%	3.7%	2.3%	1.3%	1.9%	2.2%	1.7%	3.6%

(エ)口の渇きが気になる

性別	回答	年齢区分	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	※(再掲) 20歳以上	※(再掲) 20-49	※(再掲) 40-64	※(再掲) 40-74	※(再掲) 65-74
男性	人数		35	45	92	85	128	178	563	172	239	373	134
	1.はい	割合	16.0%	13.8%	18.6%	16.1%	18.1%	19.1%	17.5%	16.4%	17.1%	17.7%	18.8%
		標準誤差	9.2%	5.1%	5.8%	5.0%	4.7%	3.2%	1.8%	3.4%	4.1%	3.4%	4.4%
	2.いいえ	割合	84.0%	86.2%	81.4%	83.9%	81.9%	80.9%	82.5%	83.6%	82.9%	82.3%	81.2%
女性	人数		26	56	107	87	133	214	623	189	266	396	130
	1.はい	割合	14.1%	21.2%	9.3%	27.6%	13.8%	30.0%	21.2%	14.2%	15.5%	19.3%	28.7%
		標準誤差	6.9%	5.8%	3.0%	5.9%	3.8%	3.6%	2.1%	3.0%	3.1%	2.5%	5.3%
	2.いいえ	割合	85.9%	78.8%	90.7%	72.4%	86.2%	70.0%	78.8%	85.8%	84.5%	80.7%	71.3%
総数	人数		61	101	199	172	261	392	1186	361	505	769	264
	1.はい	割合	15.0%	17.5%	13.9%	21.9%	16.0%	24.6%	19.4%	15.3%	16.3%	18.5%	23.3%
		標準誤差	4.2%	3.7%	4.0%	3.6%	3.0%	2.4%	1.4%	2.2%	2.6%	2.1%	2.7%
	2.いいえ	割合	85.0%	82.5%	86.1%	78.1%	84.0%	75.4%	80.6%	84.7%	83.7%	81.5%	76.7%

注) 値は保健所ごとの標本数の偏りを調整するための重み付けをして算出した値

※値は保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR4人口構成に合わせるための重み付けをした値

問25 あなたの食べ方や食事の様子についておたずねします。次のア～オの質問についてあてはまるものを1つずつ選んで○印をつけてください。

(オ)左右両方の奥歯でしっかりかみしめられる

性別	回 答	年齢区分	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	※(再掲) 20歳以上	※(再掲) 20-49	※(再掲) 40-64	※(再掲) 40-74	※(再掲) 65-74
			人数	割合	割合	割合	割合	割合	割合	割合	割合	割合	割合
男性		人数	35	45	92	86	128	178	564	172	240	374	134
	1.はい	割合	82.2%	77.1%	86.1%	74.9%	64.3%	57.1%	70.4%	82.3%	78.7%	72.0%	58.4%
	2.いいえ	割合	17.8%	22.9%	13.9%	25.1%	35.7%	42.9%	29.6%	17.7%	21.3%	28.0%	41.6%
		標準誤差	6.9%	8.7%	3.6%	4.3%	5.4%	4.4%	1.9%	3.1%	2.9%	2.8%	6.0%
女性		人数	26	56	107	87	133	215	624	189	266	396	130
	1.はい	割合	96.4%	84.6%	84.8%	68.8%	69.2%	66.9%	75.3%	87.7%	75.7%	72.8%	65.7%
	2.いいえ	割合	3.6%	15.4%	15.2%	31.2%	30.8%	33.1%	24.7%	12.3%	24.3%	27.2%	34.3%
		標準誤差	3.8%	4.4%	4.1%	5.8%	4.9%	5.4%	2.5%	2.8%	2.8%	2.4%	5.3%
総数		人数	61	101	199	173	261	393	1188	361	506	770	264
	1.はい	割合	89.3%	80.9%	85.5%	71.9%	66.7%	62.0%	72.9%	85.0%	77.2%	72.4%	61.8%
	2.いいえ	割合	10.7%	19.1%	14.5%	28.1%	33.3%	38.0%	27.1%	15.0%	22.8%	27.6%	38.2%
		標準誤差	4.2%	5.0%	2.6%	3.7%	2.9%	3.8%	1.7%	1.5%	2.1%	1.9%	3.7%

注)値は保健所ごとの標本数の偏りを調整するための重み付けをして算出した値

※値は保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR4人口構成に合わせるための重み付けをした値

問25 あなたの食べ方や食事の様子についておたずねします。次のア～オの質問についてあてはまるものを1つずつ選んで○印をつけてください。