

資料編

【騒音編】

騒音測定結果 24時間総括表 (1)

測定日時：平成24年11月8日6:00～9日6:00
 測定場所：1.やまびこ公園駐車場(施設稼働時)

時間帯	観測時間	等価騒音レベル L _{Aeq}	時間率騒音レベル (dB)						
			L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}	L _{max}	
昼間	6～7	45.9	51.5	46.7	37.8	34.8	34.3	72.0	
	7～8	51.1	57.4	55.5	44.3	38.5	37.6	66.9	
	8～9	54.8	59.8	57.9	49.9	44.2	42.2	71.7	
	9～10	56.1	59.9	58.2	48.9	41.3	40.0	83.7	
	10～11	53.2	58.4	56.1	47.1	40.5	39.0	79.1	
	11～12	51.8	57.1	54.6	44.1	37.9	36.7	77.9	
	12～13	48.5	55.2	52.4	41.9	36.7	35.8	66.2	
	13～14	49.7	54.7	51.6	42.1	38.1	37.4	75.6	
	14～15	51.4	56.7	54.3	44.5	38.6	37.7	76.6	
	15～16	55.1	60.2	58.1	51.4	47.7	46.6	74.3	
	16～17	54.2	59.5	56.6	45.7	38.5	37.3	74.6	
	17～18	50.8	57.7	55.3	42.0	33.1	32.0	69.2	
	18～19	50.2	57.3	54.6	39.3	33.0	32.2	71.0	
	19～20	49.2	56.7	53.9	38.4	32.9	32.5	65.2	
	20～21	48.3	54.6	49.7	36.6	31.8	31.2	73.1	
	21～22	46.0	53.0	47.0	31.6	28.7	28.3	64.3	
	夜間	22～23	46.1	52.0	45.9	33.0	29.8	29.6	78.3
		23～24	44.2	46.7	41.7	31.5	30.2	29.1	64.3
		0～1	38.3	38.7	34.4	29.3	28.3	28.0	60.4
		1～2	35.8	34.5	31.4	28.4	27.4	27.2	58.6
		2～3	41.0	37.7	32.5	30.0	28.8	28.6	66.3
		3～4	35.9	34.3	31.7	28.7	27.4	27.2	59.6
4～5		40.2	37.2	33.0	28.3	27.1	26.8	68.8	
5～6		42.1	42.4	39.3	35.9	34.1	33.7	72.6	
時間帯別 平均値		昼間	52	57	54	43	37	36	84
夜間		42	40	36	31	29	29	78	

騒音測定結果 24時間総括表 (2)

測定日時：平成24年11月8日6:00～9日6:00
 測定場所：2.施設北側(入り口付近)(施設稼働時)

時間帯	観測時間	等価騒音レベル L _{Aeq}	時間率騒音レベル (dB)					
			L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}	L _{max}
朝	6～7	56.2	58.7	53.1	38.8	35.5	35.1	86.0
	7～8	61.1	68.1	64.5	48.3	39.6	38.7	82.0
昼間	8～9	61.0	67.6	63.6	50.9	44.5	42.8	82.8
	9～10	60.6	66.6	63.4	50.3	42.7	41.3	87.5
	10～11	61.5	66.9	63.3	50.2	42.0	40.5	88.5
	11～12	60.0	65.7	61.9	46.7	39.3	38.1	84.7
	12～13	56.8	62.8	57.3	43.1	38.1	37.4	77.7
	13～14	58.2	61.7	56.4	42.9	38.8	38.2	85.4
	14～15	59.8	65.0	61.1	46.5	39.0	38.2	86.2
	15～16	61.0	66.3	63.4	54.9	50.6	49.4	83.9
	16～17	59.5	65.4	61.4	48.4	40.5	39.2	83.4
	17～18	59.9	66.4	62.3	45.4	35.5	34.6	82.4
夕	18～19	59.5	66.0	61.0	42.3	35.3	34.6	80.8
	19～20	58.9	65.2	60.2	41.2	35.3	34.8	81.6
	20～21	56.6	60.4	54.9	37.5	32.4	32.1	82.3
夜間	21～22	55.4	58.6	52.8	32.8	29.6	29.2	76.6
	22～23	54.7	58.2	51.6	34.7	30.8	30.4	78.9
	23～24	54.2	53.8	47.6	32.7	31.3	29.7	78.0
	0～1	47.4	42.2	36.3	30.0	28.8	28.6	73.0
	1～2	44.6	36.3	32.6	29.3	28.2	28.0	71.9
	2～3	50.4	40.4	33.8	31.0	29.9	29.7	80.3
	3～4	45.3	37.6	33.7	30.3	28.9	28.6	73.1
	4～5	48.8	41.4	36.5	29.2	27.9	27.6	79.8
	5～6	49.7	46.4	41.6	36.3	34.6	34.2	78.3
	時間帯別 平均値	朝	59	63	59	44	38	37
昼間	60	65	61	48	41	40	89	
夕	58	64	59	40	34	34	82	
夜間	52	46	41	32	30	30	80	

騒音測定結果 24時間総括表 (3)

測定日時：平成24年11月8日6:00～9日6:00

測定場所：3.施設南側(駐車場敷地境界) (施設稼働時)

時間帯	観測時間	等価騒音 レベル L _{Aeq}	時間率騒音レベル (dB)					
			L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}	L _{max}
朝	6～7	55.4	56.1	49.7	34.2	31.8	31.4	81.4
	7～8	61.6	68.3	63.9	43.9	34.9	34.2	83.0
昼間	8～9	61.1	67.5	62.2	43.4	37.2	36.3	83.7
	9～10	60.8	66.0	61.0	42.1	36.5	35.8	84.6
	10～11	61.4	65.8	61.0	45.1	37.8	36.7	85.8
	11～12	59.7	64.4	58.6	40.6	36.0	35.6	84.4
	12～13	57.1	61.4	55.1	39.3	35.0	34.3	80.1
	13～14	58.0	59.6	53.6	39.9	36.1	35.4	86.5
	14～15	59.8	64.3	59.1	40.1	34.7	34.1	85.0
	15～16	59.8	64.4	59.3	42.4	36.8	36.1	85.1
	16～17	58.8	63.6	58.0	39.8	34.6	34.1	84.6
	17～18	60.3	66.4	60.9	41.5	33.3	32.4	83.4
夕	18～19	59.9	64.9	58.9	38.6	33.4	32.7	83.9
	19～20	59.0	64.4	58.6	39.6	35.0	34.4	79.9
	20～21	56.4	59.2	52.8	37.4	33.3	32.7	78.5
夜間	21～22	56.3	56.2	49.6	30.4	27.8	27.4	80.5
	22～23	55.3	56.9	48.8	31.0	28.7	28.3	81.0
	23～24	54.0	50.1	41.2	30.2	27.9	27.5	79.5
	0～1	47.3	39.5	33.6	27.1	26.1	26.0	75.8
	1～2	45.7	35.0	30.5	27.1	26.2	26.0	75.1
	2～3	51.3	39.0	34.2	30.8	29.1	28.7	82.7
	3～4	45.0	35.2	31.2	27.0	25.6	25.4	74.7
	4～5	48.7	36.2	32.5	26.4	25.2	25.0	80.3
	5～6	49.6	46.1	43.2	40.3	37.8	37.1	77.1
	時間帯別 平均値	朝	60	62	57	39	33	33
昼間		60	64	59	41	36	35	87
夕		59	63	57	39	34	33	84
夜間		52	44	38	30	28	28	83

騒音測定結果 24時間総括表 (4)

測定日時：平成24年11月8日6:00～9日6:00

測定場所：4.塩嶺病院前(施設稼働時)

時間帯	観測時間	等価騒音 レベル L _{Aeq}	時間率騒音レベル (dB)						
			L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}	L _{max}	
昼間	6～7	74.6	80.7	78.6	67.4	51.0	47.5	89.7	
	7～8	76.7	81.1	79.8	75.3	67.8	64.4	89.5	
	8～9	75.4	80.5	78.8	72.9	61.2	57.6	89.6	
	9～10	74.5	79.8	78.1	71.5	58.2	52.3	88.7	
	10～11	74.6	80.0	78.2	71.6	55.6	51.1	91.2	
	11～12	74.2	79.7	77.9	71.2	56.1	51.4	89.4	
	12～13	74.1	79.6	77.8	70.8	54.8	49.8	89.2	
	13～14	74.6	80.1	78.2	71.6	56.6	51.4	88.0	
	14～15	75.5	80.9	79.0	72.4	58.6	52.9	92.5	
	15～16	75.3	80.8	78.8	72.6	60.1	54.5	89.4	
	16～17	75.7	80.9	79.3	73.1	63.3	59.7	91.2	
	17～18	75.4	80.5	78.8	73.2	63.7	59.6	92.0	
	18～19	75.2	80.3	78.7	73.0	60.4	55.5	93.6	
	19～20	75.5	81.3	79.3	72.4	56.1	51.0	89.2	
	20～21	75.6	81.3	79.5	71.8	56.5	51.9	91.1	
	21～22	75.2	81.3	79.0	69.7	49.9	46.3	91.4	
	夜間	22～23	74.8	81.2	78.7	67.4	49.7	45.9	92.1
		23～24	73.2	80.0	77.0	61.9	44.3	42.6	91.5
		0～1	72.2	79.0	76.0	58.8	43.0	41.7	90.6
		1～2	72.4	79.4	75.6	57.2	41.6	40.3	91.1
		2～3	70.4	77.0	72.5	51.8	39.3	37.7	90.1
3～4		70.6	77.6	73.6	52.6	39.2	38.0	89.5	
4～5		70.7	77.2	73.0	49.5	38.2	37.2	90.8	
5～6		71.5	78.4	74.9	56.7	42.9	41.7	91.0	
時間帯別 平均値		昼間	75	81	79	72	58	54	94
	夜間	72	79	75	57	42	41	92	

騒音測定結果 24時間総括表 (5)

測定日時：平成24年11月8日6:00～9日6:00

測定場所：5.市営球場付近（施設稼働時）

時間帯	観測時間	等価騒音 レベル L _{Aeq}	時間率騒音レベル (dB)					
			L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}	L _{max}
昼間	6～7	62.4	68.8	65.3	43.9	38.0	37.4	82.9
	7～8	64.6	70.4	68.6	56.4	39.9	38.8	84.8
	8～9	64.5	70.5	68.2	53.1	38.7	37.8	84.4
	9～10	63.9	70.3	67.4	51.7	38.3	37.3	82.7
	10～11	65.3	71.4	68.4	53.9	38.3	37.5	86.7
	11～12	64.3	70.7	67.8	50.3	38.0	37.3	82.4
	12～13	64.3	70.3	67.3	50.0	39.2	38.4	85.1
	13～14	64.5	70.7	68.0	53.3	40.6	39.6	83.2
	14～15	64.3	70.3	67.9	52.2	40.1	39.0	83.3
	15～16	63.7	69.5	67.1	52.5	40.0	39.2	80.8
	16～17	64.6	70.2	67.8	54.3	40.6	39.8	88.6
	17～18	64.0	69.6	67.5	55.0	42.1	41.4	85.3
	18～19	63.5	69.5	67.5	53.5	42.2	41.7	80.5
	19～20	62.4	68.6	66.5	49.2	41.1	40.6	84.3
20～21	61.9	68.3	65.6	45.5	38.6	38.0	81.4	
21～22	61.4	67.9	64.8	42.3	36.4	36.0	83.8	
夜間	22～23	60.4	66.8	62.7	41.2	36.8	36.4	83.2
	23～24	59.3	63.9	56.9	37.5	35.6	35.3	86.8
	0～1	59.4	63.0	56.1	38.1	36.2	35.8	83.2
	1～2	60.3	61.9	54.3	40.1	38.0	37.7	86.2
	2～3	54.4	51.3	43.6	36.7	35.2	35.0	79.6
	3～4	60.3	60.6	52.1	37.7	36.0	35.7	85.8
	4～5	58.7	59.1	51.1	37.3	35.6	35.2	83.3
5～6	62.5	66.4	59.0	40.3	37.2	36.8	85.1	
時間帯別	昼間	64	70	67	51	39	39	89
平均値	夜間	60	62	54	39	36	36	87

騒音測定結果 24時間総括表 (6)

測定日時：平成24年11月8日6:00～9日6:00

測定場所：6.神明町三丁目（施設稼働時）

時間帯	観測時間	等価騒音 レベル L _{Aeq}	時間率騒音レベル (dB)					
			L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}	L _{max}
昼間	6～7	68.4	75.1	71.5	57.2	44.4	43.6	87.8
	7～8	68.6	74.4	72.4	64.1	52.2	49.3	87.6
	8～9	69.1	75.0	73.0	64.8	53.6	50.5	86.1
	9～10	68.9	75.2	72.6	62.5	50.2	48.0	89.0
	10～11	68.9	74.9	72.4	61.8	49.2	46.8	90.8
	11～12	68.7	74.9	72.1	61.5	48.7	46.7	88.6
	12～13	68.3	74.0	71.5	61.1	48.4	46.2	89.7
	13～14	68.7	74.7	72.2	61.0	49.4	47.3	87.8
	14～15	68.7	74.6	72.2	62.0	50.0	47.0	89.1
	15～16	68.1	74.0	71.6	62.3	50.5	47.8	86.7
	16～17	68.6	74.5	72.0	63.0	50.0	47.6	85.3
	17～18	68.5	73.9	72.0	64.3	53.2	50.6	87.0
	18～19	68.9	74.3	72.4	63.2	51.4	48.3	90.6
	19～20	69.3	75.3	72.7	62.3	49.8	47.5	88.2
20～21	68.8	74.7	71.3	58.2	44.5	43.5	90.3	
21～22	67.8	74.2	70.5	55.1	43.4	42.4	86.3	
夜間	22～23	67.7	74.1	70.4	53.8	42.6	41.7	86.3
	23～24	67.3	72.6	67.9	48.1	42.0	41.2	88.2
	0～1	64.6	70.1	65.3	46.0	41.9	41.3	85.5
	1～2	65.6	69.7	64.0	44.2	41.4	40.9	88.7
	2～3	65.1	67.5	62.3	44.1	40.7	40.2	88.4
	3～4	64.5	66.1	59.7	43.2	40.8	40.4	90.0
	4～5	65.0	68.7	62.9	43.9	41.1	40.7	88.6
5～6	65.9	70.2	64.9	46.9	41.9	41.4	91.1	
時間帯別	昼間	69	75	72	62	49	47	91
平均値	夜間	66	70	65	46	42	41	91

騒音測定結果 24時間総括表 (7)

測定日時：平成24年11月8日6:00～9日6:00

測定場所：7.本町二丁目（施設稼働時）

時間帯	観測時間	等価騒音 レベル L _{Aeq}	時間率騒音レベル (dB)					
			L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}	L _{max}
昼間	6～7	60.7	64.4	59.2	48.8	46.3	45.6	82.7
	7～8	64.0	70.7	67.1	52.9	50.1	49.7	89.6
	8～9	63.9	70.9	66.9	51.9	48.3	47.7	83.9
	9～10	64.3	70.4	65.9	50.4	46.2	45.4	89.6
	10～11	63.1	69.2	64.2	49.7	46.3	45.7	90.0
	11～12	62.5	68.4	63.6	48.3	44.8	44.2	90.4
	12～13	62.5	69.4	65.0	52.0	48.7	47.9	80.4
	13～14	63.4	69.3	64.7	52.1	48.8	48.1	88.7
	14～15	62.4	68.5	63.8	51.1	47.9	47.3	88.1
	15～16	63.8	70.5	66.3	51.8	48.1	47.5	88.4
	16～17	63.9	71.0	67.2	53.7	50.3	49.7	83.6
	17～18	65.0	71.8	68.6	54.6	48.5	48.0	86.3
	18～19	64.3	71.4	67.7	52.3	47.6	46.9	86.1
	19～20	63.6	70.7	66.5	50.5	47.2	46.6	86.8
20～21	62.1	68.6	63.2	46.9	44.2	43.5	84.6	
21～22	61.3	67.4	61.8	47.9	44.5	43.6	82.0	
夜間	22～23	59.4	62.8	56.4	45.3	42.6	42.0	82.3
	23～24	57.1	56.0	50.4	45.0	42.4	41.7	84.1
	0～1	56.6	53.7	49.3	45.5	43.0	42.3	83.2
	1～2	50.4	49.0	47.6	45.1	42.4	41.5	81.4
	2～3	51.7	50.1	48.0	44.3	41.5	40.7	79.7
	3～4	54.6	50.7	47.5	44.2	41.7	40.9	86.7
	4～5	52.5	48.8	46.9	43.4	40.6	39.9	82.8
5～6	56.4	55.8	50.4	43.9	41.4	40.7	84.3	
時間帯別	昼間	63	70	65	51	47	47	90
平均値	夜間	56	53	50	45	42	41	87

騒音測定結果 24時間総括表 (8)

測定日時：平成24年11月8日6:00～9日6:00

測定場所：8.下諏訪町清掃センター下（施設稼働時）

時間帯	観測時間	等価騒音 レベル L _{Aeq}	時間率騒音レベル (dB)					
			L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}	L _{max}
昼間	6～7	58.0	62.5	57.2	44.7	43.6	43.4	80.7
	7～8	64.4	70.2	66.4	53.0	47.5	46.8	89.8
	8～9	64.9	70.4	67.1	58.0	51.6	49.7	91.2
	9～10	62.2	68.5	64.4	48.3	43.9	43.4	85.8
	10～11	63.3	69.4	65.6	50.9	44.6	43.8	85.7
	11～12	61.4	67.9	63.5	46.9	43.3	43.0	85.8
	12～13	61.6	67.9	64.0	46.5	42.8	42.6	83.2
	13～14	60.6	67.2	62.9	48.1	44.0	43.6	80.5
	14～15	60.4	66.8	62.7	46.7	42.8	42.4	82.8
	15～16	61.4	67.9	63.7	47.9	43.0	42.7	85.7
	16～17	62.3	68.6	64.6	49.7	43.8	43.4	89.2
	17～18	62.8	69.3	65.5	49.3	44.0	43.7	85.7
	18～19	62.4	69.4	65.0	47.7	43.7	43.5	84.1
	19～20	61.4	66.9	62.1	45.5	43.5	43.3	86.0
20～21	58.4	63.5	57.6	44.0	43.1	43.0	80.7	
21～22	57.6	62.4	56.6	43.5	42.8	42.7	80.3	
夜間	22～23	56.8	60.3	52.9	43.0	42.4	42.3	82.3
	23～24	52.8	51.8	48.0	42.5	42.1	42.0	78.1
	0～1	50.0	46.1	43.1	42.2	41.8	41.8	76.0
	1～2	49.7	45.5	44.0	42.2	41.9	41.8	77.9
	2～3	45.5	43.2	42.5	42.1	41.8	41.8	75.3
	3～4	45.5	44.0	43.0	42.3	42.0	41.9	72.0
	4～5	49.0	48.2	45.0	42.4	41.9	41.8	73.5
5～6	54.1	53.5	47.4	42.7	42.2	42.1	79.8	
時間帯別	昼間	62	67	63	48	44	44	91
平均値	夜間	52	49	46	42	42	42	82

騒音測定結果 24時間総括表 (9)

測定日時：平成24年11月8日6:00～9日6:00

測定場所：9. 諏訪市清掃センター下（施設稼働時）

時間帯	観測時間	等価騒音 レベル L _{Aeq}	時間率騒音レベル (dB)					
			L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}	L _{max}
昼間	6～7	60.4	63.8	58.7	46.8	43.8	43.5	85.5
	7～8	64.4	70.2	65.7	50.9	45.1	44.4	86.7
	8～9	64.7	70.8	65.9	51.0	45.2	44.6	88.5
	9～10	62.1	67.9	63.0	48.8	44.9	44.4	84.4
	10～11	64.3	70.4	65.9	49.4	44.1	43.7	86.8
	11～12	63.7	69.8	64.9	47.9	43.9	43.5	86.3
	12～13	64.3	69.6	64.5	48.0	44.2	43.9	89.5
	13～14	64.6	70.7	65.7	49.4	44.8	44.2	87.1
	14～15	64.8	70.3	65.6	49.3	44.3	43.8	89.6
	15～16	65.6	71.4	67.4	50.0	44.1	43.6	89.5
	16～17	63.1	69.0	64.1	48.4	43.5	43.2	86.8
	17～18	62.4	68.6	63.8	48.5	43.6	43.2	89.1
	18～19	61.3	67.0	61.8	45.7	42.8	42.6	85.8
	19～20	59.4	63.4	57.7	44.2	42.8	42.6	84.8
20～21	57.1	59.5	53.9	43.9	42.7	42.5	84.2	
21～22	56.4	59.2	53.2	44.1	42.4	42.1	81.1	
夜間	22～23	54.5	52.8	48.2	43.1	42.3	42.1	78.9
	23～24	55.0	52.6	47.4	43.1	42.4	42.2	85.7
	0～1	50.5	45.9	43.6	42.7	42.2	42.0	81.4
	1～2	47.8	45.5	44.0	42.7	42.1	42.0	75.2
	2～3	52.9	48.2	44.6	42.7	42.1	42.0	82.7
	3～4	50.0	46.5	44.2	42.7	42.2	42.0	78.0
	4～5	50.0	50.0	46.7	42.9	42.3	42.1	78.2
5～6	55.2	53.8	48.6	43.4	42.7	42.6	82.7	
時間帯別	昼間	63	68	63	48	44	43	90
平均値	夜間	53	49	46	43	42	42	86

騒音測定結果 24時間総括表 (10)

測定日時：平成24年11月18日6:00～19日6:00

測定場所：1. やまびこ公園駐車場（施設停止時）

時間帯	観測時間	等価騒音 レベル L _{Aeq}	時間率騒音レベル (dB)					
			L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}	L _{max}
昼間	6～7	47.7	51.5	46.6	34.2	30.6	30.2	79.3
	7～8	48.7	55.6	49.5	36.0	30.3	29.7	67.1
	8～9	56.5	61.4	59.7	52.4	45.0	42.9	75.1
	9～10	58.6	62.0	60.0	52.8	46.7	45.1	80.2
	10～11	54.0	59.4	56.9	47.5	41.4	40.1	70.7
	11～12	54.3	60.4	57.8	46.8	40.8	39.6	74.9
	12～13	51.6	58.0	55.1	45.9	40.6	39.6	70.4
	13～14	53.2	58.1	55.7	45.7	40.7	39.6	83.2
	14～15	53.6	58.6	56.7	48.1	43.5	42.4	76.3
	15～16	51.9	57.9	55.4	47.1	43.7	43.0	73.6
	16～17	52.4	58.7	56.3	45.6	40.6	39.7	69.7
	17～18	51.0	58.0	54.5	41.9	36.5	35.5	69.9
	18～19	48.3	53.9	49.1	41.5	38.9	38.4	67.4
	19～20	47.5	52.0	47.6	43.3	40.9	40.4	68.8
20～21	49.2	55.3	49.3	43.5	40.6	39.9	67.3	
21～22	48.7	52.5	49.2	41.6	38.3	37.7	79.5	
夜間	22～23	48.5	54.3	49.5	37.9	34.7	34.0	67.7
	23～24	44.8	45.1	42.5	37.8	34.1	33.5	76.3
	0～1	42.1	41.0	37.6	33.0	31.0	30.6	67.2
	1～2	36.5	39.9	36.8	30.5	28.7	28.4	59.4
	2～3	40.4	42.4	38.0	32.0	30.6	30.2	62.0
	3～4	36.0	38.9	36.7	33.3	31.8	31.4	59.4
	4～5	34.2	36.4	34.9	31.7	30.5	30.1	55.9
5～6	42.5	43.7	39.8	32.4	30.7	30.4	71.9	
時間帯別	昼間	53	57	54	45	40	39	83
平均値	夜間	43	43	39	34	31	31	76

騒音測定結果 24時間総括表 (11)

測定日時：平成24年11月10日6:00～11日6:00

測定場所：4.塩嶺病院前(休日)

時間帯	観測時間	等価騒音 レベル L _{Aeq}	時間率騒音レベル (dB)					
			L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}	L _{max}
昼間	6～7	71.9	78.2	76.0	64.0	46.5	43.9	89.6
	7～8	73.5	79.1	77.4	69.6	50.9	45.9	88.5
	8～9	73.4	78.5	77.0	70.7	55.8	50.6	89.8
	9～10	73.1	78.3	76.7	70.5	54.2	49.0	88.8
	10～11	73.3	78.4	76.7	71.0	56.1	51.1	90.5
	11～12	73.0	78.2	76.8	71.0	55.5	49.4	86.6
	12～13	72.8	78.1	76.5	70.6	53.7	49.7	85.8
	13～14	73.0	78.0	76.5	70.7	55.8	49.2	87.0
	14～15	73.3	78.3	76.8	71.2	58.2	53.2	87.2
	15～16	73.4	78.4	76.9	71.4	59.8	54.5	87.3
	16～17	73.9	78.6	77.3	72.3	62.5	56.9	89.8
	17～18	73.1	78.2	76.6	71.0	58.0	51.7	86.6
	18～19	72.7	78.1	76.5	69.7	52.7	46.3	89.1
	19～20	72.1	77.9	76.3	67.9	51.2	46.7	87.4
20～21	71.3	77.4	75.6	65.2	48.0	45.0	86.7	
21～22	71.2	77.5	75.5	63.9	45.1	42.2	90.8	
夜間	22～23	70.7	77.3	75.1	62.3	42.6	40.1	87.2
	23～24	69.7	76.5	74.1	58.5	40.3	37.8	87.5
	0～1	68.0	75.0	72.0	52.5	36.7	35.4	87.3
	1～2	66.8	74.0	69.8	46.7	33.5	32.2	87.6
	2～3	66.7	73.7	69.2	46.0	33.8	32.3	85.7
	3～4	66.9	73.4	68.4	44.5	33.4	32.3	89.8
	4～5	65.6	71.7	66.3	41.7	32.3	31.6	87.2
5～6	67.7	74.3	70.0	46.9	36.2	35.0	88.3	
時間帯別	昼間	73	78	77	69	54	49	91
平均値	夜間	68	74	71	50	36	35	90

騒音測定結果 24時間総括表 (12)

測定日時：平成24年11月10日6:00～11日6:00

測定場所：5.市営球場付近(休日)

時間帯	観測時間	等価騒音 レベル L _{Aeq}	時間率騒音レベル (dB)					
			L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}	L _{max}
昼間	6～7	62.5	68.6	64.1	47.3	43.5	42.9	83.7
	7～8	65.4	71.1	68.4	49.1	38.8	37.8	90.9
	8～9	64.2	70.4	68.4	52.1	42.2	41.7	83.5
	9～10	64.7	70.4	68.3	54.7	45.4	44.9	84.5
	10～11	64.9	70.6	68.5	55.1	45.4	44.9	88.0
	11～12	65.2	70.8	68.4	55.3	46.7	46.0	88.7
	12～13	64.9	70.5	68.3	54.9	46.8	46.2	87.0
	13～14	64.5	70.0	68.2	55.5	45.7	45.1	86.0
	14～15	65.0	70.3	68.4	56.2	45.6	44.8	85.9
	15～16	64.6	70.0	68.1	56.1	44.6	44.0	83.6
	16～17	64.7	70.1	68.2	57.6	45.7	44.9	84.2
	17～18	64.2	70.0	68.0	56.0	45.2	44.7	85.4
	18～19	63.5	69.1	67.4	53.0	44.5	43.9	83.0
	19～20	62.9	69.0	66.8	49.4	44.0	43.4	83.9
20～21	61.9	68.1	65.4	47.1	43.6	43.3	84.6	
21～22	60.2	67.3	63.7	45.5	42.5	42.0	81.6	
夜間	22～23	59.1	66.3	61.6	40.2	37.6	37.3	83.1
	23～24	60.4	66.6	61.5	41.0	38.9	38.5	82.9
	0～1	58.1	64.3	57.2	36.6	34.7	34.4	80.5
	1～2	56.4	57.7	49.3	37.5	36.4	36.2	84.2
	2～3	54.8	53.8	46.7	37.1	35.9	35.7	80.0
	3～4	54.9	54.9	44.7	36.1	34.9	34.6	80.2
	4～5	56.2	57.1	49.6	36.5	35.2	35.0	82.7
5～6	55.4	58.7	50.7	36.4	35.3	35.1	82.4	
時間帯別	昼間	64	70	67	53	44	44	91
平均値	夜間	57	60	53	38	36	36	84

騒音測定結果 24時間総括表 (13)

測定日時：平成24年11月10日6:00～11日6:00

測定場所：6. 神明町三丁目 (休日)

時間帯	観測時間	等価騒音 レベル L _{Aeq}	時間率騒音レベル (dB)					
			L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}	L _{max}
昼間	6～7	67.9	74.4	71.0	55.5	45.0	44.2	89.3
	7～8	68.4	74.7	72.4	60.5	46.3	44.7	88.5
	8～9	68.2	74.6	72.5	61.6	49.4	47.6	86.9
	9～10	67.6	73.8	71.6	61.2	49.1	48.0	84.1
	10～11	67.7	73.9	71.7	61.2	49.0	47.6	86.7
	11～12	67.4	73.5	71.4	59.5	48.8	47.8	87.0
	12～13	67.4	73.5	71.3	60.3	50.2	49.0	88.9
	13～14	67.2	73.5	71.4	60.4	49.5	48.1	84.6
	14～15	67.4	73.6	71.2	60.1	49.4	47.7	84.9
	15～16	67.2	73.3	71.1	60.2	48.5	47.1	85.1
	16～17	67.6	73.5	71.5	62.5	51.3	48.8	84.9
	17～18	67.5	73.4	71.5	61.8	49.4	47.6	85.6
	18～19	67.0	73.2	71.1	60.7	48.3	46.5	85.8
	19～20	66.0	72.5	70.1	57.8	46.7	45.7	85.0
20～21	65.5	72.0	69.0	55.1	45.7	44.9	84.6	
21～22	65.5	71.9	68.8	53.2	44.1	43.5	86.7	
夜間	22～23	64.1	70.6	67.5	50.5	40.9	40.3	86.8
	23～24	64.1	69.6	65.8	45.9	39.7	39.2	89.5
	0～1	62.8	68.8	64.0	43.7	38.9	38.4	84.4
	1～2	59.9	63.6	57.1	40.9	38.2	37.7	85.8
	2～3	62.2	65.3	58.8	41.0	38.1	37.8	86.4
	3～4	58.7	61.5	55.0	40.3	37.9	37.6	83.3
	4～5	60.2	62.5	55.4	39.0	37.5	37.3	86.8
5～6	63.4	66.1	60.7	41.8	38.5	38.2	89.9	
時間帯別	昼間	67	73	71	59	48	47	89
平均値	夜間	62	66	61	43	39	38	90

騒音測定結果 24時間総括表 (14)

測定日時：平成24年11月10日6:00～11日6:00

測定場所：7. 本町二丁目 (休日)

時間帯	観測時間	等価騒音 レベル L _{Aeq}	時間率騒音レベル (dB)					
			L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}	L _{max}
昼間	6～7	60.8	65.0	57.9	47.2	45.0	44.5	82.4
	7～8	61.8	68.0	61.6	47.6	45.5	45.0	81.7
	8～9	63.8	70.9	66.6	49.8	46.1	45.5	86.8
	9～10	64.8	71.5	67.2	49.9	46.5	45.9	87.4
	10～11	64.4	70.7	65.9	49.6	45.9	45.3	87.7
	11～12	63.9	70.3	65.6	49.2	46.0	45.5	88.1
	12～13	62.1	69.0	64.1	48.3	45.4	44.9	82.4
	13～14	63.9	70.7	65.8	49.2	45.6	45.0	88.0
	14～15	61.9	68.9	63.6	48.4	44.9	44.3	85.3
	15～16	62.4	69.2	64.0	47.4	44.5	44.0	85.9
	16～17	64.4	71.4	67.8	49.3	45.4	44.8	88.6
	17～18	64.2	71.6	67.6	50.6	46.2	45.7	86.3
	18～19	62.5	69.6	64.4	48.5	46.0	45.6	85.6
	19～20	61.8	68.5	62.7	48.0	45.1	44.4	82.9
20～21	59.6	64.3	57.2	45.6	43.0	42.3	80.4	
21～22	58.9	63.1	56.3	45.8	42.7	42.1	79.5	
夜間	22～23	59.8	61.7	54.0	42.9	40.0	39.0	88.0
	23～24	56.4	53.2	47.2	41.4	38.1	37.3	86.1
	0～1	54.7	52.1	48.0	41.5	38.4	37.4	78.4
	1～2	52.1	46.0	43.2	39.1	35.6	34.7	80.6
	2～3	49.9	46.0	44.5	39.5	35.8	34.8	79.7
	3～4	50.1	46.9	43.8	39.3	35.4	34.5	80.7
	4～5	46.2	43.7	41.9	38.1	34.7	34.0	74.7
5～6	55.3	50.1	44.7	39.3	35.5	34.8	83.6	
時間帯別	昼間	63	69	64	48	45	45	89
平均値	夜間	55	50	46	40	37	36	88

騒音測定結果 24時間総括表 (15)

測定日時：平成24年11月10日6:00～11日6:00

測定場所：8. 下諏訪町清掃センター下 (休日)

時間帯	観測時間	等価騒音 レベル L _{Aeq}	時間率騒音レベル (dB)					
			L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}	L _{max}
昼間	6～7	59.6	63.7	56.9	44.0	42.8	42.6	82.8
	7～8	61.3	66.7	61.7	46.6	43.5	43.3	83.6
	8～9	63.4	69.1	64.6	49.4	45.2	44.5	88.1
	9～10	63.9	70.5	66.7	53.8	45.0	44.2	84.9
	10～11	63.4	70.3	66.6	51.4	43.5	43.1	85.6
	11～12	63.2	69.6	65.8	50.0	43.4	43.0	89.0
	12～13	63.0	69.8	65.6	49.4	42.8	42.4	84.3
	13～14	63.3	69.5	65.7	50.7	43.7	43.2	88.2
	14～15	61.7	68.6	64.5	48.6	43.3	42.9	83.6
	15～16	61.7	68.1	64.0	50.4	44.0	43.3	82.7
	16～17	62.7	69.2	65.0	49.9	43.9	43.4	87.9
	17～18	61.7	68.0	63.6	46.0	42.9	42.6	83.1
	18～19	61.7	68.3	63.4	45.0	42.7	42.5	84.1
	19～20	60.1	65.2	60.1	44.2	42.6	42.5	84.1
20～21	60.1	63.3	57.9	43.6	42.6	42.5	92.7	
21～22	57.2	59.8	54.1	43.2	42.6	42.5	80.3	
夜間	22～23	56.7	55.9	50.4	43.3	42.4	42.3	86.3
	23～24	56.0	54.8	47.9	42.5	42.0	42.0	84.9
	0～1	53.1	52.4	46.6	42.3	41.9	41.9	79.0
	1～2	50.5	47.5	43.3	42.1	41.8	41.8	76.6
	2～3	49.7	42.9	42.5	42.0	41.8	41.7	79.0
	3～4	49.7	46.7	43.2	42.2	41.8	41.8	76.7
	4～5	52.1	47.4	44.0	42.0	41.7	41.6	79.8
5～6	54.3	49.6	44.5	42.2	41.8	41.8	83.8	
時間帯別	昼間	62	67	63	48	43	43	93
平均値	夜間	54	50	45	42	42	42	86

騒音測定結果 24時間総括表 (16)

測定日時：平成24年11月10日6:00～11日6:00

測定場所：9. 諏訪市清掃センター下 (休日)

時間帯	観測時間	等価騒音 レベル L _{Aeq}	時間率騒音レベル (dB)					
			L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}	L _{max}
昼間	6～7	59.3	61.6	55.8	43.9	42.0	41.8	85.2
	7～8	63.8	68.7	63.4	47.6	42.7	42.4	86.8
	8～9	64.4	70.1	64.8	48.0	42.6	42.2	87.7
	9～10	64.7	70.5	65.8	48.6	42.3	41.9	89.6
	10～11	64.5	71.1	66.7	48.9	42.2	41.8	87.3
	11～12	63.4	70.2	65.6	47.1	41.8	41.5	85.9
	12～13	63.3	70.5	66.2	46.2	41.5	41.2	86.2
	13～14	64.3	70.7	66.5	47.1	42.3	41.9	85.6
	14～15	65.8	71.8	67.9	49.3	43.0	42.5	88.8
	15～16	64.3	70.7	66.7	49.9	44.6	44.2	87.3
	16～17	64.3	71.0	67.1	50.1	45.1	44.7	84.6
	17～18	62.7	69.5	64.3	47.5	44.4	44.2	84.8
	18～19	60.5	64.8	58.8	45.6	44.2	44.0	88.3
	19～20	59.0	63.4	57.8	45.5	44.1	43.9	84.3
20～21	58.3	62.3	56.3	45.3	44.1	43.9	84.5	
21～22	58.1	61.3	55.2	45.0	44.1	44.0	85.3	
夜間	22～23	57.2	55.7	49.7	44.8	44.1	43.9	82.9
	23～24	57.6	55.1	50.3	44.8	44.1	43.9	89.5
	0～1	53.4	50.2	47.1	44.9	44.2	44.1	83.1
	1～2	56.8	50.0	46.5	44.6	44.0	43.8	89.3
	2～3	50.7	47.6	45.6	44.5	43.9	43.8	78.9
	3～4	52.2	48.9	46.4	44.5	43.9	43.8	80.5
	4～5	50.9	49.1	46.1	44.6	44.0	43.8	80.1
5～6	53.6	52.0	47.8	44.8	44.1	44.0	79.7	
時間帯別	昼間	63	68	63	47	43	43	90
平均値	夜間	55	51	47	45	44	44	90