

食品群別摂取量(20歳以上性年齢階級別)

穀類(「米・加工品」、「小麦・加工品」、「その他の穀類・加工品」の合計)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル								
						1	5	10	25	50	75	90	95	99
男性	20-29歳	42	498.9	145.1	16.2	200.0	269.5	299.8	406.9	497.5	563.4	747.2	769.9	791.0
	30-39歳	58	572.7	231.1	26.7	150.0	228.1	300.0	375.9	532.4	728.4	897.7	960.6	1308.7
	40-49歳	96	523.7	172.5	18.2	92.6	252.7	324.2	407.5	504.3	608.7	729.4	867.0	1117.4
	50-59歳	84	546.2	144.8	18.8	260.5	300.0	357.2	445.8	543.6	630.1	745.5	840.3	842.3
	60-69歳	115	531.2	164.1	18.4	99.9	266.4	288.2	435.3	524.9	661.5	738.4	766.8	940.2
	70歳以上	168	497.1	156.0	13.6	151.2	251.6	300.0	375.0	500.0	600.0	703.8	751.2	957.9
	(再掲)20歳以上※	563	524.9	170.0	8.7	164.0	280.0	301.4	407.2	510.0	630.0	750.0	823.0	975.0
	(再掲)65-74歳	130	508.5	158.2	15.1	144.7	265.0	285.7	389.6	515.7	616.8	709.8	758.6	881.5
	(再掲)75歳以上	107	493.9	153.3	14.6	154.8	250.0	311.2	375.0	495.7	588.3	686.2	750.4	1020.1
	(再掲)20-49歳※	196	529.2	184.5	12.3	159.7	274.0	300.2	405.0	500.8	645.2	781.6	870.2	1092.1
	(再掲)40-74歳※	356	528.8	161.7	10.8	141.2	271.9	303.4	420.8	520.3	630.1	731.2	827.7	940.3
女性	20-29歳	40	366.3	162.5	35.6	75.0	104.5	116.0	209.1	386.5	481.9	561.6	605.6	751.9
	30-39歳	87	379.3	158.5	15.4	17.2	157.3	203.8	273.6	361.5	473.3	591.2	637.2	1178.2
	40-49歳	85	411.7	136.2	14.2	47.4	207.9	239.0	319.5	400.7	478.4	623.6	680.2	719.2
	50-59歳	97	357.1	144.3	13.0	0.0	110.5	159.5	268.4	356.7	464.5	532.4	601.7	851.0
	60-69歳	145	372.3	148.3	15.2	25.5	159.3	194.5	273.1	358.7	460.7	602.0	631.0	746.5
	70歳以上	187	378.0	116.1	8.3	148.0	181.4	241.0	290.0	370.4	460.0	509.5	572.6	689.5
	(再掲)20歳以上※	641	378.0	141.1	7.8	68.2	157.3	204.2	280.0	373.3	467.9	560.0	621.7	718.9
	(再掲)65-74歳	151	373.2	137.9	14.1	66.6	169.3	213.4	275.0	360.0	460.0	532.8	644.8	814.0
	(再掲)75歳以上	137	375.0	113.7	9.6	141.1	176.2	242.4	289.0	369.7	457.3	521.5	572.5	657.9
	(再掲)20-49歳※	212	387.3	152.3	14.4	56.7	125.2	198.4	276.0	380.0	480.0	583.4	643.5	750.0
	(再掲)40-74歳※	377	381.9	141.4	7.7	40.1	165.0	213.6	280.0	378.7	466.2	574.8	629.9	720.0
男女計	20-29歳	82	435.0	166.8	21.3	83.8	117.1	200.0	350.3	440.0	542.2	652.9	750.8	791.0
	30-39歳	145	478.0	220.5	19.6	50.2	186.0	225.3	328.8	438.0	611.2	800.8	910.4	1237.5
	40-49歳	181	468.6	165.2	13.2	87.3	219.1	272.3	370.2	457.1	574.0	680.3	737.1	964.0
	50-59歳	181	451.7	172.5	18.2	29.8	159.3	241.7	339.7	456.9	574.6	682.1	759.1	842.1
	60-69歳	260	450.5	175.2	14.0	70.6	174.4	246.1	310.0	446.0	584.0	685.5	740.8	882.0
	70歳以上	355	427.6	146.4	8.5	149.2	217.0	256.3	311.9	430.0	506.9	619.8	689.7	829.4
	(再掲)20歳以上※	1,204	448.9	172.1	7.9	99.7	184.9	246.1	330.0	440.1	549.8	680.0	750.0	907.0
	(再掲)65-74歳	281	436.4	162.3	11.2	104.6	210.0	249.6	301.9	440.6	532.7	663.7	710.0	855.3
	(再掲)75歳以上	244	421.2	142.6	9.4	147.3	216.5	259.6	311.5	410.9	503.4	610.0	674.0	824.6
	(再掲)20-49歳※	408	459.9	183.7	12.8	87.6	180.0	233.3	350.0	443.8	559.2	700.0	790.2	994.3
	(再掲)40-74歳※	733	454.9	168.6	8.0	87.6	195.6	253.5	330.5	450.0	569.4	680.1	735.1	875.5

注) 値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のH28人口構成に合わせるための重み付けをした値。

食品群別摂取量(20歳以上性年齢階級別)

(穀類内訳)米・米加工品(g)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル								
						1	5	10	25	50	75	90	95	99
男性	20-29歳	42	388.4	178.8	34.1	100.0	131.0	191.0	250.0	353.6	530.0	682.3	750.0	750.0
	30-39歳	58	483.7	238.6	26.2	150.0	187.4	200.0	300.0	400.0	653.4	803.3	953.8	1283.7
	40-49歳	96	407.6	190.3	19.1	0.0	160.0	195.2	289.8	400.0	512.2	660.0	815.7	997.8
	50-59歳	84	428.7	187.3	23.1	15.8	148.9	200.0	275.6	400.0	579.0	701.5	752.9	830.0
	60-69歳	115	430.1	192.4	23.9	0.0	124.9	151.9	280.0	420.7	572.4	700.0	748.1	876.4
	70歳以上	168	411.2	182.3	19.3	44.1	123.6	167.5	280.0	405.5	540.0	615.0	723.6	950.6
	(再掲)20歳以上※	563	422.4	194.9	11.0	38.1	150.0	200.0	280.0	400.0	550.0	700.0	750.0	951.9
	(再掲)65-74歳	130	413.9	192.6	21.0	0.0	121.3	155.7	277.3	400.0	550.0	700.0	750.0	861.7
	(再掲)75歳以上	107	411.7	174.8	18.6	98.7	146.1	184.2	280.0	407.3	530.1	610.0	687.6	1004.3
	(再掲)20-49歳※	196	422.8	204.5	16.2	5.2	164.5	200.0	280.0	400.0	547.4	700.0	800.0	1059.4
(再掲)40-74歳※	356	420.2	190.7	11.3	0.0	140.0	184.6	280.0	400.0	550.0	690.0	750.0	873.8	
女性	20-29歳	40	266.2	165.1	24.6	0.0	0.0	67.4	137.0	253.9	360.0	500.0	588.3	747.0
	30-39歳	87	283.2	164.8	16.6	0.0	0.0	54.9	200.0	280.0	395.3	461.7	503.6	1160.0
	40-49歳	85	329.0	135.6	16.9	12.9	120.1	150.0	212.5	327.4	443.0	499.2	516.6	700.0
	50-59歳	97	262.7	152.7	18.1	0.0	0.0	75.4	150.0	250.0	360.1	450.0	545.4	842.3
	60-69歳	145	274.4	153.5	17.8	0.0	42.9	100.0	170.0	260.0	365.0	466.0	590.5	718.0
	70歳以上	187	298.0	135.6	10.3	61.3	100.0	130.0	195.3	280.0	401.0	485.7	520.0	680.4
	(再掲)20歳以上※	641	288.0	149.8	9.6	0.0	66.0	110.0	180.0	280.0	390.0	489.5	520.0	700.0
	(再掲)65-74歳	151	287.3	143.9	16.2	0.0	100.0	128.8	180.0	266.9	372.1	459.6	530.0	810.8
	(再掲)75歳以上	137	291.5	134.0	13.4	58.6	100.0	120.0	180.0	280.0	394.0	490.0	516.7	619.6
	(再掲)20-49歳※	212	294.9	156.0	14.4	0.0	0.0	105.0	200.0	287.7	400.0	495.0	515.3	719.6
(再掲)40-74歳※	377	293.3	148.5	10.3	0.0	91.2	123.4	187.5	280.0	397.4	479.7	549.0	700.0	
男女計	20-29歳	82	329.5	182.0	25.3	0.0	70.2	100.4	200.0	286.5	446.6	600.0	700.0	750.0
	30-39歳	145	385.4	228.3	20.7	0.0	60.0	160.0	220.0	350.0	478.2	700.0	814.2	1216.2
	40-49歳	181	368.9	169.9	10.6	0.0	131.6	177.3	248.0	360.0	464.0	597.0	662.2	909.2
	50-59歳	181	345.7	189.7	20.1	0.0	50.0	125.6	200.0	330.0	471.0	600.0	705.7	824.2
	60-69歳	260	351.2	190.2	17.1	0.0	100.0	130.0	200.0	320.7	470.5	636.3	700.0	827.2
	70歳以上	355	345.2	166.3	12.8	70.7	106.6	148.5	220.0	318.4	458.1	570.0	610.7	827.1
	(再掲)20歳以上※	1,204	352.9	185.5	10.0	0.0	100.0	140.0	210.0	325.4	460.0	600.0	700.0	864.2
	(再掲)65-74歳	281	346.4	179.7	14.7	0.0	100.1	150.0	200.0	320.0	454.1	600.0	702.9	816.1
	(再掲)75歳以上	244	338.2	161.9	13.0	78.1	100.0	135.1	209.0	314.6	450.0	544.2	600.0	804.2
	(再掲)20-49歳※	408	360.4	193.1	13.5	0.0	100.0	150.0	213.2	339.9	464.0	611.7	723.2	980.0
(再掲)40-74歳※	733	356.4	182.1	9.0	0.0	100.0	150.0	213.0	341.3	464.4	600.0	700.0	850.0	

注) 値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のH28人口構成に合わせるための重み付けをした値。

食品群別摂取量(20歳以上性年齢階級別)

(穀類内訳)「小麦・加工品」、「その他の穀類・加工品」の合計(g)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル								
						1	5	10	25	50	75	90	95	99
男性	20-29歳	42	110.5	112.3	24.0	0.0	0.0	0.0	14.1	93.7	166.1	273.9	317.2	520.8
	30-39歳	58	89.1	103.6	17.5	0.0	0.0	0.0	3.5	39.5	163.1	256.0	299.5	336.8
	40-49歳	96	116.0	111.7	11.2	0.0	0.0	0.0	14.1	83.0	195.8	260.6	346.5	478.9
	50-59歳	84	117.5	143.8	15.9	0.0	0.0	0.0	10.3	54.0	213.1	308.1	401.4	841.0
	60-69歳	115	101.0	111.2	10.1	0.0	0.0	0.0	5.2	65.2	156.7	278.8	353.1	404.8
	70歳以上	168	85.9	101.3	8.9	0.0	0.0	0.0	2.9	53.7	121.1	239.2	293.5	418.7
	(再掲)20歳以上※	563	102.5	113.9	6.2	0.0	0.0	0.0	6.1	64.0	169.1	274.1	324.7	464.7
	(再掲)65-74歳	130	94.6	116.3	10.8	0.0	0.0	0.0	0.0	35.5	168.6	272.3	359.9	431.0
	(再掲)75歳以上	107	82.2	91.6	8.4	0.0	0.0	0.0	3.7	57.1	114.7	238.3	286.6	381.9
	(再掲)20-49歳※	196	106.4	109.7	10.5	0.0	0.0	0.0	7.2	72.1	176.5	272.1	300.0	481.9
	(再掲)40-74歳※	356	108.5	121.2	5.8	0.0	0.0	0.0	7.5	66.7	181.9	283.6	348.2	465.3
女性	20-29歳	40	100.0	128.0	26.9	0.0	0.0	0.0	3.0	56.0	144.9	272.3	418.4	550.0
	30-39歳	87	96.2	105.6	12.9	0.0	0.0	0.0	6.9	62.4	149.7	263.4	300.6	494.7
	40-49歳	85	82.7	100.6	14.7	0.0	0.0	0.0	0.0	50.8	114.7	248.0	317.4	414.0
	50-59歳	97	94.4	117.9	13.9	0.0	0.0	0.0	7.7	60.0	111.3	284.7	344.7	611.6
	60-69歳	145	97.8	110.1	9.0	0.0	0.0	0.0	6.9	60.0	160.6	302.5	310.0	442.8
	70歳以上	187	80.0	90.1	8.3	0.0	0.0	0.0	2.9	60.0	115.2	239.8	261.9	370.0
	(再掲)20歳以上※	641	90.0	106.4	6.6	0.0	0.0	0.0	3.6	60.0	121.5	258.0	303.4	447.7
	(再掲)65-74歳	151	85.9	98.5	8.7	0.0	0.0	0.0	2.8	60.0	114.8	255.8	303.5	369.0
	(再掲)75歳以上	137	83.5	96.3	10.6	0.0	0.0	0.0	1.2	58.4	120.0	240.0	267.5	421.3
	(再掲)20-49歳※	212	92.3	111.4	11.3	0.0	0.0	0.0	3.0	56.9	130.0	267.4	317.4	512.6
	(再掲)40-74歳※	377	88.6	104.7	6.0	0.0	0.0	0.0	4.8	60.0	112.9	257.6	306.8	415.8
男女計	20-29歳	82	105.5	119.6	21.8	0.0	0.0	0.0	3.0	63.8	149.7	280.0	357.9	550.0
	30-39歳	145	92.5	104.3	13.6	0.0	0.0	0.0	5.1	56.7	152.8	258.5	300.0	406.8
	40-49歳	181	99.6	107.5	7.3	0.0	0.0	0.0	8.4	64.2	160.0	260.2	317.4	454.9
	50-59歳	181	106.0	131.6	13.3	0.0	0.0	0.0	9.6	59.9	144.3	303.9	345.6	613.9
	60-69歳	260	99.4	110.5	7.6	0.0	0.0	0.0	5.5	61.1	157.6	290.4	342.2	401.5
	70歳以上	355	82.4	94.8	7.1	0.0	0.0	0.0	3.0	60.0	116.4	239.1	273.3	390.4
	(再掲)20歳以上※	1,204	96.0	110.2	5.6	0.0	0.0	0.0	5.0	60.0	144.0	265.0	309.3	452.9
	(再掲)65-74歳	281	90.0	107.1	8.7	0.0	0.0	0.0	0.8	55.3	125.0	265.8	309.8	391.0
	(再掲)75歳以上	244	83.0	94.3	7.9	0.0	0.0	0.0	2.5	58.4	120.0	239.8	271.3	378.1
	(再掲)20-49歳※	408	99.6	110.6	8.2	0.0	0.0	0.0	5.1	61.0	153.5	265.8	300.0	487.3
	(再掲)40-74歳※	733	98.5	113.6	4.5	0.0	0.0	0.0	6.8	60.0	143.9	277.3	323.3	449.2

注) 値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のH28人口構成に合わせるための重み付けをした値。

食品群別摂取量(20歳以上性年齢階級別)

いも類(g)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル								
						1	5	10	25	50	75	90	95	99
男性	20-29歳	42	52.6	86.4	12.3	0.0	0.0	0.0	0.0	20.2	75.8	133.0	265.9	446.2
	30-39歳	58	66.9	68.0	9.0	0.0	0.0	0.0	18.2	50.2	94.6	170.3	204.8	354.7
	40-49歳	96	48.9	54.6	6.8	0.0	0.0	0.0	1.5	34.1	66.0	147.6	180.0	187.5
	50-59歳	84	64.9	69.8	6.8	0.0	0.0	0.0	13.9	42.5	95.3	183.7	199.4	352.1
	60-69歳	115	60.3	63.0	6.2	0.0	0.0	0.0	3.6	46.6	90.7	160.4	174.5	342.0
	70歳以上	168	87.7	91.6	7.9	0.0	0.0	0.0	12.5	60.4	133.4	202.7	268.2	379.3
	(再掲)20歳以上※	563	64.7	75.3	4.6	0.0	0.0	0.0	2.8	42.4	95.2	170.9	199.3	371.4
	(再掲)65-74歳	130	76.2	69.3	7.8	0.0	0.0	0.0	19.9	64.5	122.7	170.8	200.5	319.4
	(再掲)75歳以上	107	81.5	96.4	8.7	0.0	0.0	0.0	0.0	58.6	128.1	219.2	296.1	489.6
	(再掲)20-49歳※	196	55.3	70.5	5.6	0.0	0.0	0.0	1.4	34.8	79.9	147.0	180.2	389.5
	(再掲)40-74歳※	356	63.4	66.9	4.9	0.0	0.0	0.0	6.0	42.5	95.0	170.9	187.5	274.1
女性	20-29歳	40	40.4	51.3	10.8	0.0	0.0	0.0	0.0	12.5	73.7	123.1	155.7	188.5
	30-39歳	87	63.3	64.6	7.9	0.0	0.0	0.0	6.9	57.8	94.4	138.8	181.7	451.4
	40-49歳	85	45.6	61.8	7.6	0.0	0.0	0.0	0.9	26.3	73.8	123.3	186.2	352.1
	50-59歳	97	52.3	57.1	6.1	0.0	0.0	0.0	1.0	36.6	81.4	127.2	165.4	283.8
	60-69歳	145	67.9	68.0	5.7	0.0	0.0	0.0	3.3	53.5	107.8	163.2	185.8	405.6
	70歳以上	187	62.1	71.0	5.2	0.0	0.0	0.0	2.6	44.0	92.0	151.9	217.0	301.0
	(再掲)20歳以上※	641	56.4	64.6	3.6	0.0	0.0	0.0	1.4	40.0	89.0	140.4	180.0	274.3
	(再掲)65-74歳	151	68.6	58.6	5.4	0.0	0.0	0.0	11.7	60.0	108.8	162.0	185.7	199.9
	(再掲)75歳以上	137	60.5	77.5	7.2	0.0	0.0	0.0	0.3	31.9	91.7	161.6	234.4	370.7
	(再掲)20-49歳※	212	49.0	59.8	4.7	0.0	0.0	0.0	0.4	30.0	78.8	125.8	156.5	245.1
	(再掲)40-74歳※	377	57.4	61.7	3.4	0.0	0.0	0.0	1.6	40.9	90.0	136.7	177.4	263.5
男女計	20-29歳	82	46.7	71.6	9.0	0.0	0.0	0.0	0.0	12.5	74.0	127.9	162.6	446.2
	30-39歳	145	65.1	66.1	6.5	0.0	0.0	0.0	13.3	52.1	94.5	148.4	180.0	362.1
	40-49歳	181	47.3	58.1	6.7	0.0	0.0	0.0	1.4	30.0	67.9	124.5	179.8	240.5
	50-59歳	181	58.6	63.9	5.0	0.0	0.0	0.0	5.2	40.5	86.4	159.2	191.3	297.1
	60-69歳	260	64.1	65.6	5.1	0.0	0.0	0.0	3.7	50.0	100.0	162.0	179.5	283.1
	70歳以上	355	72.8	81.1	5.7	0.0	0.0	0.0	3.9	50.0	114.3	181.8	236.1	357.5
	(再掲)20歳以上※	1,204	60.4	70.1	3.7	0.0	0.0	0.0	1.9	40.5	90.2	154.5	187.6	343.3
	(再掲)65-74歳	281	72.2	63.9	6.2	0.0	0.0	0.0	18.2	60.0	112.4	165.5	187.9	241.9
	(再掲)75歳以上	244	68.6	85.8	6.7	0.0	0.0	0.0	0.1	40.4	101.0	185.7	259.2	358.9
	(再掲)20-49歳※	408	52.2	65.5	4.3	0.0	0.0	0.0	1.2	31.1	79.5	128.2	179.8	354.3
	(再掲)40-74歳※	733	60.3	64.4	3.9	0.0	0.0	0.0	3.8	42.5	90.5	160.0	184.2	246.5

注) 値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のH28人口構成に合わせるための重み付けをした値。

食品群別摂取量(20歳以上性年齢階級別)

砂糖・甘味料類(g)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル								
						1	5	10	25	50	75	90	95	99
男性	20-29歳	42	6.2	9.9	1.52	0.0	0.0	0.0	0.0	2.0	7.6	21.4	38.2	40.0
	30-39歳	58	5.1	5.3	0.51	0.0	0.0	0.0	0.6	3.7	6.3	14.1	19.0	21.0
	40-49歳	96	5.7	6.6	0.70	0.0	0.0	0.0	0.0	3.5	9.0	15.0	20.0	28.8
	50-59歳	84	5.2	7.4	0.81	0.0	0.0	0.0	0.8	3.0	7.2	12.2	22.3	48.1
	60-69歳	115	5.3	6.4	0.76	0.0	0.0	0.0	0.0	3.0	9.1	15.0	19.4	25.5
	70歳以上	168	9.2	10.0	0.71	0.0	0.0	0.0	2.4	6.8	13.0	19.4	27.1	59.5
	(再掲)20歳以上※	563	6.4	8.1	0.41	0.0	0.0	0.0	0.0	3.6	9.4	16.9	21.8	39.4
	(再掲)65-74歳	130	7.0	8.5	1.16	0.0	0.0	0.0	0.0	3.5	11.4	19.2	24.5	41.7
	(再掲)75歳以上	107	9.4	10.2	1.03	0.0	0.0	0.0	2.5	7.0	13.9	18.5	24.6	69.0
	(再掲)20-49歳※	196	5.7	7.6	0.58	0.0	0.0	0.0	0.0	3.0	8.6	16.8	21.4	39.5
	(再掲)40-74歳※	356	5.9	7.4	0.46	0.0	0.0	0.0	0.0	3.2	9.0	15.2	21.3	31.6
女性	20-29歳	40	3.7	4.7	1.01	0.0	0.0	0.0	0.0	2.1	6.4	12.7	15.1	17.0
	30-39歳	87	5.7	6.8	1.00	0.0	0.0	0.0	1.2	3.6	8.7	14.3	18.0	42.0
	40-49歳	85	6.3	8.2	0.63	0.0	0.0	0.0	0.0	3.4	7.7	17.4	25.0	42.3
	50-59歳	97	5.0	5.6	0.75	0.0	0.0	0.0	0.3	3.6	6.7	14.6	17.5	23.7
	60-69歳	145	7.1	8.0	0.97	0.0	0.0	0.0	0.8	4.9	10.7	17.5	25.2	36.7
	70歳以上	187	7.1	7.5	0.75	0.0	0.0	0.0	1.5	4.5	11.2	17.3	23.0	29.8
	(再掲)20歳以上※	641	6.1	7.2	0.37	0.0	0.0	0.0	0.4	3.7	8.6	16.0	19.8	33.4
	(再掲)65-74歳	151	7.5	7.8	0.82	0.0	0.0	0.0	1.4	5.6	11.6	16.5	25.6	35.6
	(再掲)75歳以上	137	7.1	7.9	0.93	0.0	0.0	0.0	1.5	4.0	11.1	17.8	23.0	37.1
	(再掲)20-49歳※	212	5.3	6.8	0.45	0.0	0.0	0.0	0.0	3.0	7.3	13.9	17.9	34.4
	(再掲)40-74歳※	377	6.4	7.3	0.36	0.0	0.0	0.0	0.3	4.3	9.1	16.1	22.9	34.1
男女計	20-29歳	82	5.0	7.9	1.13	0.0	0.0	0.0	0.0	2.2	6.3	15.3	21.7	40.0
	30-39歳	145	5.4	6.1	0.56	0.0	0.0	0.0	0.9	3.6	7.8	14.0	17.9	29.8
	40-49歳	181	6.0	7.4	0.57	0.0	0.0	0.0	0.0	3.5	9.0	16.0	22.1	33.7
	50-59歳	181	5.1	6.6	0.58	0.0	0.0	0.0	0.6	3.0	7.0	12.6	17.9	29.5
	60-69歳	260	6.3	7.3	0.75	0.0	0.0	0.0	0.0	3.6	9.5	16.2	22.7	31.3
	70歳以上	355	8.0	8.7	0.60	0.0	0.0	0.0	2.0	5.5	12.0	17.9	24.1	43.1
	(再掲)20歳以上※	1,204	6.2	7.6	0.35	0.0	0.0	0.0	0.2	3.6	9.2	16.3	21.4	34.7
	(再掲)65-74歳	281	7.3	8.1	0.88	0.0	0.0	0.0	1.0	4.9	11.6	17.4	25.2	34.0
	(再掲)75歳以上	244	8.0	8.9	0.74	0.0	0.0	0.0	1.8	5.1	12.5	18.4	23.0	49.7
	(再掲)20-49歳※	408	5.5	7.2	0.43	0.0	0.0	0.0	0.0	3.0	7.8	14.6	20.0	38.4
	(再掲)40-74歳※	733	6.1	7.3	0.36	0.0	0.0	0.0	0.0	3.7	9.0	15.5	22.0	33.9

注) 値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のH28人口構成に合わせるための重み付けをした値。

食品群別摂取量(20歳以上性年齢階級別)

豆類(g)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル								
						1	5	10	25	50	75	90	95	99
男性	20-29歳	42	35.8	49.1	5.3	0.0	0.0	0.0	0.0	5.5	75.0	117.8	149.8	180.0
	30-39歳	58	64.1	88.2	9.9	0.0	0.0	0.0	0.0	34.0	98.0	144.3	217.7	626.7
	40-49歳	96	55.0	64.9	7.0	0.0	0.0	0.0	0.3	40.0	76.2	147.6	186.0	387.9
	50-59歳	84	66.8	70.7	10.7	0.0	0.0	0.0	9.9	52.0	86.2	160.6	233.6	315.0
	60-69歳	115	70.9	74.4	7.7	0.0	0.0	0.0	10.2	49.8	111.2	181.4	225.7	335.1
	70歳以上	168	59.7	55.9	3.5	0.0	0.0	0.0	6.0	49.5	90.0	150.0	174.3	227.4
	(再掲)20歳以上※	563	58.7	67.7	3.0	0.0	0.0	0.0	0.0	40.0	86.8	144.1	180.0	300.1
	(再掲)65-74歳	130	63.3	59.3	4.9	0.0	0.0	0.0	20.2	52.7	89.7	134.9	180.0	307.6
	(再掲)75歳以上	107	56.4	57.2	4.3	0.0	0.0	0.0	2.0	40.0	85.4	145.9	175.5	254.8
	(再掲)20-49歳※	196	51.0	68.6	4.4	0.0	0.0	0.0	0.0	29.8	75.0	134.0	175.0	308.5
	(再掲)40-74歳※	356	64.3	68.1	4.3	0.0	0.0	0.0	7.4	50.0	90.0	159.9	200.5	310.7
女性	20-29歳	40	43.5	45.6	7.6	0.0	0.0	0.0	0.0	34.3	60.0	119.9	137.5	180.5
	30-39歳	87	48.9	58.8	6.7	0.0	0.0	0.0	2.1	30.0	72.2	130.3	184.7	275.0
	40-49歳	85	69.5	87.0	8.2	0.0	0.0	0.0	8.4	44.0	90.5	170.9	243.6	590.0
	50-59歳	97	65.6	69.1	8.5	0.0	0.0	0.0	5.8	52.2	92.9	154.8	189.2	325.1
	60-69歳	145	65.6	72.7	5.4	0.0	0.0	0.0	20.0	50.0	87.3	161.7	238.5	359.8
	70歳以上	187	54.7	60.9	4.1	0.0	0.0	0.0	3.4	40.0	79.2	132.2	172.7	354.0
	(再掲)20歳以上※	641	58.1	67.2	3.6	0.0	0.0	0.0	6.0	40.0	80.0	138.0	191.8	319.6
	(再掲)65-74歳	151	54.3	60.9	4.8	0.0	0.0	0.0	9.7	40.0	76.1	120.0	192.6	328.2
	(再掲)75歳以上	137	58.2	58.9	5.1	0.0	0.0	0.0	5.8	46.2	83.9	136.3	189.2	270.9
	(再掲)20-49歳※	212	54.9	68.3	5.9	0.0	0.0	0.0	5.7	37.0	75.3	137.9	180.3	320.3
	(再掲)40-74歳※	377	63.8	75.4	4.0	0.0	0.0	0.0	7.5	44.0	87.2	150.3	206.0	352.6
男女計	20-29歳	82	39.5	47.4	5.3	0.0	0.0	0.0	0.0	30.0	73.4	119.4	137.3	180.5
	30-39歳	145	56.6	75.3	6.7	0.0	0.0	0.0	0.0	31.5	79.8	140.0	180.7	420.8
	40-49歳	181	62.1	76.7	5.4	0.0	0.0	0.0	6.0	40.0	87.5	160.9	206.0	402.0
	50-59歳	181	66.2	69.7	7.6	0.0	0.0	0.0	8.5	52.0	87.5	152.8	205.8	317.9
	60-69歳	260	68.2	73.5	5.9	0.0	0.0	0.0	20.0	50.0	91.0	177.9	231.3	324.6
	70歳以上	355	56.7	58.8	3.0	0.0	0.0	0.0	4.1	44.4	84.3	137.3	170.4	244.6
	(再掲)20歳以上※	1,204	58.4	67.4	2.8	0.0	0.0	0.0	3.8	40.0	83.3	140.0	183.3	306.5
	(再掲)65-74歳	281	58.5	60.2	3.5	0.0	0.0	0.0	12.5	47.2	85.0	120.0	180.0	307.9
	(再掲)75歳以上	244	57.5	58.2	3.4	0.0	0.0	0.0	5.2	43.7	85.0	142.3	178.6	232.8
	(再掲)20-49歳※	408	52.9	68.4	3.8	0.0	0.0	0.0	0.0	32.0	75.0	135.3	176.5	286.3
	(再掲)40-74歳※	733	64.0	71.8	3.8	0.0	0.0	0.0	7.5	45.9	88.5	151.0	205.8	325.1

注) 値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のH28人口構成に合わせるための重み付けをした値。

食品群別摂取量(20歳以上性年齢階級別)

種実類(g)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル								
						1	5	10	25	50	75	90	95	99
男性	20-29歳	42	3.0	10.5	1.96	0.0	0.0	0.0	0.0	0.0	0.6	7.2	35.2	51.4
	30-39歳	58	3.2	13.8	1.84	0.0	0.0	0.0	0.0	0.0	0.4	3.3	17.2	90.0
	40-49歳	96	2.4	11.5	0.94	0.0	0.0	0.0	0.0	0.0	0.0	5.0	9.6	97.7
	50-59歳	84	3.2	8.2	0.86	0.0	0.0	0.0	0.0	0.0	1.3	8.8	20.0	51.4
	60-69歳	115	5.4	12.4	1.83	0.0	0.0	0.0	0.0	0.0	2.6	30.1	36.5	51.5
	70歳以上	168	3.7	9.6	0.89	0.0	0.0	0.0	0.0	0.0	2.5	15.0	18.0	55.9
	(再掲)20歳以上※	563	3.5	11.0	0.70	0.0	0.0	0.0	0.0	0.0	1.0	9.0	19.9	51.8
	(再掲)65-74歳	130	5.6	13.5	1.74	0.0	0.0	0.0	0.0	0.0	2.9	30.2	33.3	69.7
	(再掲)75歳以上	107	3.5	6.7	0.90	0.0	0.0	0.0	0.0	0.0	3.0	15.0	17.9	31.3
	(再掲)20-49歳※	196	2.8	11.8	1.06	0.0	0.0	0.0	0.0	0.0	0.0	3.7	11.7	88.1
	(再掲)40-74歳※	356	3.7	11.4	0.73	0.0	0.0	0.0	0.0	0.0	0.8	9.2	26.5	52.5
女性	20-29歳	40	1.9	3.7	1.22	0.0	0.0	0.0	0.0	0.0	1.2	10.1	10.1	11.1
	30-39歳	87	1.5	6.5	0.89	0.0	0.0	0.0	0.0	0.0	0.0	3.0	7.9	50.0
	40-49歳	85	3.2	9.0	0.74	0.0	0.0	0.0	0.0	0.0	2.0	8.0	21.4	97.6
	50-59歳	97	5.2	16.5	1.57	0.0	0.0	0.0	0.0	0.0	2.0	10.4	32.4	111.6
	60-69歳	145	3.8	10.0	0.74	0.0	0.0	0.0	0.0	0.0	3.3	12.1	19.5	82.7
	70歳以上	187	3.0	7.8	0.59	0.0	0.0	0.0	0.0	0.0	1.6	12.0	16.4	46.4
	(再掲)20歳以上※	641	3.1	9.5	0.52	0.0	0.0	0.0	0.0	0.0	1.5	10.0	15.4	50.5
	(再掲)65-74歳	151	4.2	10.3	0.70	0.0	0.0	0.0	0.0	0.0	3.7	15.2	19.7	79.5
	(再掲)75歳以上	137	2.7	7.3	0.64	0.0	0.0	0.0	0.0	0.0	1.1	11.6	15.1	43.1
	(再掲)20-49歳※	212	2.3	6.9	0.66	0.0	0.0	0.0	0.0	0.0	1.0	8.2	10.1	42.5
	(再掲)40-74歳※	377	4.0	11.6	0.65	0.0	0.0	0.0	0.0	0.0	2.4	10.6	20.0	66.6
男女計	20-29歳	82	2.4	7.9	1.18	0.0	0.0	0.0	0.0	0.0	1.0	9.5	10.1	51.4
	30-39歳	145	2.4	10.8	0.97	0.0	0.0	0.0	0.0	0.0	0.0	3.0	9.3	79.3
	40-49歳	181	2.8	10.3	0.62	0.0	0.0	0.0	0.0	0.0	1.0	8.0	13.9	97.7
	50-59歳	181	4.2	13.1	0.86	0.0	0.0	0.0	0.0	0.0	1.8	10.0	20.0	82.4
	60-69歳	260	4.5	11.2	1.10	0.0	0.0	0.0	0.0	0.0	3.0	15.6	30.9	50.9
	70歳以上	355	3.3	8.6	0.59	0.0	0.0	0.0	0.0	0.0	2.0	15.0	17.0	43.5
	(再掲)20歳以上※	1,204	3.3	10.3	0.50	0.0	0.0	0.0	0.0	0.0	1.1	10.0	17.6	51.4
	(再掲)65-74歳	281	4.8	11.9	1.02	0.0	0.0	0.0	0.0	0.0	3.3	15.6	30.9	55.1
	(再掲)75歳以上	244	3.0	7.1	0.67	0.0	0.0	0.0	0.0	0.0	1.7	15.0	15.7	32.0
	(再掲)20-49歳※	408	2.5	9.7	0.64	0.0	0.0	0.0	0.0	0.0	0.8	7.8	10.1	51.4
	(再掲)40-74歳※	733	3.9	11.5	0.57	0.0	0.0	0.0	0.0	0.0	1.6	10.0	20.7	52.0

注) 値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のH28人口構成に合わせるための重み付けをした値。

食品群別摂取量(20歳以上性年齢階級別)

野菜類(緑黄色野菜+その他の野菜+野菜ジュース+漬物)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル								
						1	5	10	25	50	75	90	95	99
男性	20-29歳	42	280.4	252.1	42.4	0.0	25.2	75.5	100.0	209.2	396.2	532.2	634.9	1601.6
	30-39歳	58	338.1	210.9	29.6	0.6	30.1	118.3	206.8	319.7	395.2	701.8	760.9	950.5
	40-49歳	96	326.2	162.5	17.4	4.1	87.6	118.9	201.0	306.8	434.2	522.2	630.5	821.4
	50-59歳	84	318.6	179.0	24.1	11.7	122.6	146.3	180.8	276.0	408.0	645.3	685.6	885.3
	60-69歳	115	363.9	206.5	21.6	0.0	67.0	132.4	221.4	349.3	478.4	582.8	685.4	1291.1
	70歳以上	168	390.8	227.6	18.1	55.2	111.2	144.4	224.0	351.8	513.3	697.6	868.9	1099.3
	(再掲)20歳以上※	563	340.3	211.5	13.6	4.4	84.1	116.7	188.2	309.8	443.2	597.5	713.3	1066.5
	(再掲)65-74歳	130	409.3	234.8	19.9	0.0	74.0	167.6	240.9	378.4	538.5	674.1	874.6	1265.2
	(再掲)75歳以上	107	365.1	215.8	20.0	54.6	110.8	138.7	209.9	333.8	456.5	652.9	816.5	1087.3
	(再掲)20-49歳※	196	314.0	210.5	18.4	0.0	64.3	98.4	157.6	295.8	411.7	552.9	681.1	1085.9
	(再掲)40-74歳※	356	351.2	196.3	12.0	13.6	93.4	139.5	202.0	319.1	459.8	595.4	698.7	1006.8
女性	20-29歳	40	267.0	176.6	27.8	25.0	61.8	83.6	113.6	243.4	364.0	502.6	707.1	781.7
	30-39歳	87	289.6	180.3	20.2	11.5	55.0	96.5	159.7	272.8	389.3	507.5	640.3	1086.0
	40-49歳	85	289.6	158.0	17.2	9.8	81.6	130.0	172.4	257.2	357.3	543.2	574.1	958.5
	50-59歳	97	324.6	190.0	19.3	30.0	86.4	113.4	169.6	291.8	436.3	590.7	716.2	932.1
	60-69歳	145	383.2	211.0	15.4	7.7	111.0	145.9	244.1	339.4	478.8	739.2	818.2	992.4
	70歳以上	187	330.8	174.5	12.7	62.1	95.1	121.0	194.5	304.5	442.3	567.7	650.3	822.7
	(再掲)20歳以上※	641	318.9	184.8	8.7	25.0	85.6	108.7	177.6	293.7	420.5	568.5	698.3	859.3
	(再掲)65-74歳	151	373.3	193.2	15.9	15.0	111.1	150.6	252.8	322.1	482.9	679.6	771.7	954.2
	(再掲)75歳以上	137	320.5	179.3	16.2	44.0	91.7	109.4	177.9	292.6	433.7	593.6	645.4	828.0
	(再掲)20-49歳※	212	282.1	170.3	12.5	9.7	64.0	94.2	158.9	254.3	371.0	510.8	594.6	922.3
	(再掲)40-74歳※	377	337.8	187.5	10.2	27.9	101.3	133.2	202.6	305.4	445.4	574.3	725.2	935.9
男女計	20-29歳	82	273.9	217.9	29.5	0.4	58.6	78.4	107.3	238.1	377.1	503.8	641.5	1601.6
	30-39歳	145	314.3	197.3	19.9	2.5	55.2	104.4	175.9	302.7	392.1	605.9	755.2	962.7
	40-49歳	181	308.2	161.0	14.7	9.5	84.6	126.7	189.4	285.5	394.2	522.7	574.8	834.0
	50-59歳	181	321.6	184.1	18.2	29.7	98.1	127.1	179.4	276.6	431.6	596.0	699.8	890.6
	60-69歳	260	373.7	208.7	13.3	4.8	93.6	142.4	233.4	341.3	477.4	655.8	778.1	1152.7
	70歳以上	355	355.8	200.3	14.2	63.3	103.4	130.2	210.0	315.3	465.7	626.4	744.9	1021.6
	(再掲)20歳以上※	1,204	329.2	198.4	10.1	10.9	84.9	111.9	183.9	301.4	429.7	580.3	702.7	949.6
	(再掲)65-74歳	281	390.1	214.1	13.5	13.4	103.0	159.8	244.2	340.5	496.6	679.0	823.2	1142.3
	(再掲)75歳以上	244	337.8	195.2	15.6	51.4	95.9	121.3	191.6	302.4	435.5	613.8	721.5	998.2
	(再掲)20-49歳※	408	298.4	192.4	13.7	4.2	68.1	94.4	159.3	274.8	387.9	529.0	633.5	930.3
	(再掲)40-74歳※	733	344.4	191.9	9.3	29.3	98.1	137.4	202.0	309.7	453.0	583.2	707.9	950.5

注) 値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のH28人口構成に合わせるための重み付けをした値。

食品群別摂取量(20歳以上性年齢階級別)

野菜類(緑黄色野菜とその他野菜類の合計)(g)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル								
						1	5	10	25	50	75	90	95	99
男性	20-29歳	42	241.3	163.2	35.1	0.0	25.2	69.0	100.0	181.8	396.2	495.2	552.6	597.5
	30-39歳	58	317.3	209.6	30.1	0.6	14.3	83.9	161.7	306.0	383.7	701.2	758.4	881.9
	40-49歳	96	299.8	153.6	18.6	4.1	81.2	101.5	179.4	280.3	407.3	502.9	549.2	713.9
	50-59歳	84	293.8	170.8	20.9	0.9	101.3	126.2	163.5	256.1	379.3	575.6	661.3	885.3
	60-69歳	115	339.4	198.0	22.2	0.0	59.2	125.2	200.5	315.0	452.1	579.2	604.8	1259.1
	70歳以上	168	356.3	213.5	16.7	34.6	94.2	121.9	197.6	320.6	469.8	653.5	758.7	1063.2
	(再掲)20歳以上※	563	311.5	190.4	13.5	2.5	73.2	100.0	169.0	284.1	411.3	554.8	665.1	882.7
	(再掲)65-74歳	130	380.9	224.6	19.6	0.0	72.4	147.7	224.0	355.2	509.3	627.4	806.8	1251.0
	(再掲)75歳以上	107	328.3	196.8	17.5	30.6	90.6	115.9	190.9	283.3	411.7	647.9	728.3	1026.4
	(再掲)20-49歳※	196	284.8	176.5	18.2	0.0	56.8	87.3	142.3	258.5	389.6	504.7	589.6	851.2
	(再掲)40-74歳※	356	325.2	187.8	11.4	6.0	83.5	122.7	184.2	295.8	420.2	554.4	656.6	993.2
女性	20-29歳	40	248.7	179.1	31.6	10.0	58.9	69.1	111.7	191.8	336.9	502.6	707.1	781.7
	30-39歳	87	280.8	173.9	19.7	11.5	54.3	94.5	159.0	271.6	350.5	452.8	632.2	1086.0
	40-49歳	85	272.3	144.7	15.4	9.8	77.6	112.5	165.9	230.9	338.9	512.6	565.1	724.3
	50-59歳	97	302.4	177.3	21.1	0.0	74.0	104.9	168.9	256.8	418.0	558.0	657.4	919.6
	60-69歳	145	357.3	196.4	15.1	7.7	108.0	143.0	219.5	317.1	463.1	660.9	763.2	977.9
	70歳以上	187	301.8	160.9	12.4	25.5	88.1	108.1	180.3	274.2	422.6	527.7	607.6	710.7
	(再掲)20歳以上※	641	296.9	173.7	9.3	11.4	76.8	103.0	164.1	268.8	395.3	531.1	632.4	783.8
	(再掲)65-74歳	151	348.1	178.2	16.3	15.0	102.8	145.6	235.2	310.7	459.5	546.5	719.2	845.5
	(再掲)75歳以上	137	291.8	167.4	14.6	21.7	81.0	102.0	161.6	255.0	388.6	545.3	614.2	747.6
	(再掲)20-49歳※	212	266.9	164.9	12.8	10.3	62.7	90.1	141.7	234.1	338.0	507.0	578.1	774.3
	(再掲)40-74歳※	377	314.7	172.9	9.7	19.9	84.2	120.1	190.0	281.9	432.3	543.7	637.3	825.9
男女計	20-29歳	82	244.8	170.2	28.4	0.4	50.9	69.5	102.7	181.8	356.3	489.8	572.1	781.7
	30-39歳	145	299.4	193.1	19.8	2.5	24.5	91.9	159.4	279.4	382.8	573.8	750.8	900.3
	40-49歳	181	286.3	149.6	14.8	9.5	82.0	108.4	169.9	250.7	382.4	506.0	560.1	703.0
	50-59歳	181	298.1	173.7	17.4	0.0	82.8	118.6	168.3	256.3	394.0	558.6	662.2	853.6
	60-69歳	260	348.5	197.1	14.0	4.8	87.0	135.7	214.7	315.8	458.1	580.0	727.9	1053.4
	70歳以上	355	324.5	186.4	13.4	31.4	88.4	112.4	188.7	284.1	433.6	582.8	668.1	957.5
	(再掲)20歳以上※	1,204	304.0	182.0	10.5	8.0	74.5	100.0	167.6	276.6	401.2	543.2	650.8	866.2
	(再掲)65-74歳	281	363.4	201.6	13.7	6.9	95.0	147.5	225.4	319.7	477.6	599.5	732.5	1099.6
	(再掲)75歳以上	244	306.0	179.9	13.8	27.5	85.4	108.3	179.0	266.4	395.6	573.3	668.1	838.7
	(再掲)20-49歳※	408	276.1	171.0	13.8	4.2	59.4	88.7	142.3	244.4	375.1	505.2	579.0	776.2
	(再掲)40-74歳※	733	319.9	180.4	8.8	10.0	84.2	122.0	188.3	288.2	425.0	545.1	648.0	871.3

注) 値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のH28人口構成に合わせるための重み付けをした値。

食品群別摂取量(20歳以上性年齢階級別)

緑黄色野菜(g)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル								
						1	5	10	25	50	75	90	95	99
男性	20-29歳	42	53.9	45.5	9.2	0.0	0.0	6.4	11.6	45.0	76.9	125.0	147.8	225.4
	30-39歳	58	95.5	78.1	10.5	0.0	1.2	6.6	34.4	82.7	127.6	201.6	258.8	384.9
	40-49歳	96	81.1	68.0	9.9	0.0	0.0	2.2	30.0	65.2	115.4	183.5	200.4	356.5
	50-59歳	84	90.8	79.2	7.0	0.0	5.4	10.0	35.0	75.8	116.1	221.8	275.7	371.4
	60-69歳	115	100.9	85.4	7.9	0.0	0.0	5.0	30.3	91.3	147.6	196.1	271.0	457.8
	70歳以上	168	131.1	117.2	9.7	0.0	3.3	11.1	47.5	103.3	179.5	291.2	347.5	562.1
	(再掲)20歳以上※	563	94.6	87.6	6.2	0.0	0.0	8.3	33.2	75.5	131.7	200.2	268.4	450.8
	(再掲)65-74歳	130	112.6	92.3	8.6	0.0	2.8	12.3	38.4	101.2	149.1	243.1	312.6	450.8
	(再掲)75歳以上	107	136.3	123.7	12.6	0.0	0.0	14.1	52.3	112.8	177.8	296.5	397.7	691.9
	(再掲)20-49歳※	196	75.9	66.5	6.8	0.0	0.0	6.4	27.8	59.2	112.1	163.8	201.0	330.7
	(再掲)40-74歳※	356	95.3	82.8	4.6	0.0	0.0	8.0	34.9	78.7	134.2	200.1	269.0	372.8
女性	20-29歳	40	81.9	102.3	20.4	0.0	0.0	1.1	11.7	38.0	117.5	227.6	278.1	529.4
	30-39歳	87	88.6	83.1	10.5	0.0	1.5	9.1	28.1	60.7	131.8	198.5	280.2	399.0
	40-49歳	85	87.2	72.6	11.5	0.0	0.0	3.7	32.0	73.5	117.6	203.6	235.9	476.8
	50-59歳	97	103.3	102.0	9.4	0.0	2.5	12.0	34.4	82.5	130.2	217.8	302.0	646.6
	60-69歳	145	115.8	94.4	8.1	0.0	0.1	10.8	40.0	92.1	166.5	248.1	291.8	494.0
	70歳以上	187	111.6	102.6	8.8	0.0	0.0	7.1	30.7	85.0	173.4	264.2	313.4	410.3
	(再掲)20歳以上※	641	100.7	95.3	5.2	0.0	0.0	9.1	30.0	77.2	146.2	228.2	282.0	425.8
	(再掲)65-74歳	151	118.0	97.6	10.5	0.0	0.1	10.1	41.7	91.9	166.7	246.2	314.3	483.8
	(再掲)75歳以上	137	105.6	103.2	10.0	0.0	0.0	3.3	27.2	76.6	157.7	273.8	306.6	496.7
	(再掲)20-49歳※	212	85.9	85.9	8.3	0.0	0.0	7.7	27.6	57.6	124.3	211.6	244.8	479.1
	(再掲)40-74歳※	377	106.1	92.4	5.7	0.0	0.0	10.1	37.5	87.0	149.3	235.9	270.7	445.1
男女計	20-29歳	82	67.4	79.0	12.4	0.0	0.0	4.2	11.5	38.0	92.0	160.2	227.6	529.4
	30-39歳	145	92.1	80.4	7.5	0.0	1.4	9.0	30.0	70.5	130.1	202.8	249.0	390.2
	40-49歳	181	84.1	70.2	10.3	0.0	0.0	2.9	31.7	70.1	116.3	183.8	222.9	274.2
	50-59歳	181	97.1	91.3	6.3	0.0	5.3	11.0	35.0	77.8	124.6	214.6	275.8	458.6
	60-69歳	260	108.5	90.2	6.6	0.0	0.0	7.9	35.0	91.6	149.8	217.2	284.4	434.0
	70歳以上	355	119.7	109.2	8.5	0.0	0.0	8.5	38.0	92.2	175.8	272.0	333.6	456.2
	(再掲)20歳以上※	1,204	97.8	91.7	5.3	0.0	0.0	8.3	31.0	76.1	138.7	215.0	274.6	437.4
	(再掲)65-74歳	281	115.5	95.0	8.3	0.0	2.2	10.9	41.3	97.4	155.3	245.0	313.4	448.3
	(再掲)75歳以上	244	117.5	112.4	9.6	0.0	0.0	7.2	31.4	88.8	172.9	275.1	322.1	551.3
	(再掲)20-49歳※	408	80.8	76.7	6.7	0.0	0.0	6.6	27.7	58.9	116.0	183.5	228.6	359.1
	(再掲)40-74歳※	733	100.7	87.9	4.7	0.0	0.0	8.8	35.0	83.0	142.4	215.0	269.9	402.7

注) 値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のH28人口構成に合わせるための重み付けをした値。

食品群別摂取量(20歳以上性年齢階級別)

その他の野菜(g)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル								
						1	5	10	25	50	75	90	95	99
男性	20-29歳	42	187.4	141.2	29.3	0.0	16.9	37.3	88.1	125.9	301.1	408.4	462.7	541.5
	30-39歳	58	221.8	158.4	22.7	0.0	6.2	26.7	110.7	214.0	275.6	483.5	522.9	677.7
	40-49歳	96	218.7	123.0	11.2	4.1	41.4	78.3	126.6	203.2	275.2	407.7	432.2	627.6
	50-59歳	84	203.0	133.7	17.6	0.0	61.1	73.7	102.6	179.3	266.1	412.0	519.9	628.6
	60-69歳	115	238.5	156.5	17.9	0.0	41.1	79.8	145.4	218.2	314.5	395.8	485.4	1006.6
	70歳以上	168	225.2	157.0	11.3	13.4	41.4	64.1	109.8	185.8	300.4	453.6	517.8	871.1
	(再掲)20歳以上※	563	216.8	146.3	9.2	0.0	32.4	63.7	105.3	190.0	292.1	410.6	496.6	668.3
	(再掲)65-74歳	130	268.3	182.8	15.3	0.0	44.3	85.1	148.3	230.8	337.3	491.3	603.4	996.7
	(再掲)75歳以上	107	192.1	122.4	8.6	10.0	35.1	58.0	101.6	161.8	264.6	336.2	444.7	645.9
	(再掲)20-49歳※	196	53.2	64.7	5.0	0.0	0.0	0.0	7.4	32.0	70.1	149.5	192.5	305.4
	(再掲)40-74歳※	356	60.6	65.8	2.9	0.0	0.0	0.0	10.0	40.0	98.9	144.4	184.6	269.1
	女性	20-29歳	40	166.7	116.2	19.4	10.0	34.6	62.5	85.2	140.5	220.0	333.5	456.5
30-39歳		87	192.2	134.9	14.7	0.1	17.6	37.0	98.7	178.2	247.6	358.2	441.7	936.5
40-49歳		85	185.1	104.6	8.3	5.5	56.8	63.2	90.7	168.4	269.6	327.5	383.4	500.5
50-59歳		97	199.1	133.4	14.9	0.0	36.4	64.6	96.4	171.8	263.5	371.1	472.1	679.9
60-69歳		145	241.6	147.1	11.3	7.0	56.1	90.2	127.7	226.0	315.5	442.3	555.4	690.0
70歳以上		187	190.2	105.0	6.0	15.7	49.3	73.2	109.8	178.4	256.7	324.9	387.2	550.2
(再掲)20歳以上※		641	196.3	123.6	6.5	3.4	44.4	66.8	100.4	169.2	262.5	356.2	443.2	617.0
(再掲)65-74歳		151	230.1	131.5	9.3	12.5	72.9	95.7	129.4	209.9	298.9	398.6	472.1	681.9
(再掲)75歳以上		137	186.2	108.2	7.8	10.5	47.5	68.8	107.8	161.5	253.7	315.2	386.3	551.8
(再掲)20-49歳※		212	51.9	54.7	3.2	0.0	0.0	0.0	6.2	38.8	74.5	126.1	172.3	244.7
(再掲)40-74歳※		377	55.8	63.1	3.2	0.0	0.0	0.0	9.6	39.0	78.6	127.5	163.6	277.7
男女計		20-29歳	82	177.4	129.5	21.6	0.2	24.2	50.9	87.4	130.2	258.4	391.5	449.0
	30-39歳	145	207.3	147.5	15.8	0.0	11.8	34.4	110.8	184.4	267.0	405.3	498.1	701.0
	40-49歳	181	202.2	115.3	7.9	9.5	54.8	70.8	101.0	190.9	272.7	347.9	429.0	569.3
	50-59歳	181	201.0	133.2	13.7	0.0	50.2	64.7	99.4	179.1	265.5	373.3	504.1	626.9
	60-69歳	260	240.1	151.5	11.1	1.8	47.1	86.0	140.0	221.1	314.0	414.9	508.2	731.2
	70歳以上	355	204.8	130.2	7.7	17.7	45.5	70.0	109.8	182.1	266.8	369.7	462.4	667.4
	(再掲)20歳以上※	1,204	206.2	135.3	7.2	1.1	38.8	64.8	101.7	181.1	277.1	384.2	466.5	650.3
	(再掲)65-74歳	281	248.0	158.4	9.9	3.2	49.6	92.0	137.8	222.2	317.3	453.7	532.5	931.7
	(再掲)75歳以上	244	188.5	113.8	6.9	10.3	44.3	60.3	107.0	161.6	256.3	329.1	398.9	552.2
	(再掲)20-49歳※	408	52.5	60.0	3.5	0.0	0.0	0.0	7.3	34.9	72.3	143.1	183.5	258.6
	(再掲)40-74歳※	733	58.2	64.5	2.2	0.0	0.0	0.0	10.0	40.0	87.5	138.6	166.0	270.1

注) 値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のH28人口構成に合わせるための重み付けをした値。

食品群別摂取量(20歳以上性年齢階級別)

漬物(g)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル								
						1	5	10	25	50	75	90	95	99
男性	20-29歳	42	5.1	11.8	1.9	0.0	0.0	0.0	0.0	0.0	8.8	20.0	20.0	75.0
	30-39歳	58	10.5	28.9	4.1	0.0	0.0	0.0	0.0	0.0	8.2	33.1	71.7	200.0
	40-49歳	96	10.2	17.3	1.5	0.0	0.0	0.0	0.0	2.0	10.0	37.1	50.0	92.8
	50-59歳	84	12.5	25.5	2.8	0.0	0.0	0.0	0.0	1.7	15.0	30.0	70.8	200.0
	60-69歳	115	16.2	26.2	2.6	0.0	0.0	0.0	0.0	2.0	20.0	56.7	74.7	122.2
	70歳以上	168	28.4	50.4	4.5	0.0	0.0	0.0	0.0	10.0	32.8	92.5	117.3	271.3
	(再掲)20歳以上※	563	14.8	31.8	1.6	0.0	0.0	0.0	0.0	0.0	15.1	45.8	75.0	152.0
	(再掲)65-74歳	130	19.7	27.1	2.6	0.0	0.0	0.0	0.0	10.0	25.7	60.7	81.7	125.8
	(再掲)75歳以上	107	33.0	59.0	6.6	0.0	0.0	0.0	0.0	10.0	38.4	105.7	150.3	347.7
	(再掲)20-49歳※	196	8.6	20.0	1.7	0.0	0.0	0.0	0.0	0.0	10.0	20.0	50.0	98.4
	(再掲)40-74歳※	356	14.0	24.0	1.5	0.0	0.0	0.0	0.0	2.5	20.0	47.6	68.6	110.0
女性	20-29歳	40	7.8	18.1	2.7	0.0	0.0	0.0	0.0	0.0	6.4	32.6	49.0	100.0
	30-39歳	87	4.1	11.1	1.1	0.0	0.0	0.0	0.0	0.0	1.4	14.8	20.0	77.0
	40-49歳	85	6.2	12.6	1.3	0.0	0.0	0.0	0.0	0.0	10.0	24.2	30.0	76.0
	50-59歳	97	10.6	21.8	2.4	0.0	0.0	0.0	0.0	0.0	15.5	30.0	68.5	109.7
	60-69歳	145	12.9	18.5	1.2	0.0	0.0	0.0	0.0	5.0	20.0	40.0	50.0	84.2
	70歳以上	187	22.6	34.9	2.9	0.0	0.0	0.0	0.0	10.0	30.0	65.1	100.0	176.4
	(再掲)20歳以上※	641	12.6	24.5	1.2	0.0	0.0	0.0	0.0	0.0	15.6	40.0	60.0	113.7
	(再掲)65-74歳	151	15.9	24.1	2.1	0.0	0.0	0.0	0.0	9.0	20.0	52.5	65.5	106.5
	(再掲)75歳以上	137	23.5	36.5	3.8	0.0	0.0	0.0	0.0	10.0	30.0	63.2	103.9	188.5
	(再掲)20-49歳※	212	6.2	14.3	1.0	0.0	0.0	0.0	0.0	0.0	5.0	20.0	37.1	78.0
	(再掲)40-74歳※	377	11.4	20.6	1.3	0.0	0.0	0.0	0.0	0.0	15.0	37.1	60.0	100.0
男女計	20-29歳	82	6.4	15.1	1.4	0.0	0.0	0.0	0.0	0.0	7.4	20.0	37.9	100.0
	30-39歳	145	7.4	22.2	2.4	0.0	0.0	0.0	0.0	0.0	4.5	20.0	47.8	146.5
	40-49歳	181	8.3	15.3	1.1	0.0	0.0	0.0	0.0	0.0	10.0	30.0	45.5	78.0
	50-59歳	181	11.5	23.7	2.1	0.0	0.0	0.0	0.0	0.0	15.0	30.0	68.5	110.0
	60-69歳	260	14.5	22.6	1.6	0.0	0.0	0.0	0.0	3.2	20.0	48.0	60.2	100.6
	70歳以上	355	25.0	42.1	3.3	0.0	0.0	0.0	0.0	10.0	30.0	74.1	105.6	191.3
	(再掲)20歳以上※	1,204	13.7	28.3	1.2	0.0	0.0	0.0	0.0	0.0	15.0	40.0	68.5	133.3
	(再掲)65-74歳	281	17.7	25.5	2.0	0.0	0.0	0.0	0.0	10.0	23.7	58.9	71.8	106.8
	(再掲)75歳以上	244	27.2	46.7	4.6	0.0	0.0	0.0	0.0	10.0	32.0	90.0	116.5	198.3
	(再掲)20-49歳※	408	7.4	17.5	1.0	0.0	0.0	0.0	0.0	0.0	10.0	20.0	38.7	81.8
	(再掲)40-74歳※	733	12.7	22.4	1.2	0.0	0.0	0.0	0.0	0.0	16.0	40.0	61.6	100.0

注) 値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のH28人口構成に合わせるための重み付けをした値。

食品群別摂取量(20歳以上性年齢階級別)

果実類(生果+ジャム+果汁・果汁飲料)(g)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル								
						1	5	10	25	50	75	90	95	99
男性	20-29歳	42	34.6	96.1	14.3	0.0	0.0	0.0	0.0	0.0	7.0	124.8	350.7	462.2
	30-39歳	58	62.1	107.0	15.2	0.0	0.0	0.0	0.0	19.5	90.0	134.1	243.6	672.5
	40-49歳	96	54.9	89.5	9.0	0.0	0.0	0.0	0.0	0.0	69.2	200.0	249.9	560.3
	50-59歳	84	67.2	117.8	14.0	0.0	0.0	0.0	0.0	0.0	97.1	221.4	330.5	705.7
	60-69歳	115	117.3	129.2	12.9	0.0	0.0	0.0	0.0	88.0	202.0	269.5	348.6	693.4
	70歳以上	168	115.1	132.8	11.3	0.0	0.0	0.0	0.0	74.6	197.9	292.7	375.4	640.8
	(再掲)20歳以上※	563	78.6	118.5	6.3	0.0	0.0	0.0	0.0	15.8	122.1	248.4	302.8	550.9
	(再掲)65-74歳	130	139.1	140.4	11.4	0.0	0.0	0.0	1.4	106.5	232.2	317.7	380.2	751.7
	(再掲)75歳以上	107	109.4	130.6	16.5	0.0	0.0	0.0	0.0	52.4	200.7	287.4	367.9	580.1
	(再掲)20-49歳※	196	50.0	97.2	7.3	0.0	0.0	0.0	0.0	0.0	59.1	162.5	250.0	612.9
	(再掲)40-74歳※	356	86.9	120.2	6.9	0.0	0.0	0.0	0.0	33.2	142.2	250.0	315.6	556.7
女性	20-29歳	40	53.0	86.6	13.6	0.0	0.0	0.0	0.0	17.1	52.9	182.5	322.1	364.0
	30-39歳	87	71.0	99.7	9.7	0.0	0.0	0.0	0.0	27.7	112.0	178.8	283.6	563.0
	40-49歳	85	80.6	94.0	12.3	0.0	0.0	0.0	0.0	55.8	138.9	201.8	277.4	452.2
	50-59歳	97	99.9	106.6	9.6	0.0	0.0	0.0	0.0	76.0	151.1	254.9	295.0	531.5
	60-69歳	145	139.5	117.7	9.5	0.0	0.0	0.0	58.6	117.0	191.3	276.9	387.2	559.7
	70歳以上	187	132.5	126.1	11.3	0.0	0.0	0.0	28.1	112.1	189.0	312.3	385.7	640.4
	(再掲)20歳以上※	641	103.2	113.8	6.3	0.0	0.0	0.0	0.0	75.0	164.0	257.2	330.7	506.7
	(再掲)65-74歳	151	147.0	133.0	12.1	0.0	0.0	0.0	49.6	118.9	195.0	323.2	421.4	632.6
	(再掲)75歳以上	137	130.1	118.7	10.7	0.0	0.0	0.0	33.4	113.9	196.6	301.2	375.3	486.0
	(再掲)20-49歳※	212	68.6	93.6	7.7	0.0	0.0	0.0	0.0	33.4	113.5	188.2	266.0	423.5
	(再掲)40-74歳※	377	112.5	115.7	7.9	0.0	0.0	0.0	0.0	90.0	173.9	257.4	330.3	536.3
男女計	20-29歳	82	43.4	91.6	10.1	0.0	0.0	0.0	0.0	0.0	42.4	131.5	302.9	462.2
	30-39歳	145	66.5	103.2	9.3	0.0	0.0	0.0	0.0	26.8	94.5	164.7	255.2	634.4
	40-49歳	181	67.5	92.4	9.4	0.0	0.0	0.0	0.0	20.1	114.1	200.2	250.0	405.6
	50-59歳	181	83.5	113.2	9.3	0.0	0.0	0.0	0.0	38.1	132.6	247.6	310.1	548.7
	60-69歳	260	128.6	123.8	9.5	0.0	0.0	0.0	19.8	106.3	200.0	271.9	349.5	566.2
	70歳以上	355	125.2	129.1	9.1	0.0	0.0	0.0	0.0	91.0	189.0	301.1	379.8	532.2
	(再掲)20歳以上※	1,204	91.3	116.7	5.7	0.0	0.0	0.0	0.0	48.5	145.0	250.0	325.0	510.2
	(再掲)65-74歳	281	143.3	136.3	10.2	0.0	0.0	0.0	27.7	112.5	212.9	321.8	402.1	645.1
	(再掲)75歳以上	244	122.1	123.6	9.2	0.0	0.0	0.0	0.0	88.0	200.0	300.0	370.4	478.2
	(再掲)20-49歳※	408	59.1	95.8	5.8	0.0	0.0	0.0	0.0	7.5	88.0	180.0	250.1	452.9
	(再掲)40-74歳※	733	99.8	118.6	6.7	0.0	0.0	0.0	0.0	62.9	165.0	250.0	325.3	543.0

注) 値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のH28人口構成に合わせるための重み付けをした値。

食品群別摂取量(20歳以上性年齢階級別)

果実類(ジャムを除く)(g)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル								
						1	5	10	25	50	75	90	95	99
男性	20-29歳	42	34.6	96.1	14.3	0.0	0.0	0.0	0.0	0.0	7.0	124.8	350.7	462.2
	30-39歳	58	61.7	107.1	15.2	0.0	0.0	0.0	0.0	19.5	90.0	134.1	243.6	672.5
	40-49歳	96	54.0	88.8	9.0	0.0	0.0	0.0	0.0	0.0	69.2	200.0	250.0	558.4
	50-59歳	84	66.5	117.5	13.7	0.0	0.0	0.0	0.0	0.0	97.1	221.4	330.5	701.2
	60-69歳	115	116.3	129.0	12.9	0.0	0.0	0.0	0.0	88.0	202.0	269.5	346.3	688.0
	70歳以上	168	112.9	130.8	10.9	0.0	0.0	0.0	0.0	74.7	184.3	292.7	367.6	640.8
	(再掲)20歳以上※	563	77.7	117.7	6.1	0.0	0.0	0.0	0.0	10.0	120.0	247.0	302.8	550.9
	(再掲)65-74歳	130	137.6	139.4	11.3	0.0	0.0	0.0	0.0	106.5	231.6	317.7	380.2	729.0
	(再掲)75歳以上	107	106.9	128.6	16.0	0.0	0.0	0.0	0.0	52.4	190.7	287.4	343.7	580.1
	(再掲)20-49歳※	196	49.6	96.9	7.3	0.0	0.0	0.0	0.0	0.0	58.8	157.9	248.4	612.9
	(再掲)40-74歳※	356	85.9	119.5	6.8	0.0	0.0	0.0	0.0	33.2	145.0	249.5	315.6	556.7
女性	20-29歳	40	52.9	86.6	13.6	0.0	0.0	0.0	0.0	17.1	52.9	182.5	322.1	364.0
	30-39歳	87	70.4	99.8	9.6	0.0	0.0	0.0	0.0	27.7	112.0	178.8	283.6	563.0
	40-49歳	85	78.7	93.4	12.2	0.0	0.0	0.0	0.0	55.8	137.8	200.3	277.4	452.2
	50-59歳	97	99.6	106.7	9.6	0.0	0.0	0.0	0.0	73.4	151.1	254.9	295.0	531.5
	60-69歳	145	137.8	117.7	9.4	0.0	0.0	0.0	50.2	117.0	191.3	276.9	387.2	559.7
	70歳以上	187	129.8	125.8	11.1	0.0	0.0	0.0	15.1	107.7	188.2	312.3	385.7	640.4
	(再掲)20歳以上※	641	101.7	113.4	6.2	0.0	0.0	0.0	0.0	71.1	157.3	256.7	328.3	503.4
	(再掲)65-74歳	151	144.5	132.6	11.9	0.0	0.0	0.0	48.2	118.9	195.0	317.8	421.4	632.6
	(再掲)75歳以上	137	127.5	118.8	10.6	0.0	0.0	0.0	30.4	110.0	189.0	301.2	375.3	486.0
	(再掲)20-49歳※	212	67.7	93.3	7.6	0.0	0.0	0.0	0.0	33.2	110.5	187.3	266.0	416.0
	(再掲)40-74歳※	377	110.8	115.3	7.9	0.0	0.0	0.0	0.0	88.0	168.1	255.9	328.7	536.3
男女計	20-29歳	82	43.4	91.6	10.1	0.0	0.0	0.0	0.0	0.0	42.4	131.5	302.9	462.2
	30-39歳	145	66.0	103.3	9.3	0.0	0.0	0.0	0.0	26.8	91.6	164.7	255.2	634.4
	40-49歳	181	66.1	91.7	9.3	0.0	0.0	0.0	0.0	15.8	113.8	200.0	250.0	394.8
	50-59歳	181	83.0	113.2	9.2	0.0	0.0	0.0	0.0	38.2	132.6	248.1	310.1	548.7
	60-69歳	260	127.2	123.6	9.5	0.0	0.0	0.0	11.4	106.3	200.0	271.9	349.2	566.2
	70歳以上	355	122.7	128.0	8.9	0.0	0.0	0.0	0.0	90.5	188.2	301.1	379.8	532.2
	(再掲)20歳以上※	1,204	90.1	116.1	5.6	0.0	0.0	0.0	0.0	48.0	145.0	250.0	325.0	506.2
	(再掲)65-74歳	281	141.3	135.7	9.9	0.0	0.0	0.0	27.7	112.5	208.0	315.1	402.8	645.1
	(再掲)75歳以上	244	119.5	122.9	9.1	0.0	0.0	0.0	0.0	88.0	189.0	300.0	366.3	472.7
	(再掲)20-49歳※	408	58.4	95.5	5.7	0.0	0.0	0.0	0.0	7.0	88.0	177.0	250.1	452.9
	(再掲)40-74歳※	733	98.5	118.0	6.6	0.0	0.0	0.0	0.0	60.0	157.3	250.0	324.0	543.0

注) 値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のH28人口構成に合わせるための重み付けをした値。

食品群別摂取量(20歳以上性年齢階級別)

生果(g)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル								
						1	5	10	25	50	75	90	95	99
男性	20-29歳	42	27.8	78.9	11.5	0.0	0.0	0.0	0.0	0.0	7.0	110.4	230.0	462.2
	30-39歳	58	48.2	57.7	7.8	0.0	0.0	0.0	0.0	19.0	90.0	131.6	163.7	252.3
	40-49歳	96	42.7	76.5	8.9	0.0	0.0	0.0	0.0	0.0	56.1	157.8	232.2	558.3
	50-59歳	84	63.8	113.9	13.2	0.0	0.0	0.0	0.0	0.0	97.1	187.4	330.2	701.2
	60-69歳	115	114.4	128.4	13.0	0.0	0.0	0.0	0.0	88.0	200.3	268.7	346.3	688.0
	70歳以上	168	110.8	129.8	10.9	0.0	0.0	0.0	0.0	72.3	171.6	287.4	367.6	640.8
	(再掲)20歳以上※	563	71.7	109.5	5.9	0.0	0.0	0.0	0.0	3.7	117.0	231.9	280.6	470.9
	(再掲)65-74歳	130	135.5	138.4	10.9	0.0	0.0	0.0	0.0	106.5	229.6	308.1	380.2	729.0
	(再掲)75歳以上	107	104.5	127.8	16.1	0.0	0.0	0.0	0.0	51.8	167.1	287.4	343.7	580.1
	(再掲)20-49歳※	196	39.2	72.6	5.2	0.0	0.0	0.0	0.0	0.0	53.5	129.1	200.0	349.7
	(再掲)40-74歳※	356	81.1	116.5	7.1	0.0	0.0	0.0	0.0	26.8	130.0	245.0	296.5	556.7
女性	20-29歳	40	52.8	86.4	13.6	0.0	0.0	0.0	0.0	17.1	52.9	182.4	321.7	364.0
	30-39歳	87	64.5	90.9	9.4	0.0	0.0	0.0	0.0	27.4	102.5	173.9	253.4	563.0
	40-49歳	85	70.5	84.7	10.8	0.0	0.0	0.0	0.0	51.3	119.4	190.2	235.1	452.2
	50-59歳	97	90.3	104.1	8.0	0.0	0.0	0.0	0.0	68.0	129.7	254.9	295.0	531.5
	60-69歳	145	136.1	116.0	9.1	0.0	0.0	0.0	49.6	117.0	191.1	276.9	364.9	559.7
	70歳以上	187	124.6	122.2	10.6	0.0	0.0	0.0	15.1	101.9	181.5	300.5	368.1	640.4
	(再掲)20歳以上※	641	96.7	109.7	6.1	0.0	0.0	0.0	0.0	65.0	148.6	250.0	323.0	491.5
	(再掲)65-74歳	151	143.7	131.0	11.8	0.0	0.0	0.0	48.2	118.9	191.4	317.8	408.8	632.6
	(再掲)75歳以上	137	120.3	113.3	10.0	0.0	0.0	0.0	30.4	102.7	179.7	290.2	333.9	486.0
	(再掲)20-49歳※	212	62.9	87.0	7.2	0.0	0.0	0.0	0.0	32.0	104.8	174.2	249.7	360.7
	(再掲)40-74歳※	377	105.6	113.1	7.5	0.0	0.0	0.0	0.0	84.0	163.9	250.0	325.7	536.3
男女計	20-29歳	82	39.8	83.1	8.3	0.0	0.0	0.0	0.0	0.0	42.0	131.2	234.2	462.2
	30-39歳	145	56.2	76.0	6.6	0.0	0.0	0.0	0.0	25.5	90.0	153.0	178.6	376.1
	40-49歳	181	56.4	81.6	9.1	0.0	0.0	0.0	0.0	6.0	97.0	158.4	241.5	333.5
	50-59歳	181	77.1	109.6	9.0	0.0	0.0	0.0	0.0	34.0	120.4	228.7	295.6	548.7
	60-69歳	260	125.4	122.5	9.4	0.0	0.0	0.0	0.0	104.8	198.1	269.7	347.9	566.2
	70歳以上	355	118.8	125.5	8.8	0.0	0.0	0.0	0.0	88.0	180.0	296.6	364.1	532.2
	(再掲)20歳以上※	1,204	84.6	110.3	5.5	0.0	0.0	0.0	0.0	42.5	133.1	239.1	304.1	478.1
	(再掲)65-74歳	281	139.9	134.4	9.8	0.0	0.0	0.0	27.7	112.2	202.5	314.7	396.9	645.1
	(再掲)75歳以上	244	114.2	119.1	8.8	0.0	0.0	0.0	0.0	86.2	175.8	287.5	340.5	472.7
	(再掲)20-49歳※	408	50.8	80.7	5.0	0.0	0.0	0.0	0.0	0.6	82.1	149.9	229.0	357.2
	(再掲)40-74歳※	733	93.4	115.4	6.8	0.0	0.0	0.0	0.0	57.1	150.0	249.0	322.4	543.0

注) 値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のH28人口構成に合わせるための重み付けをした値。

食品群別摂取量(20歳以上性年齢階級別)

きのこ類(g)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル								
						1	5	10	25	50	75	90	95	99
男性	20-29歳	42	22.2	28.6	8.0	0.0	0.0	0.0	0.0	8.8	40.0	66.8	81.9	91.2
	30-39歳	58	23.0	33.2	4.3	0.0	0.0	0.0	0.0	9.4	30.6	70.4	105.4	160.2
	40-49歳	96	16.8	25.0	2.6	0.0	0.0	0.0	0.0	6.6	23.2	49.3	72.4	140.6
	50-59歳	84	21.0	27.7	3.2	0.0	0.0	0.0	0.0	10.0	30.0	52.5	70.8	150.0
	60-69歳	115	26.7	36.3	3.9	0.0	0.0	0.0	0.0	10.1	46.3	71.6	104.1	192.8
	70歳以上	168	26.7	39.0	2.9	0.0	0.0	0.0	0.0	12.0	34.0	72.5	112.9	206.5
	(再掲)20歳以上※	563	23.0	32.6	1.9	0.0	0.0	0.0	0.0	10.0	32.6	66.7	89.7	150.0
	(再掲)65-74歳	130	32.9	45.5	4.1	0.0	0.0	0.0	0.0	15.0	51.2	100.0	127.2	222.4
	(再掲)75歳以上	107	20.2	27.0	2.4	0.0	0.0	0.0	0.0	10.0	31.2	59.0	71.3	129.1
	(再掲)20-49歳※	196	20.4	28.7	2.9	0.0	0.0	0.0	0.0	8.4	30.4	63.3	85.8	134.5
	(再掲)40-74歳※	356	23.9	34.8	2.5	0.0	0.0	0.0	0.0	10.0	30.2	70.0	98.8	180.0
女性	20-29歳	40	20.2	25.2	3.7	0.0	0.0	0.0	0.0	10.7	38.9	53.4	74.8	120.8
	30-39歳	87	18.5	31.1	2.8	0.0	0.0	0.0	0.0	8.5	24.1	52.5	71.4	199.9
	40-49歳	85	18.1	23.0	2.3	0.0	0.0	0.0	0.0	8.3	29.9	51.9	69.0	92.0
	50-59歳	97	25.4	28.7	3.9	0.0	0.0	0.0	0.0	15.0	45.0	68.3	84.1	160.4
	60-69歳	145	29.1	36.8	3.1	0.0	0.0	0.0	0.0	15.8	46.1	74.4	105.7	190.4
	70歳以上	187	18.6	25.5	1.9	0.0	0.0	0.0	0.0	7.7	28.1	52.1	66.0	127.8
	(再掲)20歳以上※	641	21.4	28.6	1.5	0.0	0.0	0.0	0.0	10.0	33.9	56.7	75.0	130.2
	(再掲)65-74歳	151	26.6	36.0	3.0	0.0	0.0	0.0	0.0	13.5	44.1	76.7	105.2	188.1
	(再掲)75歳以上	137	18.0	24.5	2.3	0.0	0.0	0.0	0.0	7.5	27.9	50.0	59.1	136.0
	(再掲)20-49歳※	212	18.9	26.1	1.8	0.0	0.0	0.0	0.0	9.6	28.9	52.2	72.5	119.5
	(再掲)40-74歳※	377	23.7	30.2	2.0	0.0	0.0	0.0	0.0	12.0	39.5	66.4	84.4	130.9
男女計	20-29歳	82	21.2	26.9	5.2	0.0	0.0	0.0	0.0	10.0	39.3	63.0	83.0	120.8
	30-39歳	145	20.8	32.1	2.6	0.0	0.0	0.0	0.0	9.0	27.6	60.4	78.4	180.8
	40-49歳	181	17.5	24.0	2.1	0.0	0.0	0.0	0.0	7.9	25.4	50.0	70.4	99.4
	50-59歳	181	23.2	28.2	3.0	0.0	0.0	0.0	0.0	12.2	39.7	60.0	83.1	134.6
	60-69歳	260	27.9	36.5	3.1	0.0	0.0	0.0	0.0	13.6	45.8	72.7	105.1	188.4
	70歳以上	355	22.0	32.0	2.0	0.0	0.0	0.0	0.0	10.0	31.0	57.8	82.0	158.3
	(再掲)20歳以上※	1,204	22.2	30.6	1.6	0.0	0.0	0.0	0.0	10.0	33.4	60.8	81.8	131.7
	(再掲)65-74歳	281	29.6	40.8	3.4	0.0	0.0	0.0	0.0	13.5	47.2	80.7	113.5	200.0
	(再掲)75歳以上	244	18.8	25.5	2.0	0.0	0.0	0.0	0.0	8.0	29.7	50.1	65.4	124.4
	(再掲)20-49歳※	408	19.7	27.5	2.0	0.0	0.0	0.0	0.0	9.0	29.7	55.9	75.0	124.2
	(再掲)40-74歳※	733	23.8	32.5	2.2	0.0	0.0	0.0	0.0	10.5	36.3	66.7	86.4	150.0

注) 値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のH28人口構成に合わせるための重み付けをした値。

食品群別摂取量(20歳以上性年齢階級別)

海藻類(g)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル								
						1	5	10	25	50	75	90	95	99
男性	20-29歳	42	11.2	22.6	4.6	0.0	0.0	0.0	0.0	0.5	13.6	35.2	60.1	127.1
	30-39歳	58	14.2	31.0	4.9	0.0	0.0	0.0	0.0	3.0	10.5	40.0	74.4	171.8
	40-49歳	96	11.7	20.2	2.5	0.0	0.0	0.0	0.0	1.1	15.9	31.5	46.4	101.6
	50-59歳	84	10.3	15.5	1.3	0.0	0.0	0.0	0.0	1.1	16.0	28.9	48.2	78.0
	60-69歳	115	17.2	25.3	2.4	0.0	0.0	0.0	0.0	8.1	21.7	44.8	83.1	126.5
	70歳以上	168	17.4	32.8	4.2	0.0	0.0	0.0	0.0	6.5	20.3	49.6	63.2	187.0
	(再掲)20歳以上※	563	14.0	25.8	1.7	0.0	0.0	0.0	0.0	3.8	18.9	38.5	56.7	128.4
	(再掲)65-74歳	130	16.7	23.3	2.4	0.0	0.0	0.0	0.0	10.0	25.1	42.3	62.6	120.8
	(再掲)75歳以上	107	18.1	37.4	6.4	0.0	0.0	0.0	0.0	5.0	20.1	52.4	63.0	202.8
	(再掲)20-49歳※	196	12.2	24.4	2.5	0.0	0.0	0.0	0.0	1.5	13.5	35.2	51.8	140.1
	(再掲)40-74歳※	356	13.6	21.3	1.0	0.0	0.0	0.0	0.0	5.8	19.8	35.0	51.3	112.0
女性	20-29歳	40	9.5	18.1	2.9	0.0	0.0	0.0	0.0	1.0	6.5	42.0	64.0	73.5
	30-39歳	87	11.0	20.0	2.5	0.0	0.0	0.0	0.0	0.0	19.3	30.9	58.1	97.5
	40-49歳	85	14.8	26.0	1.9	0.0	0.0	0.0	0.0	0.0	21.0	52.8	82.1	118.0
	50-59歳	97	9.2	16.6	1.7	0.0	0.0	0.0	0.0	2.5	9.6	31.5	46.4	105.5
	60-69歳	145	36.3	133.6	18.0	0.0	0.0	0.0	0.0	8.5	25.9	52.1	93.7	786.1
	70歳以上	187	12.8	19.9	1.4	0.0	0.0	0.0	0.0	4.0	18.9	38.4	60.8	96.3
	(再掲)20歳以上※	641	15.9	58.5	3.2	0.0	0.0	0.0	0.0	2.9	18.0	42.0	63.2	108.0
	(再掲)65-74歳	151	32.1	122.6	15.4	0.0	0.0	0.0	0.0	10.0	24.7	47.7	80.0	740.0
	(再掲)75歳以上	137	12.4	20.3	1.4	0.0	0.0	0.0	0.0	3.9	14.8	38.7	61.7	98.5
	(再掲)20-49歳※	212	12.0	21.9	1.5	0.0	0.0	0.0	0.0	0.2	12.7	42.0	70.1	99.1
	(再掲)40-74歳※	377	20.0	77.5	5.8	0.0	0.0	0.0	0.0	3.5	21.0	43.7	70.0	130.3
男女計	20-29歳	82	10.4	20.5	2.9	0.0	0.0	0.0	0.0	0.9	7.9	36.4	54.1	127.1
	30-39歳	145	12.6	26.1	2.9	0.0	0.0	0.0	0.0	1.6	16.0	31.5	61.8	152.1
	40-49歳	181	13.2	23.2	1.8	0.0	0.0	0.0	0.0	0.5	18.0	42.0	69.6	102.2
	50-59歳	181	9.7	16.0	1.0	0.0	0.0	0.0	0.0	2.4	13.7	29.7	47.9	77.4
	60-69歳	260	26.9	97.1	9.1	0.0	0.0	0.0	0.0	8.1	25.0	49.4	83.3	388.9
	70歳以上	355	14.7	26.1	2.0	0.0	0.0	0.0	0.0	5.0	20.1	42.0	62.8	123.9
	(再掲)20歳以上※	1,204	15.0	45.7	2.3	0.0	0.0	0.0	0.0	3.0	18.2	40.3	60.0	124.2
	(再掲)65-74歳	281	24.9	91.2	8.1	0.0	0.0	0.0	0.0	10.0	25.0	46.0	68.6	282.5
	(再掲)75歳以上	244	14.6	28.3	2.8	0.0	0.0	0.0	0.0	4.0	17.1	45.2	63.0	149.2
	(再掲)20-49歳※	408	12.1	23.2	1.7	0.0	0.0	0.0	0.0	1.0	13.5	39.9	57.2	106.8
	(再掲)40-74歳※	733	16.8	57.0	3.0	0.0	0.0	0.0	0.0	4.5	20.0	42.0	60.0	122.6

注) 値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のH28人口構成に合わせるための重み付けをした値。

食品群別摂取量(20歳以上性年齢階級別)

魚介類(g)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル								
						1	5	10	25	50	75	90	95	99
男性	20-29歳	42	89.2	73.8	13.9	0.0	0.0	4.9	24.5	76.6	132.1	183.4	220.6	356.0
	30-39歳	58	86.1	85.8	14.8	0.0	0.0	0.0	13.4	65.7	145.0	207.8	251.8	339.5
	40-49歳	96	63.0	74.9	8.4	0.0	0.0	0.0	6.7	32.8	92.7	185.0	220.4	388.0
	50-59歳	84	64.3	60.8	8.3	0.0	0.0	0.0	6.7	50.5	99.4	134.9	167.3	310.0
	60-69歳	115	102.5	81.0	8.0	0.0	0.0	7.3	39.4	91.9	141.3	244.0	270.0	283.5
	70歳以上	168	97.4	77.7	6.4	0.0	0.0	12.1	40.5	83.5	138.8	189.4	212.3	451.6
	(再掲)20歳以上※	563	84.8	77.3	4.5	0.0	0.0	0.0	21.4	68.8	126.5	189.7	237.2	338.2
	(再掲)65-74歳	130	112.9	84.9	7.8	0.0	0.0	8.2	48.2	103.2	165.0	242.6	272.5	387.2
	(再掲)75歳以上	107	93.5	73.7	7.2	0.0	2.3	14.1	44.6	77.5	128.4	184.1	211.5	436.2
	(再掲)20-49歳※	196	78.6	78.3	8.1	0.0	0.0	0.0	13.9	59.6	122.4	190.6	228.7	349.3
	(再掲)40-74歳※	356	81.2	77.3	4.8	0.0	0.0	0.0	18.0	65.0	123.1	187.5	245.7	285.7
女性	20-29歳	40	76.9	61.7	16.5	0.0	0.0	0.0	20.0	71.4	120.0	164.0	177.5	182.5
	30-39歳	87	55.3	56.3	5.8	0.0	0.0	0.0	11.0	39.0	84.9	136.1	174.4	259.5
	40-49歳	85	43.6	41.1	6.2	0.0	0.0	0.0	10.0	35.0	65.0	98.4	110.5	250.7
	50-59歳	97	71.0	67.1	8.3	0.0	0.0	0.0	12.2	57.2	112.2	178.4	197.2	287.1
	60-69歳	145	84.2	60.0	4.2	0.0	0.0	3.7	35.3	79.7	124.0	173.4	194.6	250.0
	70歳以上	187	81.1	64.8	6.5	0.0	0.0	2.5	35.2	70.9	107.3	170.1	190.0	373.3
	(再掲)20歳以上※	641	70.8	61.3	4.1	0.0	0.0	0.0	20.0	62.3	104.9	158.2	185.0	243.1
	(再掲)65-74歳	151	88.1	68.8	5.6	0.0	0.0	3.1	29.9	80.2	126.9	177.9	192.3	337.5
	(再掲)75歳以上	137	78.8	57.3	5.0	0.0	0.0	5.5	40.0	70.0	101.5	155.4	191.1	294.1
	(再掲)20-49歳※	212	58.0	54.7	7.8	0.0	0.0	0.0	14.0	40.0	98.1	141.6	175.7	211.1
	(再掲)40-74歳※	377	69.6	63.3	4.6	0.0	0.0	0.0	20.0	60.0	103.6	161.3	189.7	266.3
男女計	20-29歳	82	83.3	68.1	12.6	0.0	0.0	0.0	21.7	74.0	124.0	178.0	189.6	356.0
	30-39歳	145	71.0	74.2	9.1	0.0	0.0	0.0	13.4	42.0	112.7	182.2	214.0	313.6
	40-49歳	181	53.5	61.3	6.5	0.0	0.0	0.0	9.6	33.7	74.5	130.3	197.4	278.6
	50-59歳	181	67.6	63.9	7.8	0.0	0.0	0.0	12.8	54.1	105.0	157.6	188.5	285.8
	60-69歳	260	93.2	71.6	4.8	0.0	0.0	7.2	35.8	80.9	132.9	193.3	246.7	281.5
	70歳以上	355	87.9	70.9	6.2	0.0	0.0	4.6	39.2	75.5	120.0	174.7	199.9	403.5
	(再掲)20歳以上※	1,204	77.6	69.8	3.9	0.0	0.0	0.0	20.3	64.9	119.8	173.7	203.1	284.6
	(再掲)65-74歳	281	99.7	77.6	5.3	0.0	0.0	7.5	36.4	91.0	149.2	192.2	245.5	359.1
	(再掲)75歳以上	244	84.5	64.5	5.5	0.0	0.1	8.0	40.7	72.4	117.9	166.4	199.8	346.3
	(再掲)20-49歳※	408	68.5	68.5	7.1	0.0	0.0	0.0	14.0	45.9	106.9	172.4	199.9	283.2
	(再掲)40-74歳※	733	75.4	70.8	4.4	0.0	0.0	0.0	19.6	61.3	111.5	171.4	204.8	283.3

注) 値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のH28人口構成に合わせるための重み付けをした値。

食品群別摂取量(20歳以上性年齢階級別)

(魚介類内訳)生魚介類(g)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル								
						1	5	10	25	50	75	90	95	99
男性	20-29歳	42	59.0	69.5	16.0	0.0	0.0	0.0	0.0	25.8	99.9	165.2	197.4	244.7
	30-39歳	58	43.6	74.3	12.0	0.0	0.0	0.0	0.0	0.0	69.2	158.9	205.0	338.0
	40-49歳	96	38.0	54.4	6.8	0.0	0.0	0.0	0.0	0.0	73.3	120.0	148.1	225.3
	50-59歳	84	33.4	45.5	7.4	0.0	0.0	0.0	0.0	0.0	66.0	100.2	111.2	180.0
	60-69歳	115	46.2	61.6	5.8	0.0	0.0	0.0	0.0	10.0	90.6	137.5	185.5	225.1
	70歳以上	168	44.7	56.1	4.8	0.0	0.0	0.0	0.0	29.3	76.8	113.2	137.8	289.5
	(再掲)20歳以上※	563	44.3	60.6	4.3	0.0	0.0	0.0	0.0	9.4	80.0	125.6	180.0	233.6
	(再掲)65-74歳	130	49.5	59.3	6.1	0.0	0.0	0.0	0.0	20.0	84.9	136.6	180.1	221.9
	(再掲)75歳以上	107	45.8	61.8	7.6	0.0	0.0	0.0	0.0	28.9	70.0	118.0	157.7	325.6
	(再掲)20-49歳※	196	46.8	66.0	7.9	0.0	0.0	0.0	0.0	2.6	86.0	152.8	181.5	251.3
(再掲)40-74歳※	356	40.0	53.5	3.3	0.0	0.0	0.0	0.0	4.4	78.3	117.2	150.0	200.0	
女性	20-29歳	40	52.3	60.8	17.2	0.0	0.0	0.0	0.0	20.5	99.3	139.2	166.7	180.0
	30-39歳	87	26.6	49.3	4.8	0.0	0.0	0.0	0.0	0.0	46.6	98.0	120.0	258.0
	40-49歳	85	24.1	34.6	5.2	0.0	0.0	0.0	0.0	0.0	48.8	75.1	98.6	148.3
	50-59歳	97	35.3	50.1	6.3	0.0	0.0	0.0	0.0	0.0	60.0	111.3	152.4	187.1
	60-69歳	145	36.0	47.4	3.7	0.0	0.0	0.0	0.0	4.1	67.2	101.8	135.8	198.2
	70歳以上	187	36.5	49.6	4.8	0.0	0.0	0.0	0.0	8.2	60.9	101.5	135.0	205.2
	(再掲)20歳以上※	641	35.3	49.4	3.7	0.0	0.0	0.0	0.0	0.0	61.8	102.1	132.9	196.1
	(再掲)65-74歳	151	36.7	45.8	2.9	0.0	0.0	0.0	0.0	12.8	70.0	101.3	119.0	188.9
	(再掲)75歳以上	137	36.3	51.5	5.5	0.0	0.0	0.0	0.0	5.6	54.9	101.7	145.9	232.4
	(再掲)20-49歳※	212	34.2	50.2	7.3	0.0	0.0	0.0	0.0	0.0	61.2	101.7	130.8	202.2
(再掲)40-74歳※	377	32.6	44.5	2.9	0.0	0.0	0.0	0.0	0.0	60.0	100.0	119.5	168.9	
男女計	20-29歳	82	55.8	65.2	14.7	0.0	0.0	0.0	0.0	23.4	100.0	158.8	180.0	244.7
	30-39歳	145	35.3	63.6	7.4	0.0	0.0	0.0	0.0	0.0	54.3	120.0	185.3	310.2
	40-49歳	181	31.2	46.1	5.3	0.0	0.0	0.0	0.0	0.0	50.7	100.1	129.9	186.0
	50-59歳	181	34.3	47.7	6.5	0.0	0.0	0.0	0.0	0.0	61.9	101.2	144.2	177.0
	60-69歳	260	41.0	55.0	4.0	0.0	0.0	0.0	0.0	9.7	72.1	119.6	167.6	203.7
	70歳以上	355	39.9	52.5	4.3	0.0	0.0	0.0	0.0	17.0	67.9	105.0	137.0	247.5
	(再掲)20歳以上※	1,204	39.6	55.2	3.6	0.0	0.0	0.0	0.0	2.8	70.2	118.2	152.5	207.3
	(再掲)65-74歳	281	42.7	52.8	3.5	0.0	0.0	0.0	0.0	15.0	80.0	113.9	145.0	200.0
	(再掲)75歳以上	244	40.0	55.8	5.8	0.0	0.0	0.0	0.0	14.1	61.2	109.6	149.9	258.2
	(再掲)20-49歳※	408	40.6	59.1	6.9	0.0	0.0	0.0	0.0	0.0	74.3	122.3	174.9	225.8
(再掲)40-74歳※	733	36.2	49.3	2.8	0.0	0.0	0.0	0.0	2.5	69.0	105.0	137.1	193.0	

注) 値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のH28人口構成に合わせるための重み付けをした値。

食品群別摂取量(20歳以上性年齢階級別)

(魚介類内訳)魚介加工品(g)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル								
						1	5	10	25	50	75	90	95	99
男性	20-29歳	42	30.2	38.3	6.2	0.0	0.0	0.0	0.1	12.0	58.1	90.4	112.3	160.0
	30-39歳	58	42.5	54.5	7.4	0.0	0.0	0.0	0.5	17.4	86.6	124.0	169.4	190.0
	40-49歳	96	25.0	37.8	4.1	0.0	0.0	0.0	0.0	11.1	34.9	66.4	94.2	268.7
	50-59歳	84	30.9	41.4	5.0	0.0	0.0	0.0	0.0	15.9	47.7	92.5	131.2	200.0
	60-69歳	115	56.3	58.8	6.1	0.0	0.0	0.0	7.3	35.1	96.6	138.7	164.1	256.4
	70歳以上	168	52.7	57.1	3.6	0.0	0.0	0.0	9.7	38.6	84.8	116.7	152.5	290.8
	(再掲)20歳以上※	563	40.6	50.7	2.4	0.0	0.0	0.0	0.0	21.4	63.0	107.1	138.8	197.4
	(再掲)65-74歳	130	63.5	64.5	6.1	0.0	0.0	0.0	10.6	47.0	101.8	140.5	163.3	355.6
	(再掲)75歳以上	107	47.7	45.3	3.7	0.0	0.0	0.0	9.7	37.3	78.4	109.4	135.1	194.3
	(再掲)20-49歳※	196	31.8	43.7	2.8	0.0	0.0	0.0	0.0	12.5	49.1	100.7	126.2	182.2
	(再掲)40-74歳※	356	41.2	53.7	3.3	0.0	0.0	0.0	0.0	23.0	62.7	115.0	140.1	253.0
女性	20-29歳	40	24.6	29.2	4.5	0.0	0.0	0.0	0.0	19.5	34.9	81.1	90.9	100.5
	30-39歳	87	28.6	35.4	3.8	0.0	0.0	0.0	0.0	14.0	40.0	81.0	106.0	158.5
	40-49歳	85	19.5	30.7	2.8	0.0	0.0	0.0	0.0	8.2	25.0	57.8	75.2	250.7
	50-59歳	97	35.7	45.5	5.6	0.0	0.0	0.0	0.5	20.0	51.7	100.0	147.1	199.8
	60-69歳	145	48.2	46.6	3.5	0.0	0.0	0.0	4.4	39.0	81.5	118.5	138.0	189.3
	70歳以上	187	44.6	51.5	4.2	0.0	0.0	0.0	3.4	31.5	68.4	100.0	120.0	234.0
	(再掲)20歳以上※	641	35.5	43.8	2.3	0.0	0.0	0.0	0.0	20.2	60.0	91.2	117.7	178.3
	(再掲)65-74歳	151	51.4	59.4	4.8	0.0	0.0	0.0	2.4	35.0	85.1	119.7	135.9	314.1
	(再掲)75歳以上	137	42.5	40.4	4.1	0.0	0.0	0.0	7.8	34.6	67.8	97.1	116.7	176.2
	(再掲)20-49歳※	212	23.8	31.8	2.2	0.0	0.0	0.0	0.0	13.2	35.0	73.3	88.1	150.5
	(再掲)40-74歳※	377	37.1	49.0	2.8	0.0	0.0	0.0	0.0	20.0	60.0	100.0	123.3	198.6
男女計	20-29歳	82	27.5	34.2	4.5	0.0	0.0	0.0	0.0	16.8	42.0	83.5	101.4	160.0
	30-39歳	145	35.7	46.5	5.0	0.0	0.0	0.0	0.0	16.5	46.9	104.5	148.2	183.9
	40-49歳	181	22.3	34.5	2.8	0.0	0.0	0.0	0.0	10.0	30.0	59.7	80.9	214.8
	50-59歳	181	33.3	43.4	4.7	0.0	0.0	0.0	0.0	19.3	50.2	94.8	131.2	200.0
	60-69歳	260	52.2	53.0	3.8	0.0	0.0	0.0	5.0	35.9	86.4	124.3	148.8	241.3
	70歳以上	355	48.0	54.0	3.7	0.0	0.0	0.0	7.5	35.0	75.0	102.2	134.9	197.4
	(再掲)20歳以上※	1,204	38.0	47.3	2.1	0.0	0.0	0.0	0.0	20.5	60.1	101.0	126.5	189.4
	(再掲)65-74歳	281	57.0	62.0	4.8	0.0	0.0	0.0	5.0	40.0	93.1	128.6	157.1	324.3
	(再掲)75歳以上	244	44.5	42.4	3.3	0.0	0.0	0.0	8.5	35.0	73.1	100.0	119.5	178.3
	(再掲)20-49歳※	408	27.9	38.5	2.1	0.0	0.0	0.0	0.0	12.6	40.0	83.5	105.0	169.3
	(再掲)40-74歳※	733	39.1	51.4	2.8	0.0	0.0	0.0	0.0	21.6	60.0	104.5	138.0	215.6

注) 値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のH28人口構成に合わせるための重み付けをした値。

食品群別摂取量(20歳以上性年齢階級別)

肉類(g)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル								
						1	5	10	25	50	75	90	95	99
男性	20-29歳	42	114.5	84.2	11.1	0.0	0.0	0.0	49.3	100.0	166.0	252.2	260.1	291.3
	30-39歳	58	134.2	97.0	14.0	0.0	5.5	26.3	58.8	119.7	165.2	250.6	325.3	550.0
	40-49歳	96	125.1	89.3	8.6	0.0	0.0	7.3	53.5	119.5	165.8	254.2	279.8	497.2
	50-59歳	84	106.7	66.3	6.1	0.0	17.7	26.3	62.7	91.8	145.7	188.1	247.5	333.7
	60-69歳	115	83.9	67.4	7.1	0.0	0.0	0.0	30.4	72.3	116.4	180.1	203.9	320.3
	70歳以上	168	76.9	64.6	6.4	0.0	0.0	0.0	28.5	60.0	120.1	166.6	204.7	248.9
	(再掲)20歳以上※	563	104.1	80.3	4.3	0.0	0.0	3.0	44.4	95.0	150.0	220.0	253.1	350.7
	(再掲)65-74歳	130	80.3	66.4	5.6	0.0	0.0	0.0	25.0	66.5	125.1	167.1	199.8	305.7
	(再掲)75歳以上	107	73.5	64.5	8.3	0.0	0.0	0.0	26.9	58.2	110.8	164.7	219.4	250.4
	(再掲)20-49歳※	196	124.1	89.8	7.1	0.0	0.0	12.8	53.0	115.6	166.0	252.3	279.0	434.5
	(再掲)40-74歳※	356	102.0	76.0	3.8	0.0	0.0	10.0	45.0	92.6	147.6	196.9	249.4	350.4
女性	20-29歳	40	78.0	65.6	11.3	0.0	0.0	0.0	20.0	69.2	121.7	177.9	217.1	235.0
	30-39歳	87	85.2	53.9	7.8	0.0	0.0	0.0	41.9	84.9	129.5	157.4	165.9	219.4
	40-49歳	85	91.0	60.7	8.0	0.0	4.1	10.3	43.1	81.6	128.7	185.8	222.1	227.1
	50-59歳	97	72.4	67.2	5.5	0.0	0.0	0.0	28.9	58.4	93.6	163.5	188.2	351.5
	60-69歳	145	65.0	55.6	4.2	0.0	0.0	0.0	19.2	54.0	100.0	131.4	164.4	255.7
	70歳以上	187	57.3	53.0	4.5	0.0	0.0	0.0	19.7	50.0	80.0	120.0	137.1	249.6
	(再掲)20歳以上※	641	72.0	59.7	3.2	0.0	0.0	0.0	26.0	60.0	107.4	154.1	186.1	242.9
	(再掲)65-74歳	151	67.4	58.6	5.6	0.0	0.0	0.0	24.8	59.2	100.0	129.9	192.3	260.1
	(再掲)75歳以上	137	52.4	47.8	5.0	0.0	0.0	0.0	15.2	45.4	71.5	117.8	125.1	257.7
	(再掲)20-49歳※	212	85.0	60.5	7.1	0.0	0.0	9.5	40.0	80.0	124.2	165.6	222.0	227.1
	(再掲)40-74歳※	377	75.2	62.0	3.7	0.0	0.0	0.0	30.0	63.4	111.0	158.9	192.6	258.0
男女計	20-29歳	82	96.9	77.6	9.1	0.0	0.0	0.0	40.0	81.0	130.0	227.4	252.5	291.3
	30-39歳	145	110.2	82.2	9.3	0.0	0.0	21.7	50.0	103.4	148.0	219.9	249.8	456.7
	40-49歳	181	108.4	78.3	7.6	0.0	0.0	10.1	49.5	102.9	150.7	210.8	255.8	382.3
	50-59歳	181	89.6	68.7	4.3	0.0	0.0	18.7	40.0	76.8	120.6	185.0	218.0	336.1
	60-69歳	260	74.3	62.3	4.9	0.0	0.0	0.0	25.0	63.9	107.4	158.4	199.4	262.8
	70歳以上	355	65.5	58.9	4.5	0.0	0.0	0.0	23.0	53.2	100.0	143.4	188.5	251.9
	(再掲)20歳以上※	1,204	87.5	72.2	3.5	0.0	0.0	0.0	34.5	72.9	124.0	183.5	232.8	302.0
	(再掲)65-74歳	281	73.4	62.6	5.0	0.0	0.0	0.0	25.0	62.6	107.5	158.2	193.7	256.1
	(再掲)75歳以上	244	60.6	55.7	4.6	0.0	0.0	0.0	21.5	50.0	89.2	127.8	164.4	244.7
	(再掲)20-49歳※	408	105.0	79.2	6.4	0.0	0.0	10.0	45.0	96.0	146.3	222.3	252.6	351.9
	(再掲)40-74歳※	733	88.5	70.5	3.3	0.0	0.0	2.8	36.0	77.7	125.0	183.8	222.3	318.9

注) 値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のH28人口構成に合わせるための重み付けをした値。

食品群別摂取量(20歳以上性年齢階級別)

卵類(g)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル								
						1	5	10	25	50	75	90	95	99
男性	20-29歳	42	35.0	34.7	6.8	0.0	0.0	0.0	0.0	21.6	63.8	88.4	97.9	123.0
	30-39歳	58	42.1	39.2	5.8	0.0	0.0	0.0	7.8	43.0	54.1	104.8	130.2	167.5
	40-49歳	96	36.4	31.5	2.6	0.0	0.0	0.0	5.8	32.7	55.2	86.2	96.8	131.5
	50-59歳	84	42.2	33.4	3.3	0.0	0.0	0.0	13.1	43.0	61.0	86.0	90.8	176.5
	60-69歳	115	32.6	34.1	3.0	0.0	0.0	0.0	0.0	23.4	55.3	82.8	105.0	124.1
	70歳以上	168	38.7	31.0	2.3	0.0	0.0	0.0	7.1	43.0	55.0	86.0	96.0	112.9
	(再掲)20歳以上※	563	37.6	33.7	2.1	0.0	0.0	0.0	4.0	38.0	55.7	86.0	97.5	129.1
	(再掲)65-74歳	130	35.4	33.8	3.0	0.0	0.0	0.0	0.0	31.1	55.2	84.2	104.5	125.1
	(再掲)75歳以上	107	38.0	31.5	2.5	0.0	0.0	0.0	3.0	43.0	55.0	87.9	96.2	116.9
	(再掲)20-49歳※	196	37.6	34.8	3.1	0.0	0.0	0.0	4.2	37.0	55.9	86.7	104.3	157.8
	(再掲)40-74歳※	356	37.2	32.8	1.6	0.0	0.0	0.0	4.0	36.9	55.5	86.0	95.9	127.7
女性	20-29歳	40	35.6	35.7	6.7	0.0	0.0	0.0	0.2	34.4	57.0	58.9	110.1	245.5
	30-39歳	87	34.6	33.5	3.7	0.0	0.0	0.0	2.2	32.7	50.3	86.5	101.9	150.6
	40-49歳	85	32.4	26.7	1.8	0.0	0.0	0.0	9.9	28.8	53.1	71.6	86.0	121.0
	50-59歳	97	39.0	33.2	3.0	0.0	0.0	0.0	3.4	37.6	57.0	86.6	105.4	140.2
	60-69歳	145	30.7	34.3	2.6	0.0	0.0	0.0	0.0	24.7	53.8	72.1	100.7	150.6
	70歳以上	187	35.8	29.4	2.0	0.0	0.0	0.0	1.3	43.0	55.0	73.7	86.3	117.1
	(再掲)20歳以上※	641	34.7	31.8	1.4	0.0	0.0	0.0	2.1	34.4	55.0	73.2	92.8	133.3
	(再掲)65-74歳	151	32.9	34.1	3.1	0.0	0.0	0.0	0.0	28.7	53.1	75.9	100.9	160.8
	(再掲)75歳以上	137	37.7	28.5	2.3	0.0	0.0	0.0	3.3	43.0	55.0	73.5	86.0	117.3
	(再掲)20-49歳※	212	34.1	31.7	2.4	0.0	0.0	0.0	7.6	30.7	55.0	71.8	93.7	134.1
	(再掲)40-74歳※	377	33.3	31.6	1.2	0.0	0.0	0.0	1.5	28.8	53.6	73.5	95.4	124.2
男女計	20-29歳	82	35.3	35.0	6.0	0.0	0.0	0.0	0.0	29.8	57.1	83.1	95.7	245.5
	30-39歳	145	38.4	36.5	3.8	0.0	0.0	0.0	5.1	40.6	52.3	88.6	116.9	164.8
	40-49歳	181	34.4	29.3	1.8	0.0	0.0	0.0	9.5	29.7	55.0	76.0	90.1	123.9
	50-59歳	181	40.6	33.3	2.5	0.0	0.0	0.0	8.7	40.3	59.3	86.0	99.4	153.1
	60-69歳	260	31.6	34.1	2.2	0.0	0.0	0.0	0.0	24.1	55.0	75.1	102.7	125.6
	70歳以上	355	37.0	30.1	1.7	0.0	0.0	0.0	3.0	43.0	55.0	77.1	90.0	109.6
	(再掲)20歳以上※	1,204	36.1	32.8	1.5	0.0	0.0	0.0	3.0	34.4	55.0	82.0	95.7	128.4
	(再掲)65-74歳	281	34.1	33.9	2.6	0.0	0.0	0.0	0.0	29.7	55.0	79.0	101.8	125.9
	(再掲)75歳以上	244	37.8	29.6	1.9	0.0	0.0	0.0	3.2	43.0	55.0	76.9	88.9	108.7
	(再掲)20-49歳※	408	35.9	33.4	2.4	0.0	0.0	0.0	5.0	32.4	55.3	82.1	96.8	140.0
	(再掲)40-74歳※	733	35.2	32.2	1.2	0.0	0.0	0.0	3.0	32.0	55.0	80.8	95.8	125.8

注) 値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のH28人口構成に合わせるための重み付けをした値。

食品群別摂取量(20歳以上性年齢階級別)

乳類(g)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル								
						1	5	10	25	50	75	90	95	99
男性	20-29歳	42	62.5	118.7	17.3	0.0	0.0	0.0	0.0	7.2	68.9	210.0	332.9	665.0
	30-39歳	58	113.8	144.6	16.6	0.0	0.0	0.0	0.0	57.9	212.0	295.8	359.1	721.0
	40-49歳	96	70.7	113.0	12.0	0.0	0.0	0.0	0.0	9.4	115.9	205.7	358.8	543.0
	50-59歳	84	114.8	148.7	17.9	0.0	0.0	0.0	0.0	70.6	206.0	331.3	417.9	817.8
	60-69歳	115	103.0	137.1	14.7	0.0	0.0	0.0	0.0	30.0	184.3	316.2	409.0	576.6
	70歳以上	168	130.8	168.6	16.9	0.0	0.0	0.0	0.0	76.0	206.0	342.1	479.1	784.1
	(再掲)20歳以上※	563	100.4	142.7	7.4	0.0	0.0	0.0	0.0	24.3	167.9	286.0	389.8	658.4
	(再掲)65-74歳	130	112.1	130.5	13.1	0.0	0.0	0.0	0.0	71.6	202.4	290.1	392.4	565.2
	(再掲)75歳以上	107	148.1	190.0	22.5	0.0	0.0	0.0	0.0	108.1	221.4	391.1	562.7	821.2
	(再掲)20-49歳※	196	80.2	125.8	10.5	0.0	0.0	0.0	0.0	10.0	116.4	239.6	345.7	641.7
	(再掲)40-74歳※	356	95.8	131.3	8.6	0.0	0.0	0.0	0.0	28.8	153.9	269.6	392.6	554.2
女性	20-29歳	40	69.9	98.2	15.7	0.0	0.0	0.0	0.0	35.0	80.1	260.6	334.0	420.0
	30-39歳	87	123.0	146.8	21.6	0.0	0.0	0.0	0.0	88.1	206.0	281.5	520.7	630.0
	40-49歳	85	121.8	143.0	13.1	0.0	0.0	0.0	1.8	89.7	182.7	318.4	514.1	618.0
	50-59歳	97	119.5	154.2	16.8	0.0	0.0	0.0	0.0	73.6	195.2	300.8	416.3	842.3
	60-69歳	145	151.8	169.6	20.4	0.0	0.0	0.0	9.6	107.9	221.4	360.0	470.1	821.0
	70歳以上	187	119.6	114.2	8.9	0.0	0.0	0.0	0.0	107.7	206.0	273.0	325.6	413.9
	(再掲)20歳以上※	641	119.0	138.5	7.1	0.0	0.0	0.0	0.0	80.1	200.0	289.0	382.3	584.4
	(再掲)65-74歳	151	143.0	158.3	17.0	0.0	0.0	0.0	4.9	100.0	224.1	325.6	375.6	804.3
	(再掲)75歳以上	137	118.8	115.7	11.3	0.0	0.0	0.0	0.0	109.6	189.5	273.0	326.6	465.2
	(再掲)20-49歳※	212	104.9	132.8	9.1	0.0	0.0	0.0	0.0	63.4	162.1	264.2	413.6	602.8
	(再掲)40-74歳※	377	130.6	150.8	8.8	0.0	0.0	0.0	3.0	90.0	206.0	317.7	417.5	747.7
男女計	20-29歳	82	66.1	108.8	10.2	0.0	0.0	0.0	0.0	10.0	80.1	210.7	303.6	665.0
	30-39歳	145	118.3	145.2	14.6	0.0	0.0	0.0	0.0	73.8	206.8	286.9	377.8	673.9
	40-49歳	181	95.8	130.9	9.7	0.0	0.0	0.0	0.0	50.0	140.6	227.9	412.4	578.5
	50-59歳	181	117.1	151.1	16.1	0.0	0.0	0.0	0.0	72.6	203.0	308.6	412.5	831.4
	60-69歳	260	127.7	156.1	11.2	0.0	0.0	0.0	0.0	80.0	206.0	328.5	442.5	680.7
	70歳以上	355	124.3	139.4	10.6	0.0	0.0	0.0	0.0	100.0	206.0	288.0	350.0	651.1
	(再掲)20歳以上※	1,204	110.0	140.8	6.5	0.0	0.0	0.0	0.0	65.0	185.3	288.0	387.2	609.6
	(再掲)65-74歳	281	128.5	146.6	10.9	0.0	0.0	0.0	0.0	90.0	211.0	324.9	389.1	645.5
	(再掲)75歳以上	244	130.2	149.4	13.2	0.0	0.0	0.0	0.0	109.1	206.0	309.0	396.9	726.2
	(再掲)20-49歳※	408	92.2	129.7	8.0	0.0	0.0	0.0	0.0	33.0	140.6	252.3	363.4	603.2
	(再掲)40-74歳※	733	113.3	142.4	7.3	0.0	0.0	0.0	0.0	70.6	186.2	302.4	397.9	589.0

注) 値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のH28人口構成に合わせるための重み付けをした値。

食品群別摂取量(20歳以上性年齢階級別)

油脂類(g)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル								
						1	5	10	25	50	75	90	95	99
男性	20-29歳	42	15.0	12.6	2.30	0.0	0.0	1.2	5.8	11.5	20.0	31.3	40.5	61.0
	30-39歳	58	13.5	11.9	1.77	0.0	0.0	0.1	4.0	10.8	21.1	30.3	36.3	55.7
	40-49歳	96	14.1	9.4	0.94	0.0	1.0	1.2	7.4	12.0	19.5	30.4	32.3	39.8
	50-59歳	84	12.2	8.8	0.87	0.0	1.6	2.7	5.5	10.5	16.8	25.1	30.3	42.0
	60-69歳	115	11.8	11.1	1.29	0.0	0.0	0.9	5.0	8.5	14.5	26.2	39.1	50.6
	70歳以上	168	9.3	9.7	0.90	0.0	0.0	0.0	2.2	7.0	11.5	24.4	29.6	47.5
	(再掲)20歳以上※	563	12.4	10.7	0.79	0.0	0.0	1.0	4.7	9.9	17.2	27.3	33.0	50.0
	(再掲)65-74歳	130	9.4	8.7	0.72	0.0	0.0	0.0	3.0	8.0	12.4	21.5	26.7	45.6
	(再掲)75歳以上	107	9.4	9.9	1.19	0.0	0.0	0.0	2.1	6.7	11.5	24.9	35.2	45.7
	(再掲)20-49歳※	196	14.2	11.3	1.16	0.0	0.0	1.2	6.1	12.0	20.0	31.0	34.3	57.0
(再掲)40-74歳※	356	12.2	9.9	0.67	0.0	0.0	1.3	5.1	10.0	16.8	26.2	31.6	47.7	
女性	20-29歳	40	13.2	9.1	1.84	0.0	0.0	1.7	5.7	10.6	18.5	26.9	29.9	36.3
	30-39歳	87	10.8	8.8	1.25	0.0	0.0	0.3	4.0	9.7	17.0	23.7	26.8	36.0
	40-49歳	85	11.3	8.7	1.24	0.0	0.8	1.8	4.5	9.3	15.6	24.6	29.2	36.6
	50-59歳	97	11.7	8.9	1.16	0.0	0.0	1.0	4.4	10.2	16.9	24.6	28.4	35.3
	60-69歳	145	9.2	10.5	0.97	0.0	0.0	0.0	2.0	6.9	12.6	22.5	26.6	54.9
	70歳以上	187	7.9	7.7	0.65	0.0	0.0	0.0	2.0	6.0	11.4	16.3	25.0	36.0
	(再掲)20歳以上※	641	10.2	9.0	0.59	0.0	0.0	0.0	3.0	8.0	14.3	23.8	27.5	36.1
	(再掲)65-74歳	151	9.1	10.1	0.84	0.0	0.0	0.0	2.1	6.2	12.8	22.7	25.9	53.5
	(再掲)75歳以上	137	7.4	7.8	0.88	0.0	0.0	0.0	2.0	5.7	11.3	15.6	26.0	36.5
	(再掲)20-49歳※	212	11.8	8.9	1.04	0.0	0.0	1.2	4.6	10.5	17.1	25.0	28.8	36.2
(再掲)40-74歳※	377	10.4	9.2	0.48	0.0	0.0	0.8	3.6	8.0	14.8	24.0	27.0	35.9	
男女計	20-29歳	82	14.1	11.0	1.99	0.0	0.0	1.4	5.7	11.3	19.5	29.9	35.4	61.0
	30-39歳	145	12.2	10.5	1.25	0.0	0.0	0.2	4.0	10.2	19.0	24.5	32.0	52.3
	40-49歳	181	12.7	9.2	0.78	0.0	1.0	1.6	5.3	11.0	18.0	26.6	31.0	35.5
	50-59歳	181	12.0	8.8	0.95	0.0	0.6	2.0	4.7	10.4	16.8	24.6	30.4	36.7
	60-69歳	260	10.5	10.8	0.87	0.0	0.0	0.0	3.0	8.0	13.0	23.0	31.5	54.1
	70歳以上	355	8.5	8.6	0.68	0.0	0.0	0.0	2.0	6.7	11.4	18.9	27.0	38.1
	(再掲)20歳以上※	1,204	11.3	9.9	0.65	0.0	0.0	0.9	4.0	9.0	15.7	24.6	31.0	42.0
	(再掲)65-74歳	281	9.2	9.5	0.66	0.0	0.0	0.0	3.0	7.0	12.8	22.1	26.1	50.7
	(再掲)75歳以上	244	8.2	8.7	0.93	0.0	0.0	0.0	2.0	6.1	11.4	18.8	28.7	37.4
	(再掲)20-49歳※	408	13.0	10.2	1.00	0.0	0.0	1.2	5.0	11.0	19.4	27.0	32.2	42.3
(再掲)40-74歳※	733	11.3	9.6	0.45	0.0	0.0	1.0	4.4	9.0	15.5	24.6	30.4	42.6	

注) 値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のH28人口構成に合わせるための重み付けをした値。

食品群別摂取量(20歳以上性年齢階級別)

菓子類(g)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル								
						1	5	10	25	50	75	90	95	99
男性	20-29歳	42	31.7	47.3	5.1	0.0	0.0	0.0	0.0	0.0	60.0	99.8	121.4	200.0
	30-39歳	58	13.8	31.0	3.5	0.0	0.0	0.0	0.0	0.0	0.0	60.5	99.8	140.0
	40-49歳	96	13.3	32.5	3.0	0.0	0.0	0.0	0.0	0.0	6.9	50.0	104.4	193.4
	50-59歳	84	15.6	36.8	4.8	0.0	0.0	0.0	0.0	0.0	10.7	50.2	96.5	279.0
	60-69歳	115	22.2	40.4	5.0	0.0	0.0	0.0	0.0	0.0	27.1	80.6	115.1	190.9
	70歳以上	168	25.2	36.6	3.0	0.0	0.0	0.0	0.0	0.0	44.5	76.0	108.9	166.7
	(再掲)20歳以上※	563	20.7	38.2	2.0	0.0	0.0	0.0	0.0	0.0	24.1	84.4	100.0	174.6
	(再掲)65-74歳	130	26.9	42.2	5.2	0.0	0.0	0.0	0.0	5.0	40.0	82.5	122.1	195.1
	(再掲)75歳以上	107	24.0	36.7	3.1	0.0	0.0	0.0	0.0	0.0	40.0	80.2	113.7	162.1
	(再掲)20-49歳※	196	19.7	38.6	2.7	0.0	0.0	0.0	0.0	0.0	21.5	95.0	100.0	196.8
	(再掲)40-74歳※	356	18.6	36.9	2.3	0.0	0.0	0.0	0.0	0.0	20.0	62.7	100.0	177.7
女性	20-29歳	40	21.9	34.4	5.9	0.0	0.0	0.0	0.0	0.0	38.8	90.8	98.2	130.0
	30-39歳	87	23.8	40.2	3.7	0.0	0.0	0.0	0.0	0.0	40.8	76.6	115.8	216.0
	40-49歳	85	18.8	39.9	3.0	0.0	0.0	0.0	0.0	0.0	18.4	56.9	107.6	198.0
	50-59歳	97	32.3	44.4	6.0	0.0	0.0	0.0	0.0	13.9	51.0	100.0	146.2	172.4
	60-69歳	145	23.8	38.7	4.2	0.0	0.0	0.0	0.0	0.0	40.0	68.0	94.2	188.9
	70歳以上	187	22.7	32.3	2.8	0.0	0.0	0.0	0.0	8.7	40.0	68.5	100.0	136.7
	(再掲)20歳以上※	641	23.6	37.7	2.0	0.0	0.0	0.0	0.0	0.0	40.0	70.0	100.0	173.8
	(再掲)65-74歳	151	23.0	38.5	3.8	0.0	0.0	0.0	0.0	0.0	39.1	67.8	96.0	174.9
	(再掲)75歳以上	137	23.5	32.6	2.8	0.0	0.0	0.0	0.0	10.0	39.8	68.9	100.0	137.8
	(再掲)20-49歳※	212	21.3	38.1	2.7	0.0	0.0	0.0	0.0	0.0	25.8	70.0	100.0	183.9
	(再掲)40-74歳※	377	24.0	39.8	2.4	0.0	0.0	0.0	0.0	0.0	40.0	69.7	100.0	180.6
男女計	20-29歳	82	27.0	41.6	5.1	0.0	0.0	0.0	0.0	0.0	50.7	99.7	100.0	200.0
	30-39歳	145	18.7	36.0	2.6	0.0	0.0	0.0	0.0	0.0	24.0	70.0	100.0	166.9
	40-49歳	181	16.0	36.3	2.7	0.0	0.0	0.0	0.0	0.0	14.9	50.0	103.9	188.7
	50-59歳	181	23.9	41.5	4.0	0.0	0.0	0.0	0.0	0.0	36.8	90.0	100.0	171.7
	60-69歳	260	23.0	39.5	4.5	0.0	0.0	0.0	0.0	0.0	35.0	69.0	100.0	175.0
	70歳以上	355	23.7	34.1	2.4	0.0	0.0	0.0	0.0	4.5	40.0	70.0	100.0	139.6
	(再掲)20歳以上※	1,204	22.2	37.9	1.7	0.0	0.0	0.0	0.0	0.0	30.0	70.0	100.0	175.0
	(再掲)65-74歳	281	24.8	40.2	4.1	0.0	0.0	0.0	0.0	0.0	40.0	70.0	106.0	176.9
	(再掲)75歳以上	244	23.7	34.2	2.5	0.0	0.0	0.0	0.0	4.7	40.0	70.0	100.0	139.2
	(再掲)20-49歳※	408	20.5	38.3	2.2	0.0	0.0	0.0	0.0	0.0	24.0	86.5	100.0	186.1
	(再掲)40-74歳※	733	21.3	38.5	2.1	0.0	0.0	0.0	0.0	0.0	28.0	68.0	100.0	178.9

注) 値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のH28人口構成に合わせるための重み付けをした値。

食品群別摂取量(20歳以上性年齢階級別)

アルコール飲料類(g)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル								
						1	5	10	25	50	75	90	95	99
男性	20-29歳	42	19.9	99.0	12.3	0.0	0.0	0.0	0.0	0.0	1.5	11.5	143.8	701.0
	30-39歳	58	137.0	285.5	34.5	0.0	0.0	0.0	0.0	0.2	151.0	525.8	820.3	1521.0
	40-49歳	96	183.0	305.4	32.8	0.0	0.0	0.0	0.0	7.5	354.0	702.9	941.0	1392.3
	50-59歳	84	202.4	319.0	33.0	0.0	0.0	0.0	0.0	4.4	354.6	765.1	862.6	1534.8
	60-69歳	115	213.1	329.6	30.6	0.0	0.0	0.0	0.0	11.6	354.0	741.0	837.1	1911.8
	70歳以上	168	121.1	217.7	18.7	0.0	0.0	0.0	0.0	3.5	186.8	383.9	566.9	1131.5
	(再掲)20歳以上※	563	145.8	275.6	14.5	0.0	0.0	0.0	0.0	2.1	208.1	505.0	768.6	1215.9
	(再掲)65-74歳	130	195.1	334.2	31.3	0.0	0.0	0.0	0.0	7.5	273.8	738.6	842.2	1835.4
	(再掲)75歳以上	107	97.1	160.9	18.8	0.0	0.0	0.0	0.0	3.3	180.0	356.8	486.1	621.6
	(再掲)20-49歳※	196	114.2	256.7	19.4	0.0	0.0	0.0	0.0	0.0	13.6	501.0	708.0	1258.5
	(再掲)40-74歳※	356	194.7	313.8	18.1	0.0	0.0	0.0	0.0	7.5	354.0	708.0	856.7	1358.0
女性	20-29歳	40	30.1	95.2	21.6	0.0	0.0	0.0	0.0	0.0	3.0	112.8	308.8	355.0
	30-39歳	87	26.1	97.4	9.6	0.0	0.0	0.0	0.0	0.0	2.8	21.7	350.9	708.0
	40-49歳	85	93.9	222.5	25.6	0.0	0.0	0.0	0.0	3.0	54.8	354.0	437.8	1519.4
	50-59歳	97	91.1	196.6	25.8	0.0	0.0	0.0	0.0	0.0	21.4	354.2	533.5	1032.2
	60-69歳	145	21.5	84.5	6.2	0.0	0.0	0.0	0.0	0.0	4.7	13.9	182.4	539.0
	70歳以上	187	10.2	43.1	2.9	0.0	0.0	0.0	0.0	0.0	4.3	12.4	28.4	320.8
	(再掲)20歳以上※	641	40.6	134.0	7.5	0.0	0.0	0.0	0.0	0.0	6.4	90.0	354.0	700.0
	(再掲)65-74歳	151	18.6	74.4	5.8	0.0	0.0	0.0	0.0	0.0	7.4	13.0	116.5	366.8
	(再掲)75歳以上	137	7.3	34.1	2.2	0.0	0.0	0.0	0.0	0.0	3.0	10.0	27.2	222.2
	(再掲)20-49歳※	212	53.2	159.3	13.5	0.0	0.0	0.0	0.0	0.0	7.7	238.0	354.2	808.4
	(再掲)40-74歳※	377	59.3	166.9	11.2	0.0	0.0	0.0	0.0	1.0	10.0	244.9	354.3	821.1
男女計	20-29歳	82	24.9	96.8	12.7	0.0	0.0	0.0	0.0	0.0	1.9	10.4	354.1	701.0
	30-39歳	145	82.6	221.1	18.3	0.0	0.0	0.0	0.0	0.0	7.3	354.0	568.1	1215.9
	40-49歳	181	139.1	270.9	24.6	0.0	0.0	0.0	0.0	3.8	146.3	505.0	708.0	1287.7
	50-59歳	181	146.8	270.1	24.9	0.0	0.0	0.0	0.0	1.9	278.8	530.0	802.3	1112.7
	60-69歳	260	115.9	257.1	16.6	0.0	0.0	0.0	0.0	1.0	109.2	360.2	725.1	1344.9
	70歳以上	355	56.4	154.2	9.9	0.0	0.0	0.0	0.0	0.0	12.0	208.5	363.3	726.8
	(再掲)20歳以上※	1,204	91.4	220.6	8.2	0.0	0.0	0.0	0.0	0.0	12.6	354.0	534.0	1014.7
	(再掲)65-74歳	281	101.0	250.4	14.8	0.0	0.0	0.0	0.0	2.0	16.4	354.0	719.4	1257.2
	(再掲)75歳以上	244	42.2	112.4	8.5	0.0	0.0	0.0	0.0	0.0	7.9	180.2	354.3	556.8
	(再掲)20-49歳※	408	84.4	216.7	12.0	0.0	0.0	0.0	0.0	0.0	10.0	354.0	534.9	1046.8
	(再掲)40-74歳※	733	126.6	259.7	12.1	0.0	0.0	0.0	0.0	2.5	118.0	400.0	712.5	1106.9

注) 値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のH28人口構成に合わせるための重み付けをした値。

食品群別摂取量(20歳以上性年齢階級別)

その他の嗜好飲料類(g)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル								
						1	5	10	25	50	75	90	95	99
男性	20-29歳	42	516.2	379.1	48.3	0.0	0.0	0.0	208.0	500.0	802.9	1000.0	1226.0	1373.0
	30-39歳	58	587.5	465.4	71.5	0.0	0.0	0.0	202.3	507.3	845.9	1285.8	1559.5	1730.8
	40-49歳	96	423.2	399.5	41.6	0.0	0.0	0.0	133.6	368.6	608.8	925.3	1139.6	2207.1
	50-59歳	84	571.1	425.0	59.5	0.0	0.0	0.0	196.6	552.4	892.6	1164.8	1296.4	1555.0
	60-69歳	115	560.0	407.5	38.2	0.0	0.0	100.0	227.9	500.0	800.6	1122.8	1470.0	1695.2
	70歳以上	168	489.0	394.9	29.4	0.0	0.0	0.0	200.1	420.0	700.0	1000.0	1200.0	1988.7
	(再掲)20歳以上※	563	519.2	411.6	23.1	0.0	0.0	0.0	200.0	474.2	785.5	1092.2	1271.6	1602.0
	(再掲)65-74歳	130	545.7	428.6	30.5	0.0	0.0	31.2	201.7	480.7	784.9	1067.1	1470.0	2140.5
	(再掲)75歳以上	107	443.1	362.1	34.3	0.0	0.0	0.0	165.5	379.6	690.6	916.7	1200.0	1663.1
	(再掲)20-49歳※	196	501.8	416.0	33.0	0.0	0.0	0.0	200.0	470.3	763.0	1100.0	1286.5	1737.3
	(再掲)40-74歳※	356	523.3	417.8	29.4	0.0	0.0	0.0	200.0	461.6	785.0	1096.3	1294.6	1801.7
女性	20-29歳	40	571.3	350.3	79.9	0.0	0.0	52.0	307.2	600.0	832.4	1138.5	1185.7	1210.0
	30-39歳	87	454.2	356.0	45.9	0.0	0.0	0.0	200.0	363.1	660.0	890.3	1197.1	1777.3
	40-49歳	85	512.5	365.4	55.6	0.0	0.0	1.3	251.9	401.6	757.5	1112.5	1197.8	1860.0
	50-59歳	97	579.1	371.2	43.0	0.0	8.5	150.0	300.0	526.0	852.1	1109.6	1266.4	1573.8
	60-69歳	145	618.9	459.9	39.2	0.0	0.0	97.4	300.0	525.8	903.2	1389.4	1535.8	1982.9
	70歳以上	187	519.2	415.0	43.5	0.0	0.0	0.0	200.0	450.0	725.9	1074.2	1282.8	1838.1
	(再掲)20歳以上※	641	542.4	396.8	24.8	0.0	0.0	1.2	250.0	498.6	800.0	1114.6	1264.4	1769.2
	(再掲)65-74歳	151	607.3	479.8	43.9	0.0	0.0	0.7	200.0	501.2	914.2	1396.1	1530.0	1981.9
	(再掲)75歳以上	137	504.4	401.4	53.3	0.0	0.0	0.0	206.0	450.0	700.0	962.4	1255.5	1902.9
	(再掲)20-49歳※	212	515.3	358.9	35.5	0.0	0.0	1.7	250.0	461.3	754.9	994.3	1200.0	1494.0
	(再掲)40-74歳※	377	569.2	412.0	20.8	0.0	0.0	100.0	252.0	500.0	833.7	1151.6	1398.9	1663.9
男女計	20-29歳	82	542.7	364.6	53.4	0.0	0.0	0.0	215.8	500.0	807.2	1000.0	1183.2	1373.0
	30-39歳	145	522.2	419.1	51.7	0.0	0.0	0.0	200.0	479.4	722.9	1159.9	1460.0	1748.4
	40-49歳	181	467.1	384.8	35.8	0.0	0.0	0.0	184.3	400.0	696.3	971.8	1180.3	1835.1
	50-59歳	181	575.1	398.0	42.5	0.0	0.0	0.0	274.7	543.9	869.9	1135.7	1267.8	1552.2
	60-69歳	260	589.9	435.1	34.2	0.0	0.0	100.0	250.0	500.2	882.1	1197.1	1495.0	1800.0
	70歳以上	355	506.6	406.5	32.2	0.0	0.0	0.0	200.0	450.0	700.0	1003.2	1244.2	1830.0
	(再掲)20歳以上※	1,204	531.2	404.0	20.8	0.0	0.0	0.0	202.0	480.0	800.0	1100.0	1266.4	1678.4
	(再掲)65-74歳	281	578.5	457.0	32.9	0.0	0.0	2.9	200.5	500.0	824.5	1202.0	1509.3	1982.2
	(再掲)75歳以上	244	480.5	387.1	40.8	0.0	0.0	0.0	200.0	445.6	700.0	953.7	1205.0	1824.9
	(再掲)20-49歳※	408	508.4	388.8	27.4	0.0	0.0	0.0	200.0	464.8	757.6	1060.0	1207.7	1594.4
	(再掲)40-74歳※	733	546.4	415.3	20.5	0.0	0.0	0.0	202.0	480.0	801.8	1120.0	1324.5	1655.8

注) 値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のH28人口構成に合わせるための重み付けをした値。

食品群別摂取量(20歳以上性年齢階級別)

調味料類(g)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル								
						1	5	10	25	50	75	90	95	99
男性	20-29歳	42	93.7	137.3	23.7	10.0	12.6	15.8	30.1	54.6	105.1	192.7	366.6	868.7
	30-39歳	58	104.6	84.8	14.3	10.0	14.1	20.4	44.8	78.4	146.3	211.3	336.1	376.8
	40-49歳	96	117.5	101.9	13.8	7.1	19.7	31.5	51.2	74.2	128.9	310.5	348.8	404.1
	50-59歳	84	109.3	102.7	14.2	12.3	30.3	33.1	49.5	76.1	123.1	215.8	335.7	652.4
	60-69歳	115	106.9	94.0	11.4	0.0	26.9	34.4	50.6	73.8	124.3	239.7	309.8	508.7
	70歳以上	168	98.1	96.0	9.0	17.9	26.2	33.1	46.4	72.9	102.9	199.4	349.8	528.6
	(再掲)20歳以上※	563	104.8	103.6	9.0	10.3	20.0	28.7	46.0	73.0	112.9	216.5	335.2	533.5
	(再掲)65-74歳	130	99.9	83.2	8.3	0.0	30.5	36.6	52.3	75.6	103.2	210.9	284.8	454.5
	(再掲)75歳以上	107	103.5	109.0	13.3	17.5	26.0	30.5	44.2	66.5	103.5	212.8	401.8	536.4
	(再掲)20-49歳※	196	105.7	110.9	11.6	9.5	14.1	21.3	42.5	71.5	125.6	235.3	339.6	589.4
	(再掲)40-74歳※	356	108.1	95.5	8.3	10.6	27.9	34.4	50.7	74.3	119.0	245.1	334.9	468.8
女性	20-29歳	40	69.8	68.0	11.6	4.5	17.0	18.8	29.2	46.8	77.7	199.6	243.4	344.6
	30-39歳	87	85.3	71.3	9.8	12.6	19.0	23.9	38.7	52.4	106.5	210.0	241.0	305.7
	40-49歳	85	81.8	60.8	7.4	18.2	25.9	28.0	39.5	61.0	96.0	174.2	209.8	382.4
	50-59歳	97	78.4	88.7	13.7	7.2	11.1	18.0	36.2	50.4	81.5	146.6	280.9	521.5
	60-69歳	145	96.0	81.8	8.7	14.4	22.2	30.2	46.0	68.8	109.6	220.4	259.1	446.0
	70歳以上	187	77.7	67.9	6.0	14.7	26.3	30.3	42.1	56.1	84.2	156.1	227.3	441.4
	(再掲)20歳以上※	641	81.3	73.0	4.8	11.7	19.2	27.1	39.2	56.1	91.9	183.2	223.5	380.0
	(再掲)65-74歳	151	91.6	77.5	9.3	16.4	26.9	33.8	45.2	64.9	99.0	219.2	244.0	445.8
	(再掲)75歳以上	137	76.6	69.0	7.1	14.0	25.6	29.1	39.2	57.5	82.0	138.2	226.8	500.2
	(再掲)20-49歳※	212	78.8	66.3	5.8	12.7	19.1	25.7	38.0	51.8	91.3	185.5	215.2	324.3
	(再掲)40-74歳※	377	85.3	76.1	5.7	11.0	21.9	28.2	41.6	59.0	96.2	186.5	224.7	445.4
男女計	20-29歳	82	82.2	109.6	14.9	5.4	14.0	18.6	29.4	51.4	91.3	200.6	249.1	868.7
	30-39歳	145	95.1	78.7	10.8	11.2	15.5	22.2	40.8	69.5	127.6	209.5	268.1	364.0
	40-49歳	181	100.0	85.9	7.7	12.1	24.8	29.8	45.4	71.9	116.7	212.5	320.5	384.0
	50-59歳	181	93.9	96.9	13.4	10.2	17.8	28.2	42.8	63.5	100.4	208.4	329.7	529.3
	60-69歳	260	101.4	88.0	8.7	13.5	26.8	32.8	47.7	72.9	112.9	221.4	282.4	446.2
	70歳以上	355	86.2	81.4	5.6	17.3	26.2	31.3	42.8	61.2	92.8	165.2	229.9	495.4
	(再掲)20歳以上※	1,204	92.6	89.8	6.4	10.9	20.0	27.8	42.0	63.7	103.2	206.4	277.3	472.8
	(再掲)65-74歳	281	95.5	80.2	7.8	16.0	27.4	35.4	49.5	68.1	99.6	216.7	257.0	445.0
	(再掲)75歳以上	244	87.0	87.6	7.5	15.2	26.1	30.0	41.6	59.5	91.9	178.8	237.0	516.8
	(再掲)20-49歳※	408	92.6	92.8	7.5	10.0	18.3	22.6	39.1	60.6	106.3	208.6	287.8	390.3
	(再掲)40-74歳※	733	96.6	87.0	5.8	11.0	24.3	31.7	45.0	69.0	104.9	212.2	295.3	445.0

注) 値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のH28人口構成に合わせるための重み付けをした値。